

Introduction

- [Alchemy API Reference Overview](#)
- - [Chain APIs Overview](#)
 - [Enhanced APIs Overview](#)
- [Alchemy Quickstart Guide](#)

Resources

- [FAQ](#)
- - [Feature Support By Chain](#)
 - [Throughput](#)
 - [Batch Requests](#)
 - [Gas Limits](#)
 - [Error Reference](#)
- [Compute Units](#)
- - [Pricing Plans](#)
 - [Compute Unit Costs](#)

NFT API

- [NFT API Quickstart](#)
- [NFT API Endpoints Overview](#)
- [NFT API FAQ](#)
- [NFT Ownership Endpoints](#)
- - [getNFTsForOwner.get](#)
 - [getOwnersForNFT.get](#)
 - [getOwnersForContract.get](#)
 - [isHolderOfContract.get](#)
 - [getContractsForOwner.get](#)
 - [getCollectionsForOwner.get](#)
- [NFT Metadata Endpoints](#)
- - [getNFTMetadata.get](#)
 - [summarizeNFTAttributes.get](#)
 - [getNFTMetadataBatch.post](#)
 - [computeRarity.get](#)
 - [getContractMetadata.get](#)
 - [getCollectionMetadata.get](#)
 - [invalidateContract.get](#)
 - [getContractMetadataBatch.post](#)
 - [getNFTsForContract.get](#)
 - [getNFTsForCollection.get](#)

- - [searchContractMetadata get](#)
- - [refreshNftMetadata post](#)
- [NFT Spam Endpoints](#)
- - [getSpamContracts get](#)
- - [isSpamContract get](#)
- - [isAirdropNFT get](#)
- - [reportSpam get](#)
- [NFT Sales Endpoints](#)
- - [getFloorPrice get](#)
- - [getNFTSales get](#)
- [NFT API V2 to V3 Migration Guide](#)
- - [NFT API V2 vs. V3 Endpoint Differences](#)
- [NFT API V2 Methods \(Older Version\)](#)
- - [getNFTs get](#)
- - [getNFTMetadata get](#)
- - [getNFTMetadataBatch post](#)
- - [getContractMetadata get](#)
- - [getContractMetadataBatch post](#)
- - [getNFTsForCollection get](#)
- - [getOwnersForToken get](#)
- - [getOwnersForCollection get](#)
- - [getSpamContracts get](#)
- - [isSpamContract get](#)
- - [isAirdrop get](#)
- - [invalidateContract get](#)
- - [getFloorPrice get](#)
- - [computeRarity get](#)
- - [searchContractMetadata get](#)
- - [summarizeNFTAttributes get](#)
- - [isHolderOfCollection get](#)
- - [getNFTSales get](#)
- - [getContractsForOwner get](#)
- - [reportSpam get](#)

Transfers API (Tx History)

- [Transfers API Quickstart](#)
- [Transfers API Endpoints](#)
-

- [alchemy_getAssetTransfers.post](#)

Transaction Receipts API

- [Transaction Receipts Endpoints](#)
- - [alchemy_getTransactionReceipts.post](#)

Token API

- [Token API Quickstart](#)
- [Token API Endpoints](#)
- - [alchemy_getTokenBalances.post](#)
 - [alchemy_getTokenMetadata.post](#)
 - [alchemy_getTokenAllowance.post](#)

Prices API

- [Prices API Endpoints](#)
- - [Token Prices By Symbol.get](#)
 - [Token Prices By Address.post](#)

Alchemy Rollups

- [Rollups Quickstart](#)
- [Supported Stacks](#)

Subgraphs

- [Subgraphs Quickstart](#)
- [Supported Subgraph Chains](#)
- [Developing a Subgraph](#)
- - [Graph CLI](#)
 - [Creating a Subgraph](#)
 - [Project Structure](#)
 - [Data Sources](#)
 - [Writing Mappings](#)
- [Moving your Subgraph to Production](#)
- - [Deploying a Subgraph](#)
 - [Subgraph Versioning](#)
 - [Querying a Subgraph](#)
 - [Deleting a Subgraph](#)
 - [Direct Database Access](#)
- [Community subgraphs](#)

Webhooks

- [Webhooks API Quickstart](#)
- - [Webhooks Tutorials and Applications](#)

-
- [Webhooks API FAQ](#)
- [Custom Webhooks Quickstart](#)
-
- [Custom Webhooks FAQ](#)
-
- [Custom Webhooks GraphQL Examples](#)
-
- [Custom Webhook Filters](#)
-
- [Custom Webhook Variables](#)
- [Custom Webhook API Methods](#)
-
- [Read Variable Elements get](#)
-
- [Create a Variable post](#)
-
- [Delete a Variable delete](#)
-
- [Update a Variable patch](#)
- [Notify API Methods](#)
-
- [Get all webhooks get](#)
-
- [Get all addresses for an Address Activity webhook get](#)
-
- [Create webhook post](#)
-
- [Add and remove webhook addresses patch](#)
-
- [Replace webhook addresses put](#)
-
- [Update webhook status put](#)
-
- [Update webhook NFT filters patch](#)
-
- [Update NFT metadata webhook filters patch](#)
-
- [Get all webhook NFT filters get](#)
-
- [Delete webhook delete](#)
- [Webhook Types](#)
-
- [Custom Webhook](#)
-
- [Address Activity Webhook](#)
-
- [Mined Transaction Webhook](#)
-
- [Dropped Transaction Webhook](#)
-
- [NFT Activity Webhook](#)
-
- [NFT Metadata Updates Webhook](#)

Websockets

- [Subscription API Quickstart](#)
- [Best Practices for Using WebSockets in Web3](#)
- [Subscription API Endpoints](#)
-
- [alchemy_minedTransactions](#)
-
- [alchemy_pendingTransactions](#)
-
- [newPendingTransactions](#)
-
- [newHeads](#)

-
- [logs](#)

Trace API

- [Trace API Quickstart](#)
- [Trace API Endpoints](#)
-
- [trace_block post](#)
-
- [trace_call post](#)
-
- [trace_get post](#)
-
- [trace_rawTransaction post](#)
-
- [trace_replayBlockTransactions post](#)
-
- [trace_replayTransaction post](#)
-
- [trace_transaction post](#)
-
- [trace_filter post](#)
- [Trace API Resources](#)
-
- [What are EVM Traces?](#)
-
- [Trace API vs. Debug API](#)
-
- [What is trace_transaction?](#)
-
- [What is trace_block?](#)
-
- [What is trace_filter?](#)
-
- [trace_call vs debug_traceCall](#)

Debug API

- [Debug API Quickstart](#)
- [Debug API Endpoints](#)
-
- [debug_traceCall post](#)
-
- [debug_traceTransaction post](#)
-
- [debug_traceBlockByNumber post](#)
-
- [debug_traceBlockByHash post](#)
-
- [debug_getRawBlock post](#)
-
- [debug_getRawHeader post](#)
-
- [debug_getRawReceipts post](#)

ACCOUNT ABSTRACTION

- [Account Kit](#)
- [Supported Chains](#)
- [Bundler API Quickstart](#)
- [Bundler API Endpoints](#)
-
- [eth_getUserOperationReceipt post](#)
-
- [eth_supportedEntryPoints post](#)
-

- [eth_getUserOperationByHash_post](#)
-
- [eth_sendUserOperation_post](#)
-
- [rundler_maxPriorityFeePerGas_post](#)
-
- [eth_estimateUserOperationGas_post](#)
- [Bundler API Fee Logic](#)
- [Bundler RPC Errors](#)
- [Gas Manager Coverage API Quickstart](#)
- [Gas Manager Coverage API Endpoints](#)
-
- [alchemy_requestPaymasterAndData_post](#)
-
- [alchemy_requestGasAndPaymasterAndData_post](#)
-
- [pm_getPaymasterData_post](#)
-
- [pm_getPaymasterStubData_post](#)
- [Gas Manager Coverage API Fee Logic & Usage Limits](#)
- [Gas Manager Errors](#)
- [Gas Manager Deployment Addresses](#)
- [UserOperation Simulation Endpoints](#)
-
- [alchemy_simulateUserOperationAssetChanges_post](#)
- [EntryPoint Revert Codes](#)
-
- [AA10 sender already constructed](#)
-
- [AA13 initCode failed or OOG](#)
-
- [AA14 initCode must return sender](#)
-
- [AA15 initCode must create sender](#)
-
- [AA20 account not deployed](#)
-
- [AA21 Didn't pay prefund](#)
-
- [AA22 expired or not due](#)
-
- [AA23 reverted \(or OOG\)](#)
-
- [AA24 signature error](#)
-
- [AA25 Invalid account nonce](#)
-
- [AA30 paymaster not deployed](#)
-
- [AA31 paymaster deposit too low](#)
-
- [AA32 Paymaster expired or not due](#)
-
- [AA33 reverted \(or OOG\)](#)
-
- [AA34 Signature Error](#)
-
- [AA40 over verificationGasLimit](#)
-
- [AA41 too little verificationGas](#)
-
- [AA50 postOp reverted](#)
-
- [AA51 prefund below actualGasCost](#)
-
- [AA90 invalid beneficiary](#)
-
- [AA91 failed send to beneficiary](#)

-
- [AA92 internal call only](#)
-
- [AA93 invalid paymasterAndData](#)
-
- [AA94 gas values overflow](#)
-
- [AA95 out of gas](#)
-
- [AA96 invalid aggregator](#)
- [Factory Addresses](#)
- [FAQs](#)

Embedded Accounts

- [Accounts API Endpoints](#)
-
- [Create Account post](#)
-
- [Send Auth Email post](#)
-
- [Authenticate User post](#)
-
- [Get User post](#)
-
- [Sign Message post](#)
-
- [Register New Authenticator post](#)

Gas Manager Admin API

- [Gas Manager Admin API Quickstart](#)
- [Gas Manager Admin API Endpoints](#)
-
- [Create Policy post](#)
-
- [Get Policy get](#)
-
- [Delete Policy delete](#)
-
- [Replace Policy put](#)
-
- [Get All Policies get](#)
-
- [Update Policy Status put](#)
-
- [Get Policy Stats get](#)
-
- [Get Sponsorships get](#)

Alchemy Transact

- [Transact Quickstart](#)
- [Reinforced Transactions](#)
- [Transaction Simulation](#)
-
- [Asset Changes](#)
-
- [Execution Simulation](#)
-
- [Bundle Simulation](#)
-
- [Transaction Simulation Examples](#)
-
- [Transaction Simulation FAQs](#)
- [Transaction Simulation Endpoints](#)
-

- [alchemy_simulateAssetChanges post](#)
- [alchemy_simulateAssetChangesBundle post](#)
- [alchemy_simulateExecution post](#)
- [alchemy_simulateExecutionBundle post](#)
- [Gas Optimized Transactions](#)
- [alchemy_getGasOptimizedTransactionStatus post](#)
- [alchemy_sendGasOptimizedTransaction post](#)
- [Private Transactions](#)
- [eth_cancelPrivateTransaction post](#)
- [eth_sendPrivateTransaction post](#)

Alchemy SDK

- [Alchemy SDK Quickstart](#)
- [How to use Alchemy SDK with Typescript](#)
- [Examples Using the Alchemy SDK](#)
- [How to Manage a Multichain Project Using Alchemy SDK](#)
- [Alchemy SDK Surface Overview](#)
- [Alchemy SDK vs. Raw API Methods](#)
- [SDK Core Methods](#)
- [call - SDK](#)
- [send - SDK](#)
- [estimateGas - SDK](#)
- [findContractDeployer - SDK](#)
- [getBalance - SDK](#)
- [getBlock - SDK](#)
- [getBlockNumber - SDK](#)
- [getBlockWithTransactions - SDK](#)
- [getCode - SDK](#)
- [getFeeData - SDK](#)
- [getGasPrice - SDK](#)
- [getLogs - SDK](#)
- [getStorageAt - SDK](#)
- [getTokenBalances - SDK](#)
- [getTokenMetadata - SDK](#)
- [getTokensForOwner - SDK](#)
- [getTransactionCount - SDK](#)
- [getTransactionReceipt - SDK](#)

- [getTransactionReceipts - SDK](#)
-
- [isContractAddress - SDK](#)
-
- [getAssetTransfers - SDK](#)
- [SDK NFT Methods](#)
-
- [getNftsForOwner - SDK](#)
-
- [getNftMetadata -SDK](#)
-
- [getNftMetadataBatch - SDK](#)
-
- [refreshNftMetadata - SDK](#)
-
- [getNftSales - SDK](#)
-
- [searchContractMetadata - SDK](#)
-
- [summarizeNftAttributes - SDK](#)
-
- [getNftsForOwnerIterator - SDK](#)
-
- [getNftsForContractIterator - SDK](#)
-
- [getContractMetadata - SDK](#)
-
- [getNftsForContract -SDK](#)
-
- [getTransfersForOwner - SDK](#)
-
- [getTransfersForContract - SDK](#)
-
- [getMintedNfts - SDK](#)
-
- [getOwnersForNft - SDK](#)
-
- [getOwnersForContract - SDK](#)
-
- [getSpamContracts -SDK](#)
-
- [isSpamContract - SDK](#)
-
- [refreshContract - SDK](#)
-
- [getContractsForOwner - SDK](#)
-
- [getFloorPrice - SDK](#)
-
- [computeRarity - SDK](#)
-
- [verifyNftOwnership - SDK](#)
- [SDK Transact Methods](#)
-
- [getTransaction - SDK](#)
-
- [sendTransaction - SDK](#)
-
- [sendPrivateTransaction - SDK](#)
-
- [cancelPrivateTransaction - SDK](#)
-
- [waitForTransaction - SDK](#)
-
- [estimateGas - SDK](#)
-
- [getMaxPriorityFeePerGas - SDK](#)
-

- [simulateAssetChanges - SDK](#)
-
- [simulateAssetChangesBundle - SDK](#)
-
- [simulateExecution - SDK](#)
-
- [simulateExecutionBundle - SDK](#)
- [SDK Debug Methods](#)
-
- [traceCall - SDK](#)
-
- [traceTransaction - SDK](#)
-
- [traceBlock - SDK](#)
- [SDK Notify Methods](#)
-
- [getAllWebhooks - SDK](#)
-
- [getAddresses - SDK](#)
-
- [getNftFilters - SDK](#)
-
- [createWebhook - SDK](#)
-
- [updateWebhook - SDK](#)
-
- [deleteWebhook - SDK](#)
- [SDK WebSockets Endpoints](#)
- [SDK Ethers Utils](#)
-
- [arrayify](#)
-
- [formatUnits](#)
-
- [concat](#)
-
- [hexConcat](#)
-
- [dnsEncode](#)
-
- [hexDataLength](#)
-
- [formatEther](#)
-
- [hexDataSlice](#)
-
- [hexStripZeros](#)
-
- [hashMessage](#)
-
- [isHexString](#)
-
- [isValidName](#)
-
- [joinSignature](#)
-
- [splitSignature](#)
-
- [toUtf8Bytes](#)
-
- [hexValue](#)
-
- [toUtf8String](#)
-
- [hexZeroPad](#)
-
- [zeroPad](#)
-

- [hexlify](#)
-
- [id](#)
-
- [isBytes](#)
-
- [isBytesLike](#)
-
- [Interface](#)
-
- [namehash](#)
-
- [parseEther](#)
-
- [parseUnits](#)
-
- [stripZeros](#)
-
- [Alchemy SDK V2 to V3 Migration Guide](#)
-
- [Alchemy SDK V2 vs. V3 Method Differences](#)
- [SDK V2 Methods](#)
-
- [call - SDK](#)
-
- [getAssetTransfers - SDK](#)
-
- [getMintedNfts - SDK](#)
-
- [verifyNftOwnership - SDK](#)
-
- [getOwnersForNft - SDK](#)
-
- [computeRarity - SDK](#)
-
- [getTransfersForContract - SDK](#)
-
- [getNftsForOwner - SDK](#)
-
- [refreshContract - SDK](#)
-
- [getOwnersForContract - SDK](#)
-
- [getFloorPrice - SDK](#)
-
- [isSpamContract - SDK](#)
-
- [findContractDeployer - SDK](#)
-
- [getSpamContracts - SDK](#)
-
- [getGasPrice - SDK](#)
-
- [getBalance - SDK](#)
-
- [getBlock - SDK](#)
-
- [getBlockWithTransactions - SDK](#)
-
- [estimateGas - SDK](#)
-
- [getBlockNumber - SDK](#)
-
- [getCode - SDK](#)
-
- [getFeeData - SDK](#)
-
- [getLogs - SDK](#)
-

- [getNftMetadataBatch - SDK](#)
-
- [getTokensForOwner - SDK](#)
-
- [getStorageAt - SDK](#)
-
- [getTokenBalances - SDK](#)
-
- [getTransactionCount - SDK](#)
-
- [getTokenMetadata - SDK](#)
-
- [getTransactionReceipt - SDK](#)
-
- [send - SDK](#)
-
- [getTransactionReceipts - SDK](#)
-
- [getTransaction - SDK](#)
-
- [isContractAddress - SDK](#)
-
- [getNftMetadata - SDK](#)
-
- [getNftSales - SDK](#)
-
- [cancelPrivateTransaction - SDK](#)
-
- [sendPrivateTransaction - SDK](#)
-
- [traceTransaction - SDK](#)
-
- [simulateExecutionBundle - SDK](#)
-
- [simulateExecution - SDK](#)
-
- [getMaxPriorityFeePerGas - SDK](#)
-
- [simulateAssetChangesBundle - SDK](#)
-
- [estimateGas - SDK](#)
-
- [simulateAssetChanges - SDK](#)
-
- [traceBlock - SDK](#)
-
- [waitForTransaction - SDK](#)
-
- [traceCall - SDK](#)
-
- [sendTransaction - SDK](#)
-
- [updateWebhook - SDK](#)
-
- [refreshNftMetadata - SDK](#)
-
- [createWebhook - SDK](#)
-
- [getNftFilters - SDK](#)
-
- [getAddresses - SDK](#)
-
- [summarizeNftAttributes - SDK](#)
-
- [deleteWebhook - SDK](#)
-
- [searchContractMetadata - SDK](#)
-

- [getAllWebhooks - SDK](#)
- [getNftsForOwnerIterator - SDK](#)
- [getNftsForContractIterator - SDK](#)
- [getContractMetadata - SDK](#)
- [getTransfersForOwner - SDK](#)
- [getNftsForContract - SDK](#)

Ethereum

- [Ethereum API Quickstart](#)
- [Ethereum API FAQ](#)
- [Ethereum Developer Guide to the Merge](#)
- [How to decode an eth_call response](#)
- [How do I distinguish between a contract address and a wallet address?](#)
- [Ethereum API Endpoints](#)
- [eth_blockNumber - Ethereum post](#)
- [eth_getBalance - Ethereum post](#)
- [eth_getLogs - Ethereum post](#)
- [eth_chainId - Ethereum post](#)
- [eth_getBlockByNumber - Ethereum post](#)
- [eth_accounts - Ethereum post](#)
- [eth_feeHistory - Ethereum post](#)
- [eth_estimateGas - Ethereum post](#)
- [eth_gasPrice - Ethereum post](#)
- [eth_getBlockTransactionCountByHash - Ethereum post](#)
- [eth_getBlockTransactionCountByNumber - Ethereum post](#)
- [eth_getCode - Ethereum post](#)
- [eth_getProof - Ethereum post](#)
- [eth_getStorageAt - Ethereum post](#)
- [eth_getTransactionByBlockHashAndIndex - Ethereum post](#)
- [eth_getTransactionByHash - Ethereum post](#)
- [eth_getTransactionCount - Ethereum post](#)
- [eth_getTransactionReceipt - Ethereum post](#)
- [eth_getUncleByBlockHashAndIndex - Ethereum post](#)
- [eth_getUncleByBlockNumberAndIndex - Ethereum post](#)
- [eth_getUncleCountByBlockHash - Ethereum post](#)
- [eth_getUncleCountByBlockNumber - Ethereum post](#)

- [eth_maxPriorityFeePerGas - Ethereum post](#)
-
- [eth_protocolVersion - Ethereum post](#)
-
- [eth_sendRawTransaction - Ethereum post](#)
-
- [net_listening - Ethereum post](#)
-
- [net_version - Ethereum post](#)
-
- [web3_clientVersion - Ethereum post](#)
-
- [web3_sha3 - Ethereum post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - Ethereum post](#)
-
- [eth_call - Ethereum post](#)
-
- [eth_getBlockByHash - Ethereum post](#)
-
- [eth_createAccessList - Ethereum post](#)
-
- [eth_newFilter - Ethereum post](#)
-
- [eth_getFilterChanges - Ethereum post](#)
-
- [eth_getFilterLogs - Ethereum post](#)
-
- [eth_newBlockFilter - Ethereum post](#)
-
- [eth_newPendingTransactionFilter - Ethereum post](#)
-
- [eth_uninstallFilter - Ethereum post](#)
-
- [eth_getBlockReceipts - Ethereum post](#)
-
- [eth_subscribe](#)
-
- [eth_unsubscribe](#)

Polygon PoS

- [Polygon PoS API Quickstart](#)
-
- [Polygon SDK Examples](#)
- [Polygon PoS API FAQ](#)
- [Polygon PoS API Endpoints](#)
-
- [bor_getAuthor - Polygon PoS post](#)
-
- [bor_getCurrentProposer - Polygon PoS post](#)
-
- [bor_getCurrentValidators - Polygon PoS post](#)
-
- [bor_getRootHash - Polygon PoS post](#)
-
- [eth_accounts - Polygon PoS post](#)
-
- [eth_call - Polygon PoS post](#)
-
- [eth_chainId - Polygon PoS post](#)
-
- [eth_estimateGas - Polygon PoS post](#)
-
- [eth_gasPrice - Polygon PoS post](#)
-
- [eth_getBalance - Polygon PoS post](#)
-

- [eth_getBlockByHash - Polygon PoS post](#)
- [eth_getBlockByNumber - Polygon PoS post](#)
- [eth_getBlockTransactionCountByHash - Polygon PoS post](#)
- [eth_getBlockTransactionCountByNumber - Polygon PoS post](#)
- [eth_getCode - Polygon PoS post](#)
- [eth_getFilterChanges - Polygon PoS post](#)
- [eth_getFilterLogs - Polygon PoS post](#)
- [eth_getLogs - Polygon PoS post](#)
- [eth_getRootHash - Polygon PoS post](#)
- [eth_getSignersAtHash - Polygon PoS post](#)
- [eth_getStorageAt - Polygon PoS post](#)
- [eth_getTransactionByBlockHashAndIndex - Polygon PoS post](#)
- [eth_getTransactionByBlockNumberAndIndex - Polygon PoS post](#)
- [eth_getTransactionByHash - Polygon PoS post](#)
- [eth_getTransactionCount - Polygon PoS post](#)
- [eth_getTransactionReceipt - Polygon PoS post](#)
- [eth_getTransactionReceiptsByBlock - Polygon PoS post](#)
- [eth_sendRawTransaction - Polygon PoS post](#)
- [eth_uninstallFilter - Polygon PoS post](#)
- [net_listening - Polygon PoS post](#)
- [eth_getUncleCountByBlockHash - Polygon PoS post](#)
- [eth_getUncleCountByBlockNumber - Polygon PoS post](#)
- [eth_newBlockFilter - Polygon PoS post](#)
- [eth_newFilter - Polygon PoS post](#)
- [eth_newPendingTransactionFilter - Polygon PoS post](#)
- [web3_clientVersion - Polygon PoS post](#)
- [eth_createAccessList - Polygon PoS post](#)
- [eth_blockNumber - Polygon PoS post](#)
- [bor_getSignersAtHash - Polygon PoS post](#)
- [net_version - Polygon PoS post](#)
- [eth_getProof - Polygon PoS post](#)
- [eth_getUncleByBlockNumberAndIndex - Polygon PoS post](#)
- [eth_maxPriorityFeePerGas - Polygon PoS post](#)
- [eth_getBlockReceipts - Polygon PoS post](#)

- [eth_subscribe - Polygon PoS](#)
- [eth_unsubscribe - Polygon PoS](#)

Polygon zkEVM

- [Polygon zkEVM API Quickstart](#)
- [Polygon zkEVM API FAQ](#)
- [What is the difference between Polygon zkEVM and Ethereum?](#)
- [What is the difference between Polygon zkEVM and Polygon PoS?](#)
- [Polygon zkEVM Endpoints](#)
- [eth_getTransactionCount - Polygon zkEVM post](#)
- [eth_call - Polygon zkEVM post](#)
- [eth_chainId - Polygon zkEVM post](#)
- [eth_newBlockFilter - Polygon zkEVM post](#)
- [eth_estimateGas - Polygon zkEVM post](#)
- [eth_newFilter - Polygon zkEVM post](#)
- [eth_gasPrice - Polygon zkEVM post](#)
- [eth_sendRawTransaction - Polygon zkEVM post](#)
- [eth_getBalance - Polygon zkEVM post](#)
- [eth_uninstallFilter - Polygon zkEVM post](#)
- [eth_getBlockByHash - Polygon zkEVM post](#)
- [net_version - Polygon zkEVM post](#)
- [eth_getBlockByNumber - Polygon zkEVM post](#)
- [web3_clientVersion - Polygon zkEVM post](#)
- [eth_getBlockTransactionCountByHash - Polygon zkEVM post](#)
- [eth_getBlockTransactionCountByNumber - Polygon zkEVM post](#)
- [zkevm_batchNumber - Polygon zkEVM post](#)
- [eth_getCode - Polygon zkEVM post](#)
- [eth_getFilterChanges - Polygon zkEVM post](#)
- [eth_getFilterLogs - Polygon zkEVM post](#)
- [zkevm_getBatchByNumber - Polygon zkEVM post](#)
- [eth_getLogs - Polygon zkEVM post](#)
- [zkevm_getBroadcastURI - Polygon zkEVM post](#)
- [eth_getStorageAt - Polygon zkEVM post](#)
- [zkevm_isBlockConsolidated - Polygon zkEVM post](#)
- [eth_getTransactionByBlockHashAndIndex - Polygon zkEVM post](#)
- [zkevm_isBlockVirtualized - Polygon zkEVM post](#)

- [eth_getTransactionByBlockNumberAndIndex - Polygon zkEVM post](#)
-
- [zkevm_verifiedBatchNumber - Polygon zkEVM post](#)
-
- [eth_getTransactionByHash - Polygon zkEVM post](#)
-
- [zkevm_virtualBatchNumber - Polygon zkEVM post](#)
-
- [eth_getCompilers - Polygon zkEVM post](#)
-
- [eth_getUncleByBlockHashAndIndex - Polygon zkEVM post](#)
-
- [eth_getUncleByBlockNumberAndIndex - Polygon zkEVM post](#)
-
- [eth_getUncleCountByBlockHash - Polygon zkEVM post](#)
-
- [eth_getUncleCountByBlockNumber - Polygon zkEVM post](#)
-
- [eth_protocolVersion - Polygon zkEVM post](#)
-
- [eth_blockNumber - Polygon zkEVM post](#)
-
- [eth_getTransactionReceipt - Polygon zkEVM post](#)
-
- [zkevm_batchNumberByBlockNumber - Polygon zkEVM post](#)
-
- [zkevm_consolidatedBlockNumber - Polygon zkEVM post](#)
-
- [zkevm_estimateFee API - Polygon zkEVM post](#)
-
- [zkevm_estimateGasPrice API - Polygon zkEVM post](#)

Arbitrum

- [Arbitrum API Quickstart](#)
-
- [Arbitrum SDK Examples](#)
- [Arbitrum API FAQ](#)
-
- [Arbitrum vs. Ethereum API Differences](#)
- [Arbitrum API Endpoints](#)
-
- [eth_call - Arbitrum post](#)
-
- [eth_estimateGas - Arbitrum post](#)
-
- [eth_accounts - Arbitrum post](#)
-
- [eth_blockNumber - Arbitrum post](#)
-
- [eth_chainId - Arbitrum post](#)
-
- [eth_gasPrice - Arbitrum post](#)
-
- [eth_getBalance - Arbitrum post](#)
-
- [eth_getBlockTransactionCountByHash - Arbitrum post](#)
-
- [eth_getBlockTransactionCountByNumber - Arbitrum post](#)
-
- [eth_getCode - Arbitrum post](#)
-
- [eth_getFilterChanges - Arbitrum post](#)
-
- [eth_getFilterLogs - Arbitrum post](#)
-
- [eth_getLogs - Arbitrum post](#)
-

- [eth_getStorageAt - Arbitrum post](#)
-
- [eth_getTransactionByBlockHashAndIndex - Arbitrum post](#)
-
- [eth_getTransactionCount - Arbitrum post](#)
-
- [eth_getUncleByBlockNumberAndIndex - Arbitrum post](#)
-
- [eth_getUncleCountByBlockHash - Arbitrum post](#)
-
- [eth_getUncleCountByBlockNumber - Arbitrum post](#)
-
- [eth_newBlockFilter - Arbitrum post](#)
-
- [eth_newFilter - Arbitrum post](#)
-
- [eth_newPendingTransactionFilter - Arbitrum post](#)
-
- [eth_uninstallFilter - Arbitrum post](#)
-
- [net_listening - Arbitrum post](#)
-
- [net_version - Arbitrum post](#)
-
- [web3_clientVersion - Arbitrum post](#)
-
- [web3_sha3 - Arbitrum post](#)
-
- [eth_sendRawTransaction - Arbitrum post](#)
-
- [eth_createAccessList - Arbitrum post](#)
-
- [eth_maxPriorityFeePerGas - Arbitrum post](#)
-
- [eth_getBlockByHash - Arbitrum post](#)
-
- [eth_getBlockByNumber - Arbitrum post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - Arbitrum post](#)
-
- [eth_getTransactionByHash - Arbitrum post](#)
-
- [eth_getProof - Arbitrum post](#)
-
- [eth_getTransactionReceipt - Arbitrum post](#)
-
- [eth_getUncleByBlockHashAndIndex - Arbitrum post](#)
-
- [eth_getBlockReceipts - Arbitrum post](#)
-
- [eth_feeHistory - Arbitrum post](#)
-
- [eth_subscribe](#)
-
- [eth_unsubscribe](#)

Optimism

- [Optimism API Quickstart](#)
-
- [Optimism SDK Examples](#)
- [Optimism API FAQ](#)
-
- [Optimism Error Codes](#)
- [Optimism API Endpoints](#)
-
- [eth_call - Optimism post](#)
-

- [eth_estimateGas - Optimism post](#)
-
- [eth_accounts - Optimism post](#)
-
- [eth_blockNumber - Optimism post](#)
-
- [eth_chainId - Optimism post](#)
-
- [eth_gasPrice - Optimism post](#)
-
- [eth_getBalance - Optimism post](#)
-
- [eth_getBlockTransactionCountByHash - Optimism post](#)
-
- [eth_getBlockTransactionCountByNumber - Optimism post](#)
-
- [eth_getCode - Optimism post](#)
-
- [eth_getFilterChanges - Optimism post](#)
-
- [eth_getFilterLogs - Optimism post](#)
-
- [eth_getLogs - Optimism post](#)
-
- [eth_getStorageAt - Optimism post](#)
-
- [eth_getTransactionByBlockHashAndIndex - Optimism post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - Optimism post](#)
-
- [eth_getTransactionByHash - Optimism post](#)
-
- [eth_getTransactionCount - Optimism post](#)
-
- [eth_getTransactionReceipt - Optimism post](#)
-
- [eth_getUncleByBlockHashAndIndex - Optimism post](#)
-
- [eth_getUncleByBlockNumberAndIndex - Optimism post](#)
-
- [eth_getUncleCountByBlockHash - Optimism post](#)
-
- [eth_getUncleCountByBlockNumber - Optimism post](#)
-
- [eth_newBlockFilter - Optimism post](#)
-
- [eth_newFilter - Optimism post](#)
-
- [eth_newPendingTransactionFilter - Optimism post](#)
-
- [eth_protocolVersion - Optimism post](#)
-
- [eth_sendRawTransaction - Optimism post](#)
-
- [eth_syncing - Optimism post](#)
-
- [eth_uninstallFilter - Optimism post](#)
-
- [net_listening - Optimism post](#)
-
- [net_version - Optimism post](#)
-
- [web3_clientVersion - Optimism post](#)
-
- [web3_sha3 - Optimism post](#)
-
- [eth_getBlockByHash - Optimism post](#)
-

- [eth_getBlockByNumber - Optimism post](#)
-
- [eth_getProof - Optimism post](#)
-
- [eth_getBlockReceipts - Optimism post](#)
-
- [eth_subscribe](#)
-
- [eth_unsubscribe](#)

Base

- [Base API Quickstart](#)
- [Base API FAQ](#)
- [Base API Endpoints](#)
-
- [eth_accounts - Base post](#)
-
- [eth_blockNumber - Base post](#)
-
- [eth_call - Base post](#)
-
- [eth_chainId - Base post](#)
-
- [eth_estimateGas - Base post](#)
-
- [eth_feeHistory - Base post](#)
-
- [eth_gasPrice - Base post](#)
-
- [eth_getBalance - Base post](#)
-
- [eth_getBlockByHash - Base post](#)
-
- [eth_getBlockByNumber - Base post](#)
-
- [eth_getBlockTransactionCountByHash - Base post](#)
-
- [eth_getBlockTransactionCountByNumber - Base post](#)
-
- [eth_getCode - Base post](#)
-
- [eth_getFilterChanges - Base post](#)
-
- [eth_getFilterLogs - Base post](#)
-
- [eth_getLogs - Base post](#)
-
- [eth_getProof - Base post](#)
-
- [eth_getStorageAt - Base post](#)
-
- [eth_getTransactionByBlockHashAndIndex - Base post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - Base post](#)
-
- [eth_getTransactionByHash - Base post](#)
-
- [eth_getTransactionCount - Base post](#)
-
- [eth_getTransactionReceipt - Base post](#)
-
- [eth_getUncleByBlockHashAndIndex - Base post](#)
-
- [eth_getUncleByBlockNumberAndIndex - Base post](#)
-
- [eth_getUncleCountByBlockHash - Base post](#)
-

- [eth_getUncleCountByBlockNumber](#) - Base post
-
- [eth_maxPriorityFeePerGas](#) - Base post
-
- [eth_newBlockFilter](#) - Base post
-
- [eth_newFilter](#) - Base post
-
- [eth_newPendingTransactionFilter](#) - Base post
-
- [eth_protocolVersion](#) - Base post
-
- [eth_sendRawTransaction](#) - Base post
-
- [eth_syncing](#) - Base post
-
- [eth_uninstallFilter](#) - Base post
-
- [net_listening](#) - Base post
-
- [web3_sha3](#) - Base post
-
- [eth_getBlockReceipts](#) - Base post

* Solana

- [Solana API Quickstart](#)
- [Solana API FAQ](#)
- [Solana API Endpoints](#)
-
- [getAccountInfo](#) post
-
- [simulateTransaction](#) post
-
- [getBalance](#) post
-
- [getBlock](#) post
-
- [getBlockCommitment](#) post
-
- [getBlockProduction](#) post
-
- [getBlocks](#) post
-
- [getBlocksWithLimit](#) post
-
- [getBlockTime](#) post
-
- [getClusterNodes](#) post
-
- [getEpochInfo](#) post
-
- [getEpochSchedule](#) post
-
- [getFeeForMessage](#) post
-
- [getFirstAvailableBlock](#) post
-
- [getGenesisHash](#) post
-
- [getHealth](#) post
-
- [getHighestSnapshotSlot](#) post
-
- [getIdentity](#) post
-
- [getInflationGovernor](#) post
-

- [getInflationRate.post](#)
-
- [getInflationReward.post](#)
-
- [getLargestAccounts.post](#)
-
- [getMaxRetransmitSlot.post](#)
-
- [getMaxShredInsertSlot.post](#)
-
- [getMinimumBalanceForRentExemption.post](#)
-
- [getMultipleAccounts.post](#)
-
- [getProgramAccounts.post](#)
-
- [getRecentPerformanceSamples.post](#)
-
- [getSignaturesForAddress.post](#)
-
- [getSignatureStatuses.post](#)
-
- [getSlot.post](#)
-
- [getSlotLeader.post](#)
-
- [getSlotLeaders.post](#)
-
- [getSupply.post](#)
-
- [getTokenAccountBalance.post](#)
-
- [getTokenAccountsByOwner.post](#)
-
- [getTokenSupply.post](#)
-
- [getTransaction.post](#)
-
- [getVersion.post](#)
-
- [getVoteAccounts.post](#)
-
- [isBlockhashValid.post](#)
-
- [minimumLedgerSlot.post](#)
-
- [sendTransaction.post](#)
-
- [requestAirdrop.post](#)
-
- [getBlockHeight.post](#)
-
- [getRecentBlockhash.post](#)
-
- [getRecentPrioritizationFees.post](#)
-
- [getLatestBlockhash.post](#)

Astar

- [Astar API Quickstart](#)
- [Astar API FAQ](#)
- [Astar API Endpoints](#)
-
- [eth_accounts - Astar.post](#)
-
- [eth_getTransactionReceipt - Astar.post](#)
-

- [eth_maxPriorityFeePerGas - Astar post](#)
-
- [eth_blockNumber - Astar post](#)
-
- [eth_call - Astar post](#)
-
- [eth_chainId - Astar post](#)
-
- [eth_gasPrice - Astar post](#)
-
- [eth_getBalance - Astar post](#)
-
- [eth_getBlockByHash - Astar post](#)
-
- [eth_getBlockByNumber - Astar post](#)
-
- [eth_getBlockTransactionCountByHash - Astar post](#)
-
- [eth_getBlockTransactionCountByNumber - Astar post](#)
-
- [eth_getCode - Astar post](#)
-
- [eth_getStorageAt - Astar post](#)
-
- [eth_getTransactionByBlockHashAndIndex - Astar post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - Astar post](#)
-
- [eth_getTransactionByHash - Astar post](#)
-
- [eth_getTransactionCount - Astar post](#)
-
- [eth_getUncleByBlockNumberAndIndex - Astar post](#)
-
- [eth_sendRawTransaction - Astar post](#)
-
- [net_version - Astar post](#)
-
- [web3_clientVersion - Astar post](#)
-
- [web3_sha3 - Astar post](#)
-
- [eth_getLogs - Astar post](#)
-
- [eth_getFilterChanges - Astar post](#)
-
- [eth_getFilterLogs - Astar post](#)
-
- [eth_newFilter - Astar post](#)
-
- [eth_newPendingTransactionFilter - Astar post](#)
-
- [eth_uninstallFilter - Astar post](#)
-
- [eth_newBlockFilter - Astar post](#)
-
- [eth_estimateGas - Astar post](#)
-
- [eth_getBlockReceipts - Astar post](#)
-
- [eth_subscribe](#)
-
- [eth_unsubscribe](#)

STARKNET

- [Starknet API Quickstart](#)
- [Starknet API FAQ](#)

- [Starknet API Endpoints](#)
-
- [starknet_addDeclareTransaction post](#)
-
- [starknet_getClassAt post](#)
-
- [starknet_addDeployAccountTransaction post](#)
-
- [starknet_getClassHashAt post](#)
-
- [starknet_addInvokeTransaction post](#)
-
- [starknet_getEvents post](#)
-
- [starknet_blockHashAndNumber post](#)
-
- [starknet_getNonce post](#)
-
- [starknet_blockNumber post](#)
-
- [starknet_getStateUpdate post](#)
-
- [starknet_call post](#)
-
- [starknet_getStorageAt post](#)
-
- [starknet_chainId post](#)
-
- [starknet_getTransactionByBlockIdAndIndex post](#)
-
- [starknet_estimateFee post](#)
-
- [starknet_getTransactionByHash post](#)
-
- [starknet_getBlockTransactionCount post](#)
-
- [starknet_getTransactionReceipt post](#)
-
- [starknet_getBlockWithTxHashes post](#)
-
- [starknet_pendingTransactions post](#)
-
- [starknet_getBlockWithTxs post](#)
-
- [starknet_syncing post](#)
-
- [starknet_getClass post](#)
-
- [starknet_estimateMessageFee post](#)
-
- [starknet_getBlockWithReceipts post](#)

zksync

- [zkSync Era API Quickstart](#)
- [zkSync Era API FAQ](#)
- [zkSync Era API Endpoints](#)
-
- [eth_accounts - zkSync post](#)
-
- [eth_blockNumber - zkSync post](#)
-
- [eth_call - zkSync post](#)
-
- [eth_chainId - zkSync post](#)
-
- [eth_createAccessList - zkSync post](#)
-

- [eth_estimateGas - zkSync post](#)
-
- [eth_feeHistory - zkSync post](#)
-
- [eth_gasPrice - zkSync post](#)
-
- [eth_getBalance - zkSync post](#)
-
- [eth_getBlockByHash - zkSync post](#)
-
- [eth_getBlockByNumber - zkSync post](#)
-
- [eth_getBlockTransactionCountByHash - zkSync post](#)
-
- [eth_getBlockTransactionCountByNumber - zkSync post](#)
-
- [eth_getCode - zkSync post](#)
-
- [eth_getFilterChanges - zkSync post](#)
-
- [eth_getFilterLogs - zkSync post](#)
-
- [eth_getLogs - zkSync post](#)
-
- [eth_getProof - zkSync post](#)
-
- [eth_getStorageAt - zkSync post](#)
-
- [eth_getTransactionByBlockHashAndIndex - zkSync post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - zkSync post](#)
-
- [eth_getTransactionByHash - zkSync post](#)
-
- [eth_getTransactionCount - zkSync post](#)
-
- [eth_getTransactionReceipt - zkSync post](#)
-
- [eth_getUncleByBlockHashAndIndex - zkSync post](#)
-
- [eth_getUncleByBlockNumberAndIndex - zkSync post](#)
-
- [eth_getUncleCountByBlockHash - zkSync post](#)
-
- [eth_getUncleCountByBlockNumber - zkSync post](#)
-
- [eth_newBlockFilter - zkSync post](#)
-
- [eth_newFilter - zkSync post](#)
-
- [eth_newPendingTransactionFilter - zkSync post](#)
-
- [eth_protocolVersion - zkSync post](#)
-
- [eth_sendRawTransaction - zkSync post](#)
-
- [eth_uninstallFilter - zkSync post](#)
-
- [net_listening - zkSync post](#)
-
- [net_version - zkSync post](#)
-
- [web3_clientVersion - zkSync post](#)
-
- [web3_sha3 - zkSync post](#)
-
- [zks_estimateFee - zkSync post](#)
-

- [zks_estimateGasL1ToL2 - zkSync post](#)
-
- [zks_getAllAccountBalances - zkSync post](#)
-
- [zks_getBlockDetails - zkSync post](#)
-
- [zks_getBridgeContracts - zkSync post](#)
-
- [zks_getBytecodeByHash - zkSync post](#)
-
- [zks_getL1BatchBlockRange - zkSync post](#)
-
- [zks_getL1BatchDetails - zkSync post](#)
-
- [zks_getL2ToL1LogProof - zkSync post](#)
-
- [zks_getL2ToL1MsgProof - zkSync post](#)
-
- [zks_getMainContract - zkSync post](#)
-
- [zks_getProof - zkSync post](#)
-
- [zks_getRawBlockTransactions - zkSync post](#)
-
- [zks_getTestnetPaymaster - zkSync post](#)
-
- [zks_getTransactionDetails - zkSync post](#)
-
- [zks_L1BatchNumber - zkSync post](#)
-
- [zks_L1ChainId - zkSync post](#)
-
- [eth_getBlockReceipts - zkSync post](#)

BNB SMART CHAIN (PAID TIERS)

- [BNB Smart Chain Quickstart](#)
- [BNB Smart Chain FAQ](#)
- [BNB Smart Chain Endpoints](#)
-
- [eth_blockNumber - BNB post](#)
-
- [eth_call - BNB post](#)
-
- [eth_chainId - BNB post](#)
-
- [eth_estimateGas - BNB post](#)
-
- [eth_gasPrice - BNB post](#)
-
- [eth_getBalance - BNB post](#)
-
- [eth_getBlockByHash - BNB post](#)
-
- [eth_getBlockByNumber - BNB post](#)
-
- [eth_getBlockTransactionCountByHash - BNB post](#)
-
- [eth_getBlockTransactionCountByNumber - BNB post](#)
-
- [eth_getCode - BNB post](#)
-
- [eth_getLogs - BNB post](#)
-
- [eth_getProof - BNB post](#)
-
- [eth_getStorageAt - BNB post](#)
-

- [eth_getTransactionByBlockHashAndIndex - BNB post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - BNB post](#)
-
- [eth_getTransactionByHash - BNB post](#)
-
- [eth_getTransactionCount - BNB post](#)
-
- [eth_getTransactionReceipt - BNB post](#)
-
- [eth_getUncleByBlockHashAndIndex - BNB post](#)
-
- [eth_getUncleByBlockNumberAndIndex - BNB post](#)
-
- [eth_getUncleCountByBlockHash - BNB post](#)
-
- [eth_getUncleCountByBlockNumber - BNB post](#)
-
- [eth_sendRawTransaction - BNB post](#)
-
- [net_listening - BNB post](#)
-
- [net_peerCount - BNB post](#)
-
- [net_version - BNB post](#)
-
- [web3_clientVersion - BNB post](#)
-
- [web3_sha3 - BNB post](#)

GNOSIS (Paid Tier)

- [Gnosis Chain API Quickstart](#)
- [Gnosis Chain API FAQ](#)
- [Gnosis Chain API Endpoints](#)

Avalanche C-Chain (PAID TIERS)

- [Avalanche C-Chain API Quickstart](#)
- [Avalanche C-Chain API FAQ](#)
- [Avalanche C-Chain API Endpoints](#)

Arbitrum Nova

- [Arbitrum Nova Chain API Quickstart](#)
- [Arbitrum Nova Chain API FAQ](#)
- [Arbitrum Nova Chain API Endpoints](#)

ZetaChain

- [ZetaChain API Quickstart](#)
- [ZetaChain API FAQ](#)
- [Zetachain API Endpoints](#)

Blast

- [Blast Chain API Quickstart](#)
- [Blast Chain API FAQ](#)
- [Blast Chain API Endpoints](#)

Scroll

- [Scroll Chain API Quickstart](#)
- [Scroll Chain API FAQ](#)
- [Scroll Chain API Endpoints](#)

● Linea

- [Linea Chain API Quickstart](#)
- [Linea Chain API FAQ](#)
- [Linea Chain API Endpoints](#)

Fantom Opera

- [Fantom Opera Chain API Quickstart](#)
- [Fantom Opera Chain API FAQ](#)
- [Fantom Opera Chain API Endpoints](#)

■ Mantle

- [Mantle Chain API Quickstart](#)
- [Mantle Chain API FAQ](#)
- [Mantle Chain API Endpoints](#)

Berachain

- [Berachain API Quickstart](#)
- [Berachain API FAQ](#)
- [Berachain API Endpoints](#)

METIS (Paid Tiers)

- [Metis Chain API Quickstart](#)
- [Metis Chain API FAQ](#)
- [Metis Chain API Endpoints](#)

opBNB (Paid Tier)

- [opBNB Chain API Quickstart](#)
- [opBNB Chain API FAQ](#)
- [opBNB Chain API Endpoints](#)

✱ Flow

- [Flow API Quickstart](#)
- [Flow API FAQ](#)
- [Flow API Endpoints](#)

CrossFi

- [CrossFi API Quickstart](#)
- [CrossFi API FAQ](#)
- [CrossFi API Endpoints](#)

Soneium

- [Soneium API Quickstart](#)
- [Soneium API FAQ](#)
- [Soneium API Endpoints](#)

Unichain

- [Unichain API Quickstart](#)
- [Unichain API FAQ](#)
- [Unichain API Endpoints](#)

■ World Chain

- [World Chain API Quickstart](#)

- [World Chain API FAQ](#)
- [World Chain API Endpoints](#)

Rootstock

- [Rootstock API Quickstart](#)
- [Rootstock API FAQ](#)
- [Rootstock API Endpoints](#)

• Shape

- [Shape API Quickstart](#)
- [Shape API FAQ](#)
- [Shape API Endpoints](#)

Apechain

- [ApeChain API Quickstart](#)
- [ApeChain API FAQ](#)
- [ApeChain API Endpoints](#)

Geist

- [Geist API Quickstart](#)
- [Geist API FAQ](#)
- [Geist API Endpoints](#)

eth_getBlockByNumber - BNB

post <https://bnb-mainnet.g.alchemy.com/v2/{apiKey}> Returns information about a block by block number.

Path Params apiKey string required

Defaults to docs-demo .custom-style { color: #048FF4; } For higher throughput, [create your own API key](#) Body Params id integer

Defaults to 1 jsonrpc string

Defaults to 2.0 method string

Defaults to eth_getBlockByNumber params array 1. String - Either the hex value of a block number 2. OR One of the following block tags 3. *: pending 4. *: A sample next block built by the client on top of latest and containing the set of transactions usually taken from local mempool. Intuitively, you can think of these as blocks that have not been mined yet. 5. *: latest 6. *: The most recent block in the canonical chain observed by the client, this block may be re-orged out of the canonical chain even under healthy/normal conditions. 7. *: safe 8. *: The most recent crypto-economically secure block, cannot be re-orged outside of manual intervention driven by community coordination. Intuitively, this block is "unlikely" to be re-orged. 9. *: finalized 10. *: The most recent crypto-economically secure block, that has been accepted by >2/3 of validators. Cannot be re-orged outside of manual intervention driven by community coordination. Intuitively, this block is very unlikely to be re-orged. 11. *: earliest 12. *: The lowest numbered block the client has available. Intuitively, you can think of this as the first block created. 13. Boolean - If true 14. it returns the full transaction objects, if false 15. only the hashes of the transactions. Defaults to false 16. . params Block Number or Tag Full Transaction Objects Block Number or Tag Full Transaction Objects

Response

200

Returns a block object with the following fields, or null when no block was found.

Response body object id integer jsonrpc string result object A block object with the following fields, or null when no block was found. nonce string 8 Bytes - hash of the generated proof-of-work. null when its pending block. hash string 32 Bytes - hash of the block. null when its pending block. baseFeePerGas string the base fee, in wei, that is charged for each unit of gas used, during the execution of the given block, encoded as a hexadecimal. number string the block number. null when its pending block. parentHash string 32 Bytes - hash of the parent block. sha3Uncles string 32 Bytes - SHA3 of the uncles data in the block. logsBloom string 256 Bytes - the bloom filter for the logs of the block. null when its pending block.

transactionsRoot string 32 Bytes - the root of the transaction trie of the block. stateRoot string 32 Bytes - the root of the final state trie of the block. receiptsRoot string 32 Bytes - the root of the receipts trie of the block. miner string 20 Bytes - the address of the beneficiary to whom the mining rewards were given. difficulty string integer of the difficulty for this block. totalDifficulty string integer of the total difficulty of the chain until this block. extraData string the "extra data" field of this block. size string integer the size of this block in bytes. gasLimit string the maximum gas allowed in this block. gasUsed string the total used gas by all transactions in this block. timestamp string the unix timestamp for when the block was collated. transactions array of strings Array of transaction objects, or 32 Bytes transaction hashes depending on the last given parameter. transactions uncles array of strings Array of uncle hashes. uncles

Updated 5 months ago

[eth_getBalance - BNB](#) [eth_getBlockTransactionCountByHash - BNB](#) Did this page help you? ☐ Yes ☐ No