

Introduction

- [Alchemy API Reference Overview](#)
- [Chain APIs Overview](#)
- [Enhanced APIs Overview](#)
- [Alchemy Quickstart Guide](#)

Resources

- [FAQ](#)
- [Feature Support By Chain](#)
- [Throughput](#)
- [Batch Requests](#)
- [Gas Limits](#)
- [Error Reference](#)
- [Compute Units](#)
- [Pricing Plans](#)
- [Compute Unit Costs](#)

NFT API

- [NFT API Quickstart](#)
- [NFT API Endpoints Overview](#)
- [NFT API FAQ](#)
- [Ownership & Token Gating](#)
- [getNFTsForOwner.get](#)
- [getOwnersForNFT.get](#)
- [getOwnersForContract.get](#)
- [isHolderOfContract.get](#)
- [getContractsForOwner.get](#)
- [getCollectionsForOwner.get](#)
- [NFT Metadata Access](#)
- [getNFTMetadata.get](#)
- [getNFTMetadataBatch.post](#)
- [getContractMetadata.get](#)
- [getCollectionMetadata.get](#)
- [invalidateContract.get](#)
- [getContractMetadataBatch.post](#)
- [getNFTsForContract.get](#)
- [getNFTsForCollection.get](#)
- [searchContractMetadata.get](#)
- [refreshNftMetadata.post](#)
- [Spam Detection](#)
- [getSpamContracts.get](#)
- [isSpamContract.get](#)
- [isAirdropNFT.get](#)
- [reportSpam.get](#)
- [Rarity Data](#)
- [summarizeNFTAttributes.get](#)
- [computeRarity.get](#)
- [Sales & Marketplace Data](#)
- [getFloorPrice.get](#)
- [getNFTSales.get](#)
- [NFT API V2 to V3 Migration Guide](#)
- [NFT API V2 vs. V3 Endpoint Differences](#)
- [NFT API V2 Methods \(Older Version\)](#)
- [getNFTs.get](#)
- [getNFTMetadata.get](#)
- [getNFTMetadataBatch.post](#)
- [getContractMetadata.get](#)
- [getContractMetadataBatch.post](#)
- [getNFTsForCollection.get](#)
- [getOwnersForToken.get](#)
- [getOwnersForCollection.get](#)
- [getSpamContracts.get](#)

-
- [isSpamContract.get](#)
-
- [isAirdrop.get](#)
-
- [invalidateContract.get](#)
-
- [getFloorPrice.get](#)
-
- [computeRarity.get](#)
-
- [searchContractMetadata.get](#)
-
- [summarizeNFTAttributes.get](#)
-
- [isHolderOfCollection.get](#)
-
- [getNFTSales.get](#)
-
- [getContractsForOwner.get](#)
-
- [reportSpam.get](#)

Transfers API (Tx History)

- [Transfers API Quickstart](#)
- [Transfers API Endpoints](#)
-
- [alchemy_getAssetTransfers.post](#)

Transaction Receipts API

- [Transaction Receipts Endpoints](#)
-
- [alchemy_getTransactionReceipts.post](#)

Token API

- [Token API Quickstart](#)
- [Token API Endpoints](#)
-
- [alchemy_getTokenBalances.post](#)
-
- [alchemy_getTokenMetadata.post](#)
-
- [alchemy_getTokenAllowance.post](#)

Subgraphs

- [Subgraphs Quickstart](#)
- [Supported Subgraph Chains](#)
- [Developing a Subgraph](#)
-
- [Graph CLI](#)
-
- [Creating a Subgraph](#)
-
- [Project Structure](#)
-
- [Data Sources](#)
-
- [Writing Mappings](#)
- [Moving your Subgraph to Production](#)
-
- [Deploying a Subgraph](#)
-
- [Subgraph Versioning](#)
-
- [Querying a Subgraph](#)
-
- [Deleting a Subgraph](#)
-
- [Direct Database Access](#)
- [Community subgraphs](#)

Webhooks

- [Notify API Quickstart](#)
-
- [Notify Tutorials and Applications](#)
-
- [Notify API FAQ](#)
- [Custom Webhooks Quickstart](#)
-
- [Custom Webhooks FAQ](#)
-
- [Custom Webhooks GraphQL Examples](#)
-
- [Custom Webhook Filters](#)
-
- [Custom Webhook Variables](#)
- [Custom Webhook API Methods](#)
-
- [Read Variable Elements.get](#)
-
- [Create a Variable.post](#)
-
- [Delete a Variable.delete](#)
-
- [Update a Variable.patch](#)
- [Notify API Methods](#)
-
- [Get all webhooks.get](#)
-
- [Get all addresses for an Address Activity webhook.get](#)
-
- [Create webhook.post](#)

-
- [Add and remove webhook addresses patch](#)
-
- [Replace webhook addresses put](#)
-
- [Update webhook status put](#)
-
- [Update webhook NFT filters patch](#)
-
- [Update NFT metadata webhook filters patch](#)
-
- [Get all webhook NFT filters get](#)
-
- [Delete webhook delete](#)
- [Webhook Types](#)
-
- [Custom Webhook](#)
-
- [Address Activity Webhook](#)
-
- [Mined Transaction Webhook](#)
-
- [Dropped Transaction Webhook](#)
-
- [NFT Activity Webhook](#)
-
- [NFT Metadata Updates Webhook](#)

Websockets

- [Subscription API Quickstart](#)
- [Best Practices for Using WebSockets in Web3](#)
- [Subscription API Endpoints](#)
-
- [alchemy_minedTransactions](#)
-
- [alchemy_pendingTransactions](#)
-
- [newPendingTransactions](#)
-
- [newHeads](#)
-
- [logs](#)

Trace API

- [Trace API Quickstart](#)
- [Trace API Endpoints](#)
-
- [trace_block post](#)
-
- [trace_call post](#)
-
- [trace_get post](#)
-
- [trace_rawTransaction post](#)
-
- [trace_replayBlockTransactions post](#)
-
- [trace_replayTransaction post](#)
-
- [trace_transaction post](#)
-
- [trace_filter post](#)
- [Trace API Resources](#)
-
- [What are EVM Traces?](#)
-
- [Trace API vs. Debug API](#)
-
- [What is trace_transaction?](#)
-
- [What is trace_block?](#)
-
- [What is trace_filter?](#)
-
- [trace_call vs debug_traceCall](#)

Debug API

- [Debug API Quickstart](#)
- [Debug API Endpoints](#)
-
- [debug_traceCall post](#)
-
- [debug_traceTransaction post](#)
-
- [debug_traceBlockByNumber post](#)
-
- [debug_traceBlockByHash post](#)

ACCOUNT ABSTRACTION

- [Bundler API Quickstart](#)
- [Bundler API Endpoints](#)
-
- [eth_getUserOperationReceipt post](#)
-
- [eth_supportedEntryPoints post](#)
-
- [eth_getUserOperationByHash post](#)
-
- [eth_sendUserOperation post](#)
-
- [rundler_maxPriorityFeePerGas post](#)
-
- [eth_estimateUserOperationGas post](#)
- [Bundler API Fee Logic](#)

- [Factory Addresses](#)
- [Gas Manager Coverage API Quickstart](#)
- [Gas Manager Coverage API Endpoints](#)
- - [alchemy_requestPaymasterAndData post](#)
- - [alchemy_requestGasAndPaymasterAndData post](#)
- [Gas Manager Coverage API Fee Logic](#)
- [Gas Manager Deployment Addresses](#)
- [UserOperation Simulation Endpoints](#)
- - [alchemy_simulateUserOperationAssetChanges post](#)
- [AA-SDK](#)
- [Account Abstraction FAQ](#)

Embedded Accounts

- [Accounts API Endpoints](#)
- - [Create Account post](#)
- - [Send Auth Email post](#)
- - [Authenticate User post](#)
- - [Get User post](#)
- - [Sign Message post](#)
- - [Register New Authenticator post](#)

Gas Manager Admin API

- [Gas Manager Admin API Quickstart](#)
- [Gas Manager Admin API Endpoints](#)
- - [Create Policy post](#)
- - [Get Policy get](#)
- - [Delete Policy delete](#)
- - [Replace Policy put](#)
- - [Get All Policies get](#)
- - [Update Policy Status put](#)
- - [Get Policy Stats get](#)
- - [Get Sponsorships get](#)

Alchemy Transact

- [Transact Quickstart](#)
- [Reinforced Transactions](#)
- [Transaction Simulation](#)
- - [Asset Changes](#)
- - [Execution Simulation](#)
- - [Bundle Simulation](#)
- - [Transaction Simulation Examples](#)
- - [Transaction Simulation FAQs](#)
- [Transaction Simulation Endpoints](#)
- - [alchemy_simulateAssetChanges post](#)
- - [alchemy_simulateAssetChangesBundle post](#)
- - [alchemy_simulateExecution post](#)
- - [alchemy_simulateExecutionBundle post](#)
- [Gas Optimized Transactions](#)
- - [alchemy_getGasOptimizedTransactionStatus post](#)
- - [alchemy_sendGasOptimizedTransaction post](#)
- [Private Transactions](#)
- - [eth_cancelPrivateTransaction post](#)
- - [eth_sendPrivateTransaction post](#)

Alchemy SDK

- [Alchemy SDK Quickstart](#)
- - [How to use Alchemy SDK with Typescript](#)
- - [Examples Using the Alchemy SDK](#)
- - [How to Manage a Multichain Project Using Alchemy SDK](#)
- [Alchemy SDK Surface Overview](#)
- - [Alchemy SDK vs. Raw API Methods](#)
- [SDK Core Methods](#)
- - [call - SDK](#)
- - [send - SDK](#)
- - [estimateGas - SDK](#)
- - [findContractDeployer - SDK](#)

-
- [getBalance - SDK](#)
-
- [getBlock - SDK](#)
-
- [getBlockNumber - SDK](#)
-
- [getBlockWithTransactions - SDK](#)
-
- [getCode - SDK](#)
-
- [getFeeData - SDK](#)
-
- [getGasPrice - SDK](#)
-
- [getLogs - SDK](#)
-
- [getStorageAt - SDK](#)
-
- [getTokenBalances - SDK](#)
-
- [getTokenMetadata - SDK](#)
-
- [getTokensForOwner - SDK](#)
-
- [getTransactionCount - SDK](#)
-
- [getTransactionReceipt - SDK](#)
-
- [getTransactionReceipts - SDK](#)
-
- [isContractAddress - SDK](#)
-
- [getAssetTransfers - SDK](#)
-
- [SDK NFT Methods](#)
-
- [getNftsForOwner - SDK](#)
-
- [getNftMetadata - SDK](#)
-
- [getNftMetadataBatch - SDK](#)
-
- [refreshNftMetadata - SDK](#)
-
- [getNftSales - SDK](#)
-
- [searchContractMetadata - SDK](#)
-
- [summarizeNftAttributes - SDK](#)
-
- [getNftsForOwnerIterator - SDK](#)
-
- [getNftsForContractIterator - SDK](#)
-
- [getContractMetadata - SDK](#)
-
- [getNftsForContract - SDK](#)
-
- [getTransfersForOwner - SDK](#)
-
- [getTransfersForContract - SDK](#)
-
- [getMintedNfts - SDK](#)
-
- [getOwnersForNft - SDK](#)
-
- [getOwnersForContract - SDK](#)
-
- [getSpamContracts - SDK](#)
-
- [isSpamContract - SDK](#)
-
- [refreshContract - SDK](#)
-
- [getContractsForOwner - SDK](#)
-
- [getFloorPrice - SDK](#)
-
- [computeRarity - SDK](#)
-
- [verifyNftOwnership - SDK](#)
-
- [SDK Transact Methods](#)
-
- [getTransaction - SDK](#)
-
- [sendTransaction - SDK](#)
-
- [sendPrivateTransaction - SDK](#)
-
- [cancelPrivateTransaction - SDK](#)
-
- [waitForTransaction - SDK](#)
-
- [estimateGas - SDK](#)
-
- [getMaxPriorityFeePerGas - SDK](#)
-
- [simulateAssetChanges - SDK](#)
-
- [simulateAssetChangesBundle - SDK](#)
-
- [simulateExecution - SDK](#)
-
- [simulateExecutionBundle - SDK](#)
-
- [SDK Debug Methods](#)
-
- [traceCall - SDK](#)
-
- [traceTransaction - SDK](#)
-

- [traceBlock - SDK](#)
- [SDK Notify Methods](#)
-
- [getAllWebhooks - SDK](#)
-
- [getAddresses - SDK](#)
-
- [getNftFilters - SDK](#)
-
- [createWebhook - SDK](#)
-
- [updateWebhook - SDK](#)
-
- [deleteWebhook - SDK](#)
- [SDK WebSockets Endpoints](#)
- [SDK Ethers Utils](#)
-
- [arrayify](#)
-
- [formatUnits](#)
-
- [concat](#)
-
- [hexConcat](#)
-
- [dnsEncode](#)
-
- [hexDataLength](#)
-
- [formatEther](#)
-
- [hexDataSlice](#)
-
- [hexStripZeros](#)
-
- [hashMessage](#)
-
- [isHexString](#)
-
- [isValidName](#)
-
- [joinSignature](#)
-
- [splitSignature](#)
-
- [toUtf8Bytes](#)
-
- [hexValue](#)
-
- [toUtf8String](#)
-
- [hexZeroPad](#)
-
- [zeroPad](#)
-
- [hexlify](#)
-
- [id](#)
-
- [isBytes](#)
-
- [isBytesLike](#)
-
- [Interface](#)
-
- [namehash](#)
-
- [parseEther](#)
-
- [parseUnits](#)
-
- [stripZeros](#)
- [Alchemy SDK V2 to V3 Migration Guide](#)
-
- [Alchemy SDK V2 vs. V3 Method Differences](#)
- [SDK V2 Methods](#)
-
- [call - SDK](#)
-
- [getAssetTransfers - SDK](#)
-
- [getMintedNfts - SDK](#)
-
- [verifyNftOwnership - SDK](#)
-
- [getOwnersForNft - SDK](#)
-
- [computeRarity - SDK](#)
-
- [getTransfersForContract - SDK](#)
-
- [getNftsForOwner - SDK](#)
-
- [refreshContract - SDK](#)
-
- [getOwnersForContract - SDK](#)
-
- [getFloorPrice - SDK](#)
-
- [isSpamContract - SDK](#)
-
- [findContractDeployer - SDK](#)
-
- [getSpamContracts - SDK](#)
-
- [getGasPrice - SDK](#)
-
- [getBalance - SDK](#)
-
- [getBlock - SDK](#)

- [getBlockWithTransactions - SDK](#)
- [estimateGas - SDK](#)
- [getBlockNumber - SDK](#)
- [getCode - SDK](#)
- [getFeeData - SDK](#)
- [getLogs - SDK](#)
- [getNftMetadataBatch - SDK](#)
- [getTokensForOwner - SDK](#)
- [getStorageAt - SDK](#)
- [getTokenBalances - SDK](#)
- [getTransactionCount - SDK](#)
- [getTokenMetadata - SDK](#)
- [getTransactionReceipt - SDK](#)
- [send - SDK](#)
- [getTransactionReceipts - SDK](#)
- [getTransaction - SDK](#)
- [isContractAddress - SDK](#)
- [getNftMetadata - SDK](#)
- [getNftSales - SDK](#)
- [cancelPrivateTransaction - SDK](#)
- [sendPrivateTransaction - SDK](#)
- [traceTransaction - SDK](#)
- [simulateExecutionBundle - SDK](#)
- [simulateExecution - SDK](#)
- [getMaxPriorityFeePerGas - SDK](#)
- [simulateAssetChangesBundle - SDK](#)
- [estimateGas - SDK](#)
- [simulateAssetChanges - SDK](#)
- [traceBlock - SDK](#)
- [waitForTransaction - SDK](#)
- [traceCall - SDK](#)
- [sendTransaction - SDK](#)
- [updateWebhook - SDK](#)
- [refreshNftMetadata - SDK](#)
- [createWebhook - SDK](#)
- [getNftFilters - SDK](#)
- [getAddresses - SDK](#)
- [summarizeNftAttributes - SDK](#)
- [deleteWebhook - SDK](#)
- [searchContractMetadata - SDK](#)
- [getAllWebhooks - SDK](#)
- [getNftsForOwnerIterator - SDK](#)
- [getNftsForContractIterator - SDK](#)
- [getContractMetadata - SDK](#)
- [getTransfersForOwner - SDK](#)
- [getNftsForContract - SDK](#)

Ethereum

- [Ethereum API Quickstart](#)
- [Ethereum API FAQ](#)
- [Ethereum Developer Guide to the Merge](#)
- [How to decode an eth_call response](#)
- [How do I distinguish between a contract address and a wallet address?](#)
- [Ethereum API Endpoints](#)
- [eth_blockNumber - Ethereum post](#)
- [eth_getBalance - Ethereum post](#)

- [eth_getLogs - Ethereum post](#)
- [eth_chainId - Ethereum post](#)
- [eth_getBlockByNumber - Ethereum post](#)
- [eth_accounts - Ethereum post](#)
- [eth_feeHistory - Ethereum post](#)
- [eth_estimateGas - Ethereum post](#)
- [eth_gasPrice - Ethereum post](#)
- [eth_getBlockTransactionCountByHash - Ethereum post](#)
- [eth_getBlockReceipts - Ethereum post](#)
- [eth_getBlockTransactionCountByNumber - Ethereum post](#)
- [eth_getCode - Ethereum post](#)
- [eth_getProof - Ethereum post](#)
- [eth_getStorageAt - Ethereum post](#)
- [eth_getTransactionByBlockHashAndIndex - Ethereum post](#)
- [eth_getTransactionByHash - Ethereum post](#)
- [eth_getTransactionCount - Ethereum post](#)
- [eth_getTransactionReceipt - Ethereum post](#)
- [eth_getUncleByBlockHashAndIndex - Ethereum post](#)
- [eth_getUncleByBlockNumberAndIndex - Ethereum post](#)
- [eth_getUncleCountByBlockHash - Ethereum post](#)
- [eth_getUncleCountByBlockNumber - Ethereum post](#)
- [eth_maxPriorityFeePerGas - Ethereum post](#)
- [eth_protocolVersion - Ethereum post](#)
- [eth_sendRawTransaction - Ethereum post](#)
- [net_listening - Ethereum post](#)
- [net_version - Ethereum post](#)
- [web3_clientVersion - Ethereum post](#)
- [web3_sha3 - Ethereum post](#)
- [eth_getTransactionByBlockNumberAndIndex - Ethereum post](#)
- [eth_call - Ethereum post](#)
- [eth_getBlockByHash - Ethereum post](#)
- [eth_createAccessList - Ethereum post](#)
- [eth_newFilter - Ethereum post](#)
- [eth_getFilterChanges - Ethereum post](#)
- [eth_getFilterLogs - Ethereum post](#)
- [eth_newBlockFilter - Ethereum post](#)
- [eth_newPendingTransactionFilter - Ethereum post](#)
- [eth_uninstallFilter - Ethereum post](#)
- [eth_subscribe](#)
- [eth_unsubscribe](#)

Polygon PoS

- [Polygon PoS API Quickstart](#)
- [Polygon SDK Examples](#)
- [Polygon PoS API FAQ](#)
- [Polygon PoS API Endpoints](#)
- [bor_getAuthor - Polygon PoS post](#)
- [bor_getCurrentProposer - Polygon PoS post](#)
- [bor_getCurrentValidators - Polygon PoS post](#)
- [bor_getRootHash - Polygon PoS post](#)
- [eth_accounts - Polygon PoS post](#)
- [eth_call - Polygon PoS post](#)
- [eth_chainId - Polygon PoS post](#)
- [eth_estimateGas - Polygon PoS post](#)
- [eth_gasPrice - Polygon PoS post](#)
- [eth_getBalance - Polygon PoS post](#)
- [eth_getBlockByHash - Polygon PoS post](#)

- [eth_getBlockByNumber - Polygon PoS post](#)
- [eth_getBlockTransactionCountByHash - Polygon PoS post](#)
- [eth_getBlockTransactionCountByNumber - Polygon PoS post](#)
- [eth_getCode - Polygon PoS post](#)
- [eth_getFilterChanges - Polygon PoS post](#)
- [eth_getFilterLogs - Polygon PoS post](#)
- [eth_getLogs - Polygon PoS post](#)
- [eth_getRootHash - Polygon PoS post](#)
- [eth_getSignersAtHash - Polygon PoS post](#)
- [eth_getStorageAt - Polygon PoS post](#)
- [eth_getTransactionByBlockHashAndIndex - Polygon PoS post](#)
- [eth_getTransactionByBlockNumberAndIndex - Polygon PoS post](#)
- [eth_getTransactionByHash - Polygon PoS post](#)
- [eth_getTransactionCount - Polygon PoS post](#)
- [eth_getTransactionReceipt - Polygon PoS post](#)
- [eth_getTransactionReceiptsByBlock - Polygon PoS post](#)
- [eth_sendRawTransaction - Polygon PoS post](#)
- [eth_uninstallFilter - Polygon PoS post](#)
- [net_listening - Polygon PoS post](#)
- [eth_getUncleCountByBlockHash - Polygon PoS post](#)
- [eth_getUncleCountByBlockNumber - Polygon PoS post](#)
- [eth_newBlockFilter - Polygon PoS post](#)
- [eth_newFilter - Polygon PoS post](#)
- [eth_newPendingTransactionFilter - Polygon PoS post](#)
- [web3_clientVersion - Polygon PoS post](#)
- [eth_createAccessList - Polygon PoS post](#)
- [eth_blockNumber - Polygon PoS post](#)
- [bor_getSignersAtHash - Polygon PoS post](#)
- [net_version - Polygon PoS post](#)
- [eth_getProof - Polygon PoS post](#)
- [eth_getUncleByBlockNumberAndIndex - Polygon PoS post](#)
- [eth_subscribe - Polygon PoS](#)
- [eth_unsubscribe - Polygon PoS](#)

Polygon zkEVM

- [Polygon zkEVM API Quickstart](#)
- [Polygon zkEVM API FAQ](#)
- [What is the difference between Polygon zkEVM and Ethereum?](#)
- [What is the difference between Polygon zkEVM and Polygon PoS?](#)
- [Polygon zkEVM Endpoints](#)
- [eth_getTransactionCount - Polygon zkEVM post](#)
- [eth_call - Polygon zkEVM post](#)
- [eth_chainId - Polygon zkEVM post](#)
- [eth_newBlockFilter - Polygon zkEVM post](#)
- [eth_estimateGas - Polygon zkEVM post](#)
- [eth_newFilter - Polygon zkEVM post](#)
- [eth_gasPrice - Polygon zkEVM post](#)
- [eth_sendRawTransaction - Polygon zkEVM post](#)
- [eth_getBalance - Polygon zkEVM post](#)
- [eth_uninstallFilter - Polygon zkEVM post](#)
- [eth_getBlockByHash - Polygon zkEVM post](#)
- [net_version - Polygon zkEVM post](#)
- [eth_getBlockByNumber - Polygon zkEVM post](#)
- [web3_clientVersion - Polygon zkEVM post](#)
- [eth_getBlockTransactionCountByHash - Polygon zkEVM post](#)
- [eth_getBlockTransactionCountByNumber - Polygon zkEVM post](#)

- [zkevm_batchNumber - Polygon zkEVM post](#)
-
- [eth_getCode - Polygon zkEVM post](#)
-
- [eth_getFilterChanges - Polygon zkEVM post](#)
-
- [eth_getFilterLogs - Polygon zkEVM post](#)
-
- [zkevm_getBatchByNumber - Polygon zkEVM post](#)
-
- [eth_getLogs - Polygon zkEVM post](#)
-
- [zkevm_getBroadcastURI - Polygon zkEVM post](#)
-
- [eth_getStorageAt - Polygon zkEVM post](#)
-
- [zkevm_isBlockConsolidated - Polygon zkEVM post](#)
-
- [eth_getTransactionByBlockHashAndIndex - Polygon zkEVM post](#)
-
- [zkevm_isBlockVirtualized - Polygon zkEVM post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - Polygon zkEVM post](#)
-
- [zkevm_verifiedBatchNumber - Polygon zkEVM post](#)
-
- [eth_getTransactionByHash - Polygon zkEVM post](#)
-
- [zkevm_virtualBatchNumber - Polygon zkEVM post](#)
-
- [eth_getCompilers - Polygon zkEVM post](#)
-
- [eth_getUncleByBlockHashAndIndex - Polygon zkEVM post](#)
-
- [eth_getUncleByBlockNumberAndIndex - Polygon zkEVM post](#)
-
- [eth_getUncleCountByBlockHash - Polygon zkEVM post](#)
-
- [eth_getUncleCountByBlockNumber - Polygon zkEVM post](#)
-
- [eth_protocolVersion - Polygon zkEVM post](#)
-
- [eth_blockNumber - Polygon zkEVM post](#)
-
- [eth_getTransactionReceipt - Polygon zkEVM post](#)
-
- [zkevm_batchNumberByBlockNumber - Polygon zkEVM post](#)
-
- [zkevm_consolidatedBlockNumber - Polygon zkEVM post](#)
-
- [zkevm_estimateFee API - Polygon zkEVM post](#)
-
- [zkevm_estimateGasPrice API - Polygon zkEVM post](#)

Arbitrum

- [Arbitrum API Quickstart](#)
-
- [Arbitrum SDK Examples](#)
- [Arbitrum API FAQ](#)
-
- [Arbitrum vs. Ethereum API Differences](#)
- [Arbitrum API Endpoints](#)
-
- [eth_call - Arbitrum post](#)
-
- [eth_estimateGas - Arbitrum post](#)
-
- [eth_accounts - Arbitrum post](#)
-
- [eth_blockNumber - Arbitrum post](#)
-
- [eth_chainId - Arbitrum post](#)
-
- [eth_gasPrice - Arbitrum post](#)
-
- [eth_getBalance - Arbitrum post](#)
-
- [eth_getBlockTransactionCountByHash - Arbitrum post](#)
-
- [eth_getBlockTransactionCountByNumber - Arbitrum post](#)
-
- [eth_getCode - Arbitrum post](#)
-
- [eth_getFilterChanges - Arbitrum post](#)
-
- [eth_getFilterLogs - Arbitrum post](#)
-
- [eth_getLogs - Arbitrum post](#)
-
- [eth_getStorageAt - Arbitrum post](#)
-
- [eth_getTransactionByBlockHashAndIndex - Arbitrum post](#)
-
- [eth_getTransactionCount - Arbitrum post](#)
-
- [eth_getUncleByBlockNumberAndIndex - Arbitrum post](#)
-
- [eth_getUncleCountByBlockHash - Arbitrum post](#)
-
- [eth_getUncleCountByBlockNumber - Arbitrum post](#)
-
- [eth_newBlockFilter - Arbitrum post](#)
-
- [eth_newFilter - Arbitrum post](#)
-
- [eth_newPendingTransactionFilter - Arbitrum post](#)
-
- [eth_uninstallFilter - Arbitrum post](#)

-
- [net_listening - Arbitrum post](#)
-
- [net_version - Arbitrum post](#)
-
- [web3_clientVersion - Arbitrum post](#)
-
- [web3_sha3 - Arbitrum post](#)
-
- [eth_sendRawTransaction - Arbitrum post](#)
-
- [eth_createAccessList - Arbitrum post](#)
-
- [eth_maxPriorityFeePerGas - Arbitrum post](#)
-
- [eth_feeHistory - Arbitrum post](#)
-
- [eth_getBlockByHash - Arbitrum post](#)
-
- [eth_getBlockByNumber - Arbitrum post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - Arbitrum post](#)
-
- [eth_getTransactionByHash - Arbitrum post](#)
-
- [eth_getProof - Arbitrum post](#)
-
- [eth_getTransactionReceipt - Arbitrum post](#)
-
- [eth_getUncleByBlockHashAndIndex - Arbitrum post](#)
-
- [eth_subscribe](#)
-
- [eth_unsubscribe](#)

Optimism

- [Optimism API Quickstart](#)
-
- [Optimism SDK Examples](#)
- [Optimism API FAQ](#)
-
- [Optimism Error Codes](#)
- [Optimism API Endpoints](#)
-
- [eth_call - Optimism post](#)
-
- [eth_estimateGas - Optimism post](#)
-
- [eth_accounts - Optimism post](#)
-
- [eth_blockNumber - Optimism post](#)
-
- [eth_chainId - Optimism post](#)
-
- [eth_gasPrice - Optimism post](#)
-
- [eth_getBalance - Optimism post](#)
-
- [eth_getBlockTransactionCountByHash - Optimism post](#)
-
- [eth_getBlockTransactionCountByNumber - Optimism post](#)
-
- [eth_getCode - Optimism post](#)
-
- [eth_getFilterChanges - Optimism post](#)
-
- [eth_getFilterLogs - Optimism post](#)
-
- [eth_getLogs - Optimism post](#)
-
- [eth_getStorageAt - Optimism post](#)
-
- [eth_getTransactionByBlockHashAndIndex - Optimism post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - Optimism post](#)
-
- [eth_getTransactionByHash - Optimism post](#)
-
- [eth_getTransactionCount - Optimism post](#)
-
- [eth_getTransactionReceipt - Optimism post](#)
-
- [eth_getUncleByBlockHashAndIndex - Optimism post](#)
-
- [eth_getUncleByBlockNumberAndIndex - Optimism post](#)
-
- [eth_getUncleCountByBlockHash - Optimism post](#)
-
- [eth_getUncleCountByBlockNumber - Optimism post](#)
-
- [eth_newBlockFilter - Optimism post](#)
-
- [eth_newFilter - Optimism post](#)
-
- [eth_newPendingTransactionFilter - Optimism post](#)
-
- [eth_protocolVersion - Optimism post](#)
-
- [eth_sendRawTransaction - Optimism post](#)
-
- [eth_syncing - Optimism post](#)
-
- [eth_uninstallFilter - Optimism post](#)
-
- [net_listening - Optimism post](#)
-
- [net_version - Optimism post](#)
-

- [web3_clientVersion - Optimism post](#)
-
- [web3_sha3 - Optimism post](#)
-
- [eth_getBlockByHash - Optimism post](#)
-
- [eth_getBlockByNumber - Optimism post](#)
-
- [eth_getProof - Optimism post](#)
-
- [eth_subscribe](#)
-
- [eth_unsubscribe](#)

Base

- [Base API Quickstart](#)
- [Base API FAQ](#)
- [Base API Endpoints](#)
-
- [eth_accounts - Base post](#)
-
- [eth_blockNumber - Base post](#)
-
- [eth_call - Base post](#)
-
- [eth_chainId - Base post](#)
-
- [eth_estimateGas - Base post](#)
-
- [eth_feeHistory - Base post](#)
-
- [eth_gasPrice - Base post](#)
-
- [eth_getBalance - Base post](#)
-
- [eth_getBlockByHash - Base post](#)
-
- [eth_getBlockByNumber - Base post](#)
-
- [eth_getBlockTransactionCountByHash - Base post](#)
-
- [eth_getBlockTransactionCountByNumber - Base post](#)
-
- [eth_getCode - Base post](#)
-
- [eth_getFilterChanges - Base post](#)
-
- [eth_getFilterLogs - Base post](#)
-
- [eth_getLogs - Base post](#)
-
- [eth_getProof - Base post](#)
-
- [eth_getStorageAt - Base post](#)
-
- [eth_getTransactionByBlockHashAndIndex - Base post](#)
-
- [eth_getTransactionByBlockNumberAndIndex - Base post](#)
-
- [eth_getTransactionByHash - Base post](#)
-
- [eth_getTransactionCount - Base post](#)
-
- [eth_getTransactionReceipt - Base post](#)
-
- [eth_getUncleByBlockHashAndIndex - Base post](#)
-
- [eth_getUncleByBlockNumberAndIndex - Base post](#)
-
- [eth_getUncleCountByBlockHash - Base post](#)
-
- [eth_getUncleCountByBlockNumber - Base post](#)
-
- [eth_maxPriorityFeePerGas - Base post](#)
-
- [eth_newBlockFilter - Base post](#)
-
- [eth_newFilter - Base post](#)
-
- [eth_newPendingTransactionFilter - Base post](#)
-
- [eth_protocolVersion - Base post](#)
-
- [eth_sendRawTransaction - Base post](#)
-
- [eth_syncing - Base post](#)
-
- [eth_uninstallFilter - Base post](#)
-
- [net_listening - Base post](#)
-
- [web3_sha3 - Base post](#)

✳ Solana

- [Solana API Quickstart](#)
- [Solana API FAQ](#)
- [Solana API Endpoints](#)
-
- [getAccountInfo post](#)
-
- [simulateTransaction post](#)
-
- [getBalance post](#)
-
- [getBlock post](#)
-
- [getBlockCommitment post](#)

- [getBlockProduction post](#)
- [getBlocks post](#)
- [getBlocksWithLimit post](#)
- [getBlockTime post](#)
- [getClusterNodes post](#)
- [getEpochInfo post](#)
- [getEpochSchedule post](#)
- [getFeeForMessage post](#)
- [getFirstAvailableBlock post](#)
- [getGenesisHash post](#)
- [getHealth post](#)
- [getHighestSnapshotSlot post](#)
- [getIdentity post](#)
- [getInflationGovernor post](#)
- [getInflationRate post](#)
- [getInflationReward post](#)
- [getLargestAccounts post](#)
- [getMaxRetransmitSlot post](#)
- [getMaxShredInsertSlot post](#)
- [getMinimumBalanceForRentExemption post](#)
- [getMultipleAccounts post](#)
- [getProgramAccounts post](#)
- [getRecentPerformanceSamples post](#)
- [getSignaturesForAddress post](#)
- [getSignatureStatutes post](#)
- [getSlot post](#)
- [getSlotLeader post](#)
- [getSlotLeaders post](#)
- [getSupply post](#)
- [getTokenAccountBalance post](#)
- [getTokenAccountsByOwner post](#)
- [getTokenSupply post](#)
- [getTransaction post](#)
- [getVersion post](#)
- [getVoteAccounts post](#)
- [isBlockhashValid post](#)
- [minimumLedgerSlot post](#)
- [sendTransaction post](#)
- [requestAirdrop post](#)
- [getBlockHeight post](#)
- [getRecentBlockhash post](#)

Astar

- [Astar API Quickstart](#)
- [Astar API FAQ](#)
- [Astar API Endpoints](#)
- [eth_accounts - Astar post](#)
- [eth_getTransactionReceipt - Astar post](#)
- [eth_maxPriorityFeePerGas - Astar post](#)
- [eth_blockNumber - Astar post](#)
- [eth_call - Astar post](#)
- [eth_chainId - Astar post](#)
- [eth_gasPrice - Astar post](#)
- [eth_getBalance - Astar post](#)
- [eth_getBlockByHash - Astar post](#)
- [eth_getBlockByNumber - Astar post](#)

- [eth_getBlockTransactionCountByHash - Astar post](#)
- [eth_getBlockTransactionCountByNumber - Astar post](#)
- [eth_getCode - Astar post](#)
- [eth_getStorageAt - Astar post](#)
- [eth_getTransactionByBlockHashAndIndex - Astar post](#)
- [eth_getTransactionByBlockNumberAndIndex - Astar post](#)
- [eth_getTransactionByHash - Astar post](#)
- [eth_getTransactionCount - Astar post](#)
- [eth_getUncleByBlockNumberAndIndex - Astar post](#)
- [eth_sendRawTransaction - Astar post](#)
- [net_version - Astar post](#)
- [web3_clientVersion - Astar post](#)
- [web3_sha3 - Astar post](#)
- [eth_getLogs - Astar post](#)
- [eth_getFilterChanges - Astar post](#)
- [eth_getFilterLogs - Astar post](#)
- [eth_newFilter - Astar post](#)
- [eth_newPendingTransactionFilter - Astar post](#)
- [eth_uninstallFilter - Astar post](#)
- [eth_newBlockFilter - Astar post](#)
- [eth_estimateGas - Astar post](#)
- [eth_subscribe](#)
- [eth_unsubscribe](#)

STARKNET

- [Starknet API Quickstart](#)
- [Starknet API FAQ](#)
- [Starknet API Endpoints](#)
- [starknet_addDeclareTransaction post](#)
- [starknet_getClassAt post](#)
- [starknet_addDeployAccountTransaction post](#)
- [starknet_getClassHashAt post](#)
- [starknet_addInvokeTransaction post](#)
- [starknet_getEvents post](#)
- [starknet_blockHashAndNumber post](#)
- [starknet_getNonce post](#)
- [starknet_blockNumber post](#)
- [starknet_getStateUpdate post](#)
- [starknet_call post](#)
- [starknet_getStorageAt post](#)
- [starknet_chainId post](#)
- [starknet_getTransactionByBlockIdAndIndex post](#)
- [starknet_estimateFee post](#)
- [starknet_getTransactionByHash post](#)
- [starknet_getBlockTransactionCount post](#)
- [starknet_getTransactionReceipt post](#)
- [starknet_getBlockWithTxHashes post](#)
- [starknet_pendingTransactions post](#)
- [starknet_getBlockWithTxs post](#)
- [starknet_syncing post](#)
- [starknet_getClass post](#)
- [starknet_estimateMessageFee post](#)

send - SDK

Allows sending a raw message to the Alchemy backend.

All CSS

```
/ dont_have_api_sec_start / .api_key_instruct_ban{ background: #F5FCFF; border: 1px solid rgba(207, 217, 240, 0.2); border-radius: 12px; -webkit-border-radius: 12px; display: flex; flex-wrap: wrap; padding: 33px; } .markdown-body h3 { color: #00000 !important; } .api_key_instruct_ban_lft h3{ font-size: 24px; line-height: 1.3; letter-spacing: -0.03em; font-weight: 700; font-family: 'Inter', sans-serif;
```

margin-bottom: 7px; margin-top: 0px; color: #000000 !important; } .api_key_instruct_ban_lft h3:last-child{ margin-bottom: 0; } .api_key_instruct_ban_lft p{ font-size: 14px; line-height: 1.3; color: #000000; font-family: 'Inter', sans-serif; font-weight: 400; } .gt_startd_vbtn{ display: inline-block; color: #FFFFFF !important; background: linear-gradient(126.33deg, #36BEFF 5.38%, #733FF1 108.32%); border-radius: 6px; font-size: 16px; line-height: 1.3; font-weight: 600; font-family: 'Inter', sans-serif; padding: 9px 16px; } .gt_startd_vbtn:hover{ background: #000; color: #fff; } .api_key_instruct_ban_lft{ flex-basis: 60%; max-width: 60%; padding-right: 15px; } .api_key_instruct_ban_rtt{ flex-basis: 40%; max-width: 40%; padding-left: 15px; align-self: center; } / dont_have_api_sec_end/

```
/* ===== responsive css ===== */

@media(min-width:1025px) {}

@media(max-width:1199px) {
  .api_main {
    max-width: 100%;
  }
  .api_main_cont ul li a {
    width: 100%;
  }
  .left_icon_evm_part {
    width: 73%;
    margin: 22px auto auto auto;
  }
  .api_main_cont ul li a {
    padding: 10px 18px;
    border-radius: 12px;
  }
  .api_main_cont ul li a:hover::before {
    border-radius: 12px;
  }
  .learn_box,
  .lear_outer {
    height: 100%;
  }
  .navbar-nav>li>a {
    font-size: 15px;
    padding: 8px 10px;
  }
  .top_header_links ul li a{
    font-size: 15px;
  }
  .footer_links_box ul li a{
    font-size: 13px;
  }
}
/* dont_have_api_sec_start */
.api_key_instruct_ban{
  display: block;
  text-align: center;
  background: linear-gradient(180deg, #EBF9FF 0%, #EEF3FE 100%);
}
.api_key_instruct_ban_lft,.api_key_instruct_ban_rtt{
  max-width: 100%;
  padding: 0;
  flex-basis: 100%;
}
.api_key_instruct_ban_lft{
  margin-bottom: 30px;
}
/* dont_have_api_sec_end */
}

@media (max-width: 768px) {
  /* dont_have_api_sec_start */

  .api_key_instruct_ban_lft h3{
    font-size: 30px;
  }
  .api_key_instruct_ban_lft p{
    font-size: 16px;
  }
  .wrapper_body_cm_n_out{
    max-width: 100%;
  }
  .api_key_instruct_ban_lft h3 {
    font-size: 40px;
    margin-bottom: 16px;
  }
}
/* dont_have_api_sec_end */
}

@media (max-width: 350px){
  /* dont_have_api_sec_start */
  .api_key_instruct_ban_lft h3{
    font-size: 36px;
  }
  .api_key_instruct_ban{
    padding: 30px;
  }
}
/* dont_have_api_sec_end */
}
```

whole_Section_wrapperdont_have_api_sec_start### Don't have an API key?

Start using this method in your app today.[Get started for free](#) dont_have_api_sec_end

Description

Allows sending a raw message to the Alchemy backend.

Parameters

| | | | | | | | | |
|------|------|-------------|--------|-------|---------------------------------------|--------|--------|---|
| Name | Type | Description | params | array | The parameters to pass to the method. | method | string | The method to call, e.g., <code>eth_getBlockByNumber</code> . |
|------|------|-------------|--------|-------|---------------------------------------|--------|--------|---|

Response

| | | | | |
|----------|------|-------------|----------------|---|
| Property | Type | Description | Promise object | Returns an object corresponding to the method called. |
|----------|------|-------------|----------------|---|

Example Request and Response

Prerequisite : You will need to install the Alchemy SDK before making requests with it.

The commands for installing it using `npm` or `yarn` are given below:

```
npm yarn npm install alchemy-sdk@latest yarn add alchemy-sdk@latest
```

Request

Here is an example of how to make a send request using the Alchemy SDK:

```
send.js // Imports the Alchemy SDK const {Alchemy ,Network} = require ("alchemy-sdk");// Configures the Alchemy SDK const config = {apiKey : "alchemy-replit" ,// Replace with your API key network
```

:Network .ETH_MAINNET ,// Replace with your network);// Creates an Alchemy object instance with the config to use for making requests const alchemy = new Alchemy (config);const main = async ()=> {let method = "eth_getBlockByNumber" ;let params = ["0xEDD023" ,false];//Call the method let response = await alchemy .core .send (method ,params)//Logging the response to the console console .log (response) ;}main ();

Response

JSON {number :0xedd023' ,hash :0x18760312114f3df11f9d5846245995835aa59994d5fc4203faee52d2f7eaabe' ,transactions :
["0xcbe7ce4c134f142265f66002865b9c70c6533f31db166bd04145d017099d32a5' ,0xf0605f4c7e07737142a6dfccf44dd771aab6574404bf99faab9e347addeef728'
,0xf95639f915762ea2e5714009595b1d7a00b4e896334695d75ec5e658bf0be6f8' ,0x3711b290df2402ce92eac90682c31814b90f89a8ab76878f479b3816455255b9'
,0xb903a9bb990b2f0576e84b72c3ba997b0e1e0e3565fcb35388021669ab10939' ,0x4bdd80fc079e3ed9f34f3851ac6ec393f80d6029eb0933ecdb317a5ca8929a3a'
,0x0b6188fbd2727060e03c657286eefc2819fb114a44a332bea98db5a14389de73' ,0x9724e919acff0392810d6cb373ecb315caa2c8ea93af3c2dee20c426ab252834'
,0xcbf9e9a33127daa41b4254d041f1f44cfde317f011013e5576fb02ba7cf23c96f' ,0x0f0d44dbde0b877f8b51ceaebf05f4189afe12da0bf71bb0e85a2969c2c068be'
,0x4c9ca3b0ff18af68b11f17e3fcd71308c6dfef625b10f60c953114254a33f280' ,0x5f2f1bbb2adfe70be2616abadf1e5c4840e49e25f8608ec5ebe916bcd9e3d5c'
,0x6eb27c6b68c7d0813e4751b245dbe456d3a1aa3522d63adc5a885cc92dfbf694' ,0xda12541d960f59e07454ed8652751326d8a7f0cd51c80aa658abd0f46b514fe'
,0x1666d9a752e1d5b3e59f5c59d0e13b5cfddee4e420d0d0eea170cfa6caca2fd6' ,0x3ef79b21db8716ad87fa08976b509ea8c8f9687859052b0dfe4db97fad9ac52f'
,0x6954f24dcffff19b99ff20d85a19173871efb1c3f070634f0ee894d47f3e306' ,0xd77574d4a17e8657b5297ac924803a7e26181abc9d0f7b8610c5dfa7251cbb87'
,0xbbd1c5ce3b55fec2153449b98351399e35a279a90961776ffbc47ad51ffce65' ,0x47169a29662dee6acb6b7fe3d8cb38f28bc107242d7e08aa6123ab6d5df4b95b'
,0x7a00d99e26bda5d9008e3948eb6548f84b19fe86740add3721c2701b0e85c2d8' ,0xc5b2f3fba21affb3eb84895551ed25ab497509026b3a6db6df97977c92d313c2'
,0x531e9dadda5a6ed8b65e99f342ac7f861173ad6ab261116883ddd124317338b1' ,0xe902d41d7600b7ed1bf36aeb0f544eaded9db41148cdd593b9b80c69cc7cd4cb'
,0xa3bd42e0a83f8ca5a2c23cb5d195897bfacc8d6897664c51eb7ba150594a003c' ,0x5cc61393f3dc49563f73aa6cbee365e8feef77b5b1da152b8c6cca6a39849e14'
,0x70e3dac3e3ca3ddd9453d7122f04603901f22ed8d18b001877c4436ecd20e5cd' ,0xe081332bc5456121715f91948e59a201555250f756238a7617a90e8f8026d0bd'
,0xa903afcd80f69f4beff17735e87c267fb2a653937f96a95c1051782529eeac0b' ,0xf54f3420c1f7504d3260d3e9cd48521dc42785317df2f280d63fc614f731008c'],difficulty :0x0' ,extraData :0x' ,gasLimit :0x1c9c380' ,gasUsed :0x1d41ca' ,logsBloom :0x000200002100080002000004000000100604200040000000000000041000400020040000043000200a0811000101000a8002000b18200000080000020600000008000000800828000128040000
,miner :0x388c818ca8b9251b393131c08a736a67ccb19297' ,mixHash :0x006ff88775a192a1a71dd002325549419f37a2f69732bd3f004d16fb35ac16fc' ,nonce :0x0000000000000000' ,parentHash :0xdff690ffd33a8715fcd6622426c2b498064e1fd8ed585da053302185f9bd7ad59' ,receiptsRoot :0x1086fbfce054458970c81893549fbf0c3861a183f96d2bb2c6e83aec97799aac' ,sha3Uncles :0x1dccc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347' ,size :0x21d4' ,stateRoot :0x562c00e97e229c109f1979bd0bb9836f567f8468c6a5355990a0b05e2d4861a3a' ,timestamp :0x632bac4b' ,totalDifficulty :0xc70d815d562d3cfa955' ,transactionsRoot :0x25bc257b1b2393f16a7a0331986c1faa2dcc6b6cdae0be01783734bc70f5eb9b' ,uncles : [],baseFeePerGas :0x1df14eff4d} }

Code Sandbox

You can test out the send method using the code sandbox below:

Use Cases

Here are some possible use cases for the send method:

- Sending Ether
 - : The
 - send
 - method can be used to send Ether from one Ethereum address to another. This is the most common use case for the send function and is used in a wide variety of applications, from simple wallet transfers to complex smart contract interactions.
- Sending Tokens
 - : In addition to Ether, the
 - send
 - method can also be used to send ERC-20 tokens. This is particularly useful for decentralized applications (dApps) that require the transfer of tokens as part of their functionality.
- Triggering Smart Contract Interactions
 - : The
 - send
 - method can be used to trigger smart contract interactions, such as executing a function or changing a contract's state. This is a powerful feature that enables developers to build complex dApps that interact with the Ethereum blockchain.

Updated 5 months ago

[call - SDK estimateGas](#) - [SDK](#) Did this page help you?Yes No