Introduction

- Alchemy API Reference Overview
- - Chain APIs Overview
- - Enhanced APIs Overview
- Alchemy Quickstart Guide

Resources

- FAQ
- - Feature Support By Chain
- - Throughput
- - Batch Requests
- - Gas Limits
- - Error Reference
- Compute Units
- - Pricing Plans
- - Compute Unit Costs

NFT API

- NFT API Quickstart
- NFT API Endpoints Overview
- NFT API FAQ
- Ownership & Token Gating
- - getNFTsForOwner get
- - getOwnersForNFT get
- - getOwnersForContract get
- - isHolderOfContract get
- - getContractsForOwner get
- - getCollectionsForOwner get
- NFT Metadata Access
- - getNFTMetadata get
- - getNFTMetadataBatch post
- - getContractMetadata get
- - getCollectionMetadata get
- - invalidateContract get
- - getContractMetadataBatch post
- - getNFTsForContract get
- - getNFTsForCollection get
- - searchContractMetadata get
- - refreshNftMetadata post
- Spam Detection
- - getSpamContracts get
-

    - isSpamContract get
-
    - isAirdropNFT get
-
    - reportSpam get
- Rarity Data
-
    - summarizeNFTAttributes get
-
    - computeRarity get
- Sales & Marketplace Data
-
    - getFloorPrice get
-
    - getNFTSales get
- NFT API V2 to V3 Migration Guide
-
    - NFT API V2 vs. V3 Endpoint Differences
- NFT API V2 Methods (Older Version)
-
    - getNFTs get
-
    - getNFTMetadata get
-
    - getNFTMetadataBatch post
-
    - getContractMetadata get
-
    - getContractMetadataBatch post
-
    - getNFTsForCollection get
-
    - getOwnersForToken get
-
    - getOwnersForCollection get
-
    - getSpamContracts get
-
    - isSpamContract get
-
    - isAirdrop get
-
    - invalidateContract get
-
    - getFloorPrice get
-
    - computeRarity get
-
    - searchContractMetadata get
-
    - summarizeNFTAttributes get
-
    - isHolderOfCollection get
-
    - getNFTSales get
-
    - getContractsForOwner get
-
    - reportSpam get

Transfers API (Tx History)

- Transfers API Quickstart
- Transfers API Endpoints
-
    - alchemy_getAssetTransfers post

Transaction Receipts API

- Transaction Receipts Endpoints
-

- alchemy_getTransactionReceipts post

Token API

- Token API Quickstart
- Token API Endpoints
  - alchemy_getTokenBalances post
  - alchemy_getTokenMetadata post
  - alchemy_getTokenAllowance post

Subgraphs

- Subgraphs Quickstart
- Supported Subgraph Chains
- Developing a Subgraph
  - Graph CLI
  - Creating a Subgraph
  - Project Structure
  - Data Sources
  - Writing Mappings
- Moving your Subgraph to Production
  - Deploying a Subgraph
  - Subgraph Versioning
  - Querying a Subgraph
  - Deleting a Subgraph
  - Direct Database Access
- Community subgraphs

Webhooks

- Notify API Quickstart
  - Notify Tutorials and Applications
  - Notify API FAQ
- Custom Webhooks Quickstart
  - Custom Webhooks FAQ
  - Custom Webhooks GraphQL Examples
  - Custom Webhook Filters
  - Custom Webhook Variables
- Custom Webhook API Methods
  - Read Variable Elements get
  - Create a Variable post
  - Delete a Variable delete
  - Update a Variable patch
- Notify API Methods
  - Get all webhooks get
  - Get all addresses for an Address Activity webhook get

- Create webhook post
- Add and remove webhook addresses patch
- Replace webhook addresses put
- Update webhook status put
- Update webhook NFT filters patch
- Update NFT metadata webhook filters patch
- Get all webhook NFT filters get
- Delete webhook delete

- Webhook Types
  - Custom Webhook
  - Address Activity Webhook
  - Mined Transaction Webhook
  - Dropped Transaction Webhook
  - NFT Activity Webhook
  - NFT Metadata Updates Webhook

Websockets

- Subscription API Quickstart
- Best Practices for Using WebSockets in Web3
- Subscription API Endpoints
  - alchemy_minedTransactions
  - alchemy_pendingTransactions
  - newPendingTransactions
  - newHeads
  - logs

Trace API

- Trace API Quickstart
- Trace API Endpoints
  - trace_block post
  - trace_call post
  - trace_get post
  - trace_rawTransaction post
  - trace_replayBlockTransactions post
  - trace_replayTransaction post
  - trace_transaction post
  - trace_filter post
- Trace API Resources
  - What are EVM Traces?
  - Trace API vs. Debug API

- What is trace_transaction?
- What is trace_block?
- What is trace_filter?
- trace_call vs debug_traceCall

Debug API

- Debug API Quickstart
- Debug API Endpoints
  - debug_traceCall post
  - debug_traceTransaction post
  - debug_traceBlockByNumber post
  - debug_traceBlockByHash post

ACCOUNT ABSTRACTION

- Bundler API Quickstart
- Bundler API Endpoints
  - eth_getUserOperationReceipt post
  - eth_supportedEntryPoints post
  - eth_getUserOperationByHash post
  - eth_sendUserOperation post
  - rundler_maxPriorityFeePerGas post
  - eth_estimateUserOperationGas post
- Bundler API Fee Logic
- Factory Addresses
- Gas Manager Coverage API Quickstart
- Gas Manager Coverage API Endpoints
  - alchemy_requestPaymasterAndData post
  - alchemy_requestGasAndPaymasterAndData post
- Gas Manager Coverage API Fee Logic
- Gas Manager Deployment Addresses
- UserOperation Simulation Endpoints
  - alchemy_simulateUserOperationAssetChanges post
- AA-SDK
- Account Abstraction FAQ

Embedded Accounts

- Accounts API Endpoints
  - Create Account post
  - Send Auth Email post
  - Authenticate User post
  - Get User post
  - Sign Message post
  - Register New Authenticator post

Gas Manager Admin API

- Gas Manager Admin API Quickstart
- Gas Manager Admin API Endpoints
  - Create Policy post
  - Get Policy get
  - Delete Policy delete
  - Replace Policy put
  - Get All Policies get
  - Update Policy Status put
  - Get Policy Stats get
  - Get Sponsorships get

Alchemy Transact

- Transact Quickstart
- Reinforced Transactions
- Transaction Simulation
  - Asset Changes
  - Execution Simulation
  - Bundle Simulation
  - Transaction Simulation Examples
  - Transaction Simulation FAQs
- Transaction Simulation Endpoints
  - alchemy_simulateAssetChanges post
  - alchemy_simulateAssetChangesBundle post
  - alchemy_simulateExecution post
  - alchemy_simulateExecutionBundle post
- Gas Optimized Transactions
  - alchemy_getGasOptimizedTransactionStatus post
  - alchemy_sendGasOptimizedTransaction post
- Private Transactions
  - eth_cancelPrivateTransaction post
  - eth_sendPrivateTransaction post

Alchemy SDK

- Alchemy SDK Quickstart
  - How to use Alchemy SDK with Typescript
  - Examples Using the Alchemy SDK
  - How to Manage a Multichain Project Using Alchemy SDK
- Alchemy SDK Surface Overview
  - Alchemy SDK vs. Raw API Methods
- SDK Core Methods
  - call - SDK

- send - SDK
- estimateGas - SDK
- findContractDeployer - SDK
- getBalance - SDK
- getBlock - SDK
- getBlockNumber - SDK
- getBlockWithTransactions - SDK
- getCode - SDK
- getFeeData - SDK
- getGasPrice - SDK
- getLogs - SDK
- getStorageAt - SDK
- getTokenBalances - SDK
- getTokenMetadata - SDK
- getTokensForOwner - SDK
- getTransactionCount - SDK
- getTransactionReceipt - SDK
- getTransactionReceipts - SDK
- isContractAddress - SDK
- getAssetTransfers - SDK

SDK NFT Methods

- getNftsForOwner - SDK
- getNftMetadata -SDK
- getNftMetadataBatch - SDK
- refreshNftMetadata - SDK
- getNftSales - SDK
- searchContractMetadata - SDK
- summarizeNftAttributes - SDK
- getNftsForOwnerIterator - SDK
- getNftsForContractIterator - SDK
- getContractMetadata - SDK
- getNftsForContract -SDK
- getTransfersForOwner - SDK
- getTransfersForContract - SDK
- getMintedNfts - SDK
- getOwnersForNft - SDK

    - getOwnersForContract - SDK
-
    - getSpamContracts -SDK
-
    - isSpamContract - SDK
-
    - refreshContract - SDK
-
    - getContractsForOwner - SDK
-
    - getFloorPrice - SDK
-
    - computeRarity - SDK
-
    - verifyNftOwnership - SDK
- SDK Transact Methods
-
    - getTransaction - SDK
-
    - sendTransaction - SDK
-
    - sendPrivateTransaction - SDK
-
    - cancelPrivateTransaction - SDK
-
    - waitForTransaction - SDK
-
    - estimateGas - SDK
-
    - getMaxPriorityFeePerGas - SDK
-
    - simulateAssetChanges - SDK
-
    - simulateAssetChangesBundle - SDK
-
    - simulateExecution - SDK
-
    - simulateExecutionBundle - SDK
- SDK Debug Methods
-
    - traceCall - SDK
-
    - traceTransaction - SDK
-
    - traceBlock - SDK
- SDK Notify Methods
-
    - getAllWebhooks - SDK
-
    - getAddresses - SDK
-
    - getNftFilters - SDK
-
    - createWebhook - SDK
-
    - updateWebhook - SDK
-
    - deleteWebhook - SDK
- SDK WebSockets Endpoints
- SDK Ethers Utils
-
    - arrayify
-
    - formatUnits
-
    - concat
-
    - hexConcat
-
    - dnsEncode
-
    - hexDataLength

- formatEther
- hexDataSlice
- hexStripZeros
- hashMessage
- isHexString
- isValidName
- joinSignature
- splitSignature
- toUtf8Bytes
- hexValue
- toUtf8String
- hexZeroPad
- zeroPad
- hexlify
- id
- isBytes
- isBytesLike
- Interface
- namehash
- parseEther
- parseUnits
- stripZeros

Alchemy SDK V2 to V3 Migration Guide

- Alchemy SDK V2 vs. V3 Method Differences

SDK V2 Methods

- call - SDK
- getAssetTransfers - SDK
- getMintedNfts - SDK
- verifyNftOwnership - SDK
- getOwnersForNft - SDK
- computeRarity - SDK
- getTransfersForContract - SDK
- getNftsForOwner - SDK
- refreshContract - SDK
- getOwnersForContract - SDK
- getFloorPrice - SDK
- isSpamContract - SDK

- findContractDeployer -SDK
- getSpamContracts - SDK
- getGasPrice - SDK
- getBalance - SDK
- getBlock -SDK
- getBlockWithTransactions - SDK
- estimateGas - SDK
- getBlockNumber - SDK
- getCode - SDK
- getFeeData - SDK
- getLogs - SDK
- getNftMetadataBatch - SDK
- getTokensForOwner - SDK
- getStorageAt - SDK
- getTokenBalances - SDK
- getTransactionCount - SDK
- getTokenMetadata - SDK
- getTransactionReceipt - SDK
- send - SDK
- getTransactionReceipts - SDK
- getTransaction - SDK
- isContractAddress - SDK
- getNftMetadata - SDK
- getNftSales - SDK
- cancelPrivateTransaction - SDK
- sendPrivateTransaction - SDK
- traceTransaction - SDK
- simulateExecutionBundle - SDK
- simulateExecution - SDK
- getMaxPriorityFeePerGas - SDK
- simulateAssetChangesBundle - SDK
- estimateGas - SDK
- simulateAssetChanges - SDK
- traceBlock - SDK
- waitForTransaction - SDK
- traceCall - SDK

- sendTransaction - SDK
- updateWebhook - SDK
- refreshNftMetadata -SDK
- createWebhook - SDK
- getNftFilters - SDK
- getAddresses - SDK
- summarizeNftAttributes - SDK
- deleteWebhook - SDK
- searchContractMetadata - SDK
- getAllWebhooks - SDK
- getNftsForOwnerIterator - SDK
- getNftsForContractIterator -SDK
- getContractMetadata - SDK
- getTransfersForOwner - SDK
- getNftsForContract - SDK

Ethereum

- Ethereum API Quickstart
- Ethereum API FAQ
  - Ethereum Developer Guide to the Merge
  - How to decode an eth_call response
  - How do I distinguish between a contract address and a wallet address?
- Ethereum API Endpoints
  - eth_blockNumber - Ethereum post
  - eth_getBalance - Ethereum post
  - eth_getLogs - Ethereum post
  - eth_chainId - Ethereum post
  - eth_getBlockByNumber - Ethereum post
  - eth_accounts - Ethereum post
  - eth_feeHistory - Ethereum post
  - eth_estimateGas - Ethereum post
  - eth_gasPrice - Ethereum post
  - eth_getBlockTransactionCountByHash - Ethereum post
  - eth_getBlockReceipts - Ethereum post
  - eth_getBlockTransactionCountByNumber - Ethereum post
  - eth_getCode - Ethereum post
  - eth_getProof - Ethereum post
  - eth_getStorageAt - Ethereum post

- eth_getTransactionByBlockHashAndIndex - Ethereum post
- eth_getTransactionByHash - Ethereum post
- eth_getTransactionCount - Ethereum post
- eth_getTransactionReceipt - Ethereum post
- eth_getUncleByBlockHashAndIndex - Ethereum post
- eth_getUncleByBlockNumberAndIndex - Ethereum post
- eth_getUncleCountByBlockHash - Ethereum post
- eth_getUncleCountByBlockNumber - Ethereum post
- eth_maxPriorityFeePerGas - Ethereum post
- eth_protocolVersion - Ethereum post
- eth_sendRawTransaction - Ethereum post
- net_listening - Ethereum post
- net_version - Ethereum post
- web3_clientVersion - Ethereum post
- web3_sha3 - Ethereum post
- eth_getTransactionByBlockNumberAndIndex - Ethereum post
- eth_call - Ethereum post
- eth_getBlockByHash - Ethereum post
- eth_createAccessList - Ethereum post
- eth_newFilter - Ethereum post
- eth_getFilterChanges - Ethereum post
- eth_getFilterLogs - Ethereum post
- eth_newBlockFilter - Ethereum post
- eth_newPendingTransactionFilter - Ethereum post
- eth_uninstallFilter - Ethereum post
- eth_subscribe
- eth_unsubscribe

Polygon PoS

- Polygon PoS API Quickstart
  - Polygon SDK Examples
- Polygon PoS API FAQ
- Polygon PoS API Endpoints
  - bor_getAuthor - Polygon PoS post
  - bor_getCurrentProposer - Polygon PoS post
  - bor_getCurrentValidators - Polygon PoS post
  - bor_getRootHash - Polygon PoS post
  - eth_accounts - Polygon PoS post

- eth_call - Polygon PoS post
- eth_chainId - Polygon PoS post
- eth_estimateGas - Polygon PoS post
- eth_gasPrice - Polygon PoS post
- eth_getBalance - Polygon PoS post
- eth_getBlockByHash - Polygon PoS post
- eth_getBlockByNumber - Polygon PoS post
- eth_getBlockTransactionCountByHash - Polygon PoS post
- eth_getBlockTransactionCountByNumber - Polygon PoS post
- eth_getCode - Polygon PoS post
- eth_getFilterChanges - Polygon PoS post
- eth_getFilterLogs - Polygon PoS post
- eth_getLogs - Polygon PoS post
- eth_getRootHash - Polygon PoS post
- eth_getSignersAtHash - Polygon PoS post
- eth_getStorageAt - Polygon PoS post
- eth_getTransactionByBlockHashAndIndex - Polygon PoS post
- eth_getTransactionByBlockNumberAndIndex - Polygon PoS post
- eth_getTransactionByHash - Polygon PoS post
- eth_getTransactionCount - Polygon PoS post
- eth_getTransactionReceipt - Polygon PoS post
- eth_getTransactionReceiptsByBlock - Polygon PoS post
- eth_sendRawTransaction - Polygon PoS post
- eth_uninstallFilter - Polygon PoS post
- net_listening - Polygon PoS post
- eth_getUncleCountByBlockHash - Polygon PoS post
- eth_getUncleCountByBlockNumber - Polygon PoS post
- eth_newBlockFilter - Polygon PoS post
- eth_newFilter - Polygon PoS post
- eth_newPendingTransactionFilter - Polygon PoS post
- web3_clientVersion - Polygon PoS post
- eth_createAccessList - Polygon PoS post
- eth_blockNumber - Polygon PoS post
- bor_getSignersAtHash - Polygon PoS post
- net_version - Polygon PoS post
- eth_getProof - Polygon PoS post

- eth_getUncleByBlockNumberAndIndex - Polygon PoS post
- eth_subscribe - Polygon PoS
- eth_unsubscribe - Polygon PoS

Polygon zkEVM

- Polygon zkEVM API Quickstart
- Polygon zkEVM API FAQ
  - What is the difference between Polygon zkEVM and Ethereum?
  - What is the difference between Polygon zkEVM and Polygon PoS?
- Polygon zkEVM Endpoints
  - eth_getTransactionCount - Polygon zkEVM post
  - eth_call - Polygon zkEVM post
  - eth_chainId - Polygon zkEVM post
  - eth_newBlockFilter - Polygon zkEVM post
  - eth_estimateGas - Polygon zkEVM post
  - eth_newFilter - Polygon zkEVM post
  - eth_gasPrice - Polygon zkEVM post
  - eth_sendRawTransaction - Polygon zkEVM post
  - eth_getBalance - Polygon zkEVM post
  - eth_uninstallFilter - Polygon zkEVM post
  - eth_getBlockByHash - Polygon zkEVM post
  - net_version - Polygon zkEVM post
  - eth_getBlockByNumber - Polygon zkEVM post
  - web3_clientVersion - Polygon zkEVM post
  - eth_getBlockTransactionCountByHash - Polygon zkEVM post
  - eth_getBlockTransactionCountByNumber - Polygon zkEVM post
  - zkevm_batchNumber - Polygon zkEVM post
  - eth_getCode - Polygon zkEVM post
  - eth_getFilterChanges - Polygon zkEVM post
  - eth_getFilterLogs - Polygon zkEVM post
  - zkevm_getBatchByNumber - Polygon zkEVM post
  - eth_getLogs - Polygon zkEVM post
  - zkevm_getBroadcastURI - Polygon zkEVM post
  - eth_getStorageAt - Polygon zkEVM post
  - zkevm_isBlockConsolidated - Polygon zkEVM post
  - eth_getTransactionByBlockHashAndIndex - Polygon zkEVM post
  - zkevm_isBlockVirtualized - Polygon zkEVM post
  - eth_getTransactionByBlockNumberAndIndex - Polygon zkEVM post

- zkevm_verifiedBatchNumber - Polygon zkEVM post
- eth_getTransactionByHash - Polygon zkEVM post
- zkevm_virtualBatchNumber - Polygon zkEVM post
- eth_getCompilers - Polygon zkEVM post
- eth_getUncleByBlockHashAndIndex - Polygon zkEVM post
- eth_getUncleByBlockNumberAndIndex - Polygon zkEVM post
- eth_getUncleCountByBlockHash - Polygon zkEVM post
- eth_getUncleCountByBlockNumber - Polygon zkEVM post
- eth_protocolVersion - Polygon zkEVM post
- eth_blockNumber - Polygon zkEVM post
- eth_getTransactionReceipt - Polygon zkEVM post
- zkevm_batchNumberByBlockNumber - Polygon zkEVM post
- zkevm_consolidatedBlockNumber - Polygon zkEVM post
- zkevm_estimateFee API - Polygon zkEVM post
- zkevm_estimateGasPrice API - Polygon zkEVM post

Arbitrum

- Arbitrum API Quickstart
  - Arbitrum SDK Examples
- Arbitrum API FAQ
  - Arbitrum vs. Ethereum API Differences
- Arbitrum API Endpoints
  - eth_call - Arbitrum post
  - eth_estimateGas - Arbitrum post
  - eth_accounts - Arbitrum post
  - eth_blockNumber - Arbitrum post
  - eth_chainId - Arbitrum post
  - eth_gasPrice - Arbitrum post
  - eth_getBalance - Arbitrum post
  - eth_getBlockTransactionCountByHash - Arbitrum post
  - eth_getBlockTransactionCountByNumber - Arbitrum post
  - eth_getCode - Arbitrum post
  - eth_getFilterChanges - Arbitrum post
  - eth_getFilterLogs - Arbitrum post
  - eth_getLogs - Arbitrum post
  - eth_getStorageAt - Arbitrum post
  - eth_getTransactionByBlockHashAndIndex - Arbitrum post
  - eth_getTransactionCount - Arbitrum post

- eth_getUncleByBlockNumberAndIndex - Arbitrum post
- eth_getUncleCountByBlockHash - Arbitrum post
- eth_getUncleCountByBlockNumber - Arbitrum post
- eth_newBlockFilter - Arbitrum post
- eth_newFilter - Arbitrum post
- eth_newPendingTransactionFilter - Arbitrum post
- eth_uninstallFilter - Arbitrum post
- net_listening - Arbitrum post
- net_version - Arbitrum post
- web3_clientVersion - Arbitrum post
- web3_sha3 - Arbitrum post
- eth_sendRawTransaction - Arbitrum post
- eth_createAccessList - Arbitrum post
- eth_maxPriorityFeePerGas - Arbitrum post
- eth_feeHistory - Arbitrum post
- eth_getBlockByHash - Arbitrum post
- eth_getBlockByNumber - Arbitrum post
- eth_getTransactionByBlockNumberAndIndex - Arbitrum post
- eth_getTransactionByHash - Arbitrum post
- eth_getProof - Arbitrum post
- eth_getTransactionReceipt - Arbitrum post
- eth_getUncleByBlockHashAndIndex - Arbitrum post
- eth_subscribe
- eth_unsubscribe

Optimism

- Optimism API Quickstart
  - Optimism SDK Examples
- Optimism API FAQ
  - Optimism Error Codes
- Optimism API Endpoints
  - eth_call - Optimism post
  - eth_estimateGas - Optimism post
  - eth_accounts - Optimism post
  - eth_blockNumber - Optimism post
  - eth_chainId - Optimism post
  - eth_gasPrice - Optimism post
  - eth_getBalance - Optimism post

- eth_getBlockTransactionCountByHash - Optimism post
- eth_getBlockTransactionCountByNumber - Optimism post
- eth_getCode - Optimism post
- eth_getFilterChanges - Optimism post
- eth_getFilterLogs - Optimism post
- eth_getLogs - Optimism post
- eth_getStorageAt - Optimism post
- eth_getTransactionByBlockHashAndIndex - Optimism post
- eth_getTransactionByBlockNumberAndIndex - Optimism post
- eth_getTransactionByHash - Optimism post
- eth_getTransactionCount - Optimism post
- eth_getTransactionReceipt - Optimism post
- eth_getUncleByBlockHashAndIndex - Optimism post
- eth_getUncleByBlockNumberAndIndex - Optimism post
- eth_getUncleCountByBlockHash - Optimism post
- eth_getUncleCountByBlockNumber - Optimism post
- eth_newBlockFilter - Optimism post
- eth_newFilter - Optimism post
- eth_newPendingTransactionFilter - Optimism post
- eth_protocolVersion - Optimism post
- eth_sendRawTransaction - Optimism post
- eth_syncing - Optimism post
- eth_uninstallFilter - Optimism post
- net_listening - Optimism post
- net_version - Optimism post
- web3_clientVersion - Optimism post
- web3_sha3 - Optimism post
- eth_getBlockByHash - Optimism post
- eth_getBlockByNumber - Optimism post
- eth_getProof - Optimism post
- eth_subscribe
- eth_unsubscribe

Base

- Base API Quickstart
- Base API FAQ
- Base API Endpoints
- eth_accounts - Base post

- eth_blockNumber - Base post
- eth_call - Base post
- eth_chainId - Base post
- eth_estimateGas - Base post
- eth_feeHistory - Base post
- eth_gasPrice - Base post
- eth_getBalance - Base post
- eth_getBlockByHash - Base post
- eth_getBlockByNumber - Base post
- eth_getBlockTransactionCountByHash - Base post
- eth_getBlockTransactionCountByNumber - Base post
- eth_getCode - Base post
- eth_getFilterChanges - Base post
- eth_getFilterLogs - Base post
- eth_getLogs - Base post
- eth_getProof - Base post
- eth_getStorageAt - Base post
- eth_getTransactionByBlockHashAndIndex - Base post
- eth_getTransactionByBlockNumberAndIndex - Base post
- eth_getTransactionByHash - Base post
- eth_getTransactionCount - Base post
- eth_getTransactionReceipt - Base post
- eth_getUncleByBlockHashAndIndex - Base post
- eth_getUncleByBlockNumberAndIndex - Base post
- eth_getUncleCountByBlockHash - Base post
- eth_getUncleCountByBlockNumber - Base post
- eth_maxPriorityFeePerGas - Base post
- eth_newBlockFilter - Base post
- eth_newFilter - Base post
- eth_newPendingTransactionFilter - Base post
- eth_protocolVersion - Base post
- eth_sendRawTransaction - Base post
- eth_syncing - Base post
- eth_uninstallFilter - Base post
- net_listening - Base post
- web3_sha3 - Base post

❇ Solana

- Solana API Quickstart
- Solana API FAQ
- Solana API Endpoints
  - getAccountInfo post
  - simulateTransaction post
  - getBalance post
  - getBlock post
  - getBlockCommitment post
  - getBlockProduction post
  - getBlocks post
  - getBlocksWithLimit post
  - getBlockTime post
  - getClusterNodes post
  - getEpochInfo post
  - getEpochSchedule post
  - getFeeForMessage post
  - getFirstAvailableBlock post
  - getGenesisHash post
  - getHealth post
  - getHighestSnapshotSlot post
  - getIdentity post
  - getInflationGovernor post
  - getInflationRate post
  - getInflationReward post
  - getLargestAccounts post
  - getMaxRetransmitSlot post
  - getMaxShredInsertSlot post
  - getMinimumBalanceForRentExemption post
  - getMultipleAccounts post
  - getProgramAccounts post
  - getRecentPerformanceSamples post
  - getSignaturesForAddress post
  - getSignatureStatuses post
  - getSlot post
  - getSlotLeader post
  - getSlotLeaders post

- getSupply post
- getTokenAccountBalance post
- getTokenAccountsByOwner post
- getTokenSupply post
- getTransaction post
- getVersion post
- getVoteAccounts post
- isBlockhashValid post
- minimumLedgerSlot post
- sendTransaction post
- requestAirdrop post
- getBlockHeight post
- getRecentBlockhash post

Astar

- Astar API Quickstart
- Astar API FAQ
- Astar API Endpoints
  - eth_accounts - Astar post
  - eth_getTransactionReceipt - Astar post
  - eth_maxPriorityFeePerGas - Astar post
  - eth_blockNumber - Astar post
  - eth_call - Astar post
  - eth_chainId - Astar post
  - eth_gasPrice - Astar post
  - eth_getBalance - Astar post
  - eth_getBlockByHash - Astar post
  - eth_getBlockByNumber - Astar post
  - eth_getBlockTransactionCountByHash - Astar post
  - eth_getBlockTransactionCountByNumber - Astar post
  - eth_getCode - Astar post
  - eth_getStorageAt - Astar post
  - eth_getTransactionByBlockHashAndIndex - Astar post
  - eth_getTransactionByBlockNumberAndIndex - Astar post
  - eth_getTransactionByHash - Astar post
  - eth_getTransactionCount - Astar post
  - eth_getUncleByBlockNumberAndIndex - Astar post
  - eth_sendRawTransaction - Astar post

- net_version - Astar post
- web3_clientVersion - Astar post
- web3_sha3 - Astar post
- eth_getLogs - Astar post
- eth_getFilterChanges - Astar post
- eth_getFilterLogs - Astar post
- eth_newFilter - Astar post
- eth_newPendingTransactionFilter - Astar post
- eth_uninstallFilter - Astar post
- eth_newBlockFilter - Astar post
- eth_estimateGas - Astar post
- eth_subscribe
- eth_unsubscribe

STARKNET

- Starknet API Quickstart
- Starknet API FAQ
- Starknet API Endpoints
- starknet_addDeclareTransaction post
- starknet_getClassAt post
- starknet_addDeployAccountTransaction post
- starknet_getClassHashAt post
- starknet_addInvokeTransaction post
- starknet_getEvents post
- starknet_blockHashAndNumber post
- starknet_getNonce post
- starknet_blockNumber post
- starknet_getStateUpdate post
- starknet_call post
- starknet_getStorageAt post
- starknet_chainId post
- starknet_getTransactionByBlockIdAndIndex post
- starknet_estimateFee post
- starknet_getTransactionByHash post
- starknet_getBlockTransactionCount post
- starknet_getTransactionReceipt post
- starknet_getBlockWithTxHashes post
- starknet_pendingTransactions post

- starknet_getBlockWithTxs post
- starknet_syncing post
- starknet_getClass post
- starknet_estimateMessageFee post

getSignatureStatuses

post https://{network}.g.alchemy.com/v2/{apiKey} Returns the statuses of a list of signatures.

Parameters

- - An array of transaction signatures to confirm
- (optional) Configuration object containing the following field:* searchTransactionHistory:
- - if true, a Solana node will search its ledger cache for any signatures not found in the recent status cache

Results

Known Tx

- slot:
- - The slot the transaction was processed
- confirmations:
- - Number of blocks since signature confirmation, null if rooted, as well as finalized by a supermajority of the cluster
- err:
- - Error if transaction failed, null if transaction succeeded.
  - confirmationStatus:
  - - The transaction's cluster confirmation status; either
  - processed
  - ,
  - confirmed
  - , or
  - finalized
  - . SeeCommitment
  - for more on optimistic confirmation.

Unknown Tx

-
-
  - Unknown transaction

Example

Request

cURL curl --location --request POST'https://solana-mainnet.g.alchemy.com/v2/alch-demo/' --header 'Content-Type: application/json' --data-raw '{ "method": "getSignatureStatuses", "jsonrpc": "2.0", "params": [["28P1gdVq52uEbCHns4EL5DCMjU5PtcBo5M3Gju4FX8DLwjLPDchudttnQapAxYy5dkdVZ6sqa6pvtgC5mbKLqfQA"], { "searchTransactionHistory": true }] }'

Response

JavaScript {"jsonrpc" :"2.0" ,"result" : {"context" : {"slot" :137569378 },"value" : [{"confirmationStatus" :"finalized" ,"confirmations" :null ,"err" :null ,"slot" :137529522 ,"status" : {"Ok" :null } }] } }

Path Params apiKey string required .custom-style { color: #048FF4; } For higher throughput,create your own API key Body Params id integer jsonrpc string method string params array params Option 1 Option 2 Option 1 Option 2

Response

200

Response body object id integer jsonrpc string result object context object context object value array of objects value object slot int64 u64 - The slot the transaction was processed. confirmations number | null usize | null - Number of blocks since signature confirmation, null if rooted, as well as finalized by a supermajority of the cluster. err string | null Error if transaction failed, null if transaction succeeded. confirmationStatus string | null The transaction's cluster confirmation status; either processed, confirmed, or finalized. See Commitment for more on optimistic confirmation.

Updated 4 months ago

getSignaturesForAddress getSlot Did this page help you?Yes No