v1.3.0

This page lists the addresses of all the Safe contractsv1.3.0 grouped by chain.

Networks

Ethereum Mainnet

This network's chain ID is 1.

- · compatibility_fallback_handler.sol
- :0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4(opens in a new tab)
- · create call.sol
- :0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4(opens in a new tab)
- gnosis_safe.sol
- :0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552(opens in a new tab)
- gnosis_safe_l2.sol
- :0x3E5c63644E683549055b9Be8653de26E0B4CD36E(opens in a new tab)
- multi_send.sol
- :0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761(opens in a new tab)
- multi_send_call_only.sol
- :0x40A2aCCbd92BCA938b02010E17A5b8929b49130D(opens in a new tab)
- · proxy factory.sol
- :0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2(opens in a new tab)
- sign message lib.sol
- :0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2(opens in a new tab)
- · simulate tx accessor.sol
- :0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da(opens in a new tab)

Ropsten

This network's chain ID is 3.

- · compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create_call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Rinkeby

This network's chain ID is 4.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create_call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- · multi send call only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Goerli

This network's chain ID is 5.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

OP Mainnet

This network's chain ID is 10.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Metadium Mainnet

This network's chain ID is 11.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Metadium Testnet

This network's chain ID is 12.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

ThunderCore Testnet

This network's chain ID is 18.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Cronos Mainnet

This network's chain ID is 25.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Boba Network Rinkeby Testnet

This network's chain ID is 28.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Rootstock Mainnet

This network's chain ID is 30.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Rootstock Testnet

This network's chain ID is 31.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

U2U Solaris Mainnet

This network's chain ID is 39.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Telos EVM Mainnet

This network's chain ID is 40.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Telos EVM Testnet

This network's chain ID is 41.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

LUKSO Mainnet

This network's chain ID is 42.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Crab Network

This network's chain ID is 44.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Darwinia Network

This network's chain ID is 46.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

XDC Network

This network's chain ID is 50.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

XDC Apothem Network

This network's chain ID is 51.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

BNB Smart Chain Mainnet

This network's chain ID is 56.

- compatibility_fallback_handler.sol
- :0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4(opens in a new tab)
- create_call.sol
- :0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4(opens in a new tab)
- · gnosis safe.sol
- :0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552(opens in a new tab)
- gnosis_safe_l2.sol
- :0x3E5c63644E683549055b9Be8653de26E0B4CD36E(opens in a new tab)
- · multi send.sol
- :0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761(opens in a new tab)
- multi_send_call_only.sol

- :0x40A2aCCbd92BCA938b02010E17A5b8929b49130D(opens in a new tab)
- proxy factory.sol
- :0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2(opens in a new tab)
- sign message lib.sol
- :0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2(opens in a new tab)
- simulate tx accessor.sol
- :0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da(opens in a new tab)

Syscoin Mainnet

This network's chain ID is 57.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Ethereum Classic

This network's chain ID is 61.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Mordor Testnet

This network's chain ID is 63.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Optimism Kovan

This network's chain ID is 69.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Conflux eSpace (Testnet)

This network's chain ID is 71.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Japan Open Chain Mainnet

This network's chain ID is 81.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Meter Mainnet

This network's chain ID is 82.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Meter Testnet

This network's chain ID is 83.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

BNB Smart Chain Testnet

This network's chain ID is 97.

- compatibility_fallback_handler.sol
- :0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4(opens in a new tab)
- create_call.sol
- :0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4(opens in a new tab)
- · gnosis safe.sol
- :0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552(opens in a new tab)
- gnosis_safe_l2.sol
- :0x3E5c63644E683549055b9Be8653de26E0B4CD36E(opens in a new tab)
- · multi send.sol
- :0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761(opens in a new tab)
- multi_send_call_only.sol

- :0x40A2aCCbd92BCA938b02010E17A5b8929b49130D(opens in a new tab)
- proxy factory.sol
- :0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2(opens in a new tab)
- sign message lib.sol
- :0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2(opens in a new tab)
- simulate tx accessor.sol
- :0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da(opens in a new tab)

Gnosis

This network's chain ID is 100.

- compatibility_fallback_handler.sol
- :0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4(opens in a new tab)
- · create call.sol
- :0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4(opens in a new tab)
- · gnosis safe.sol
- :0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552(opens in a new tab)
- gnosis safe I2.sol
- :0x3E5c63644E683549055b9Be8653de26E0B4CD36E(opens in a new tab)
- multi send.sol
- :0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761(opens in a new tab)
- multi send call only.sol
- :0x40A2aCCbd92BCA938b02010E17A5b8929b49130D(opens in a new tab)
- proxy_factory.sol
- :0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2(opens in a new tab)
- sign message lib.sol
- :0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2(opens in a new tab)
- · simulate tx accessor.sol
- :0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da(opens in a new tab)

Velas EVM Mainnet

This network's chain ID is 106.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

ThunderCore Mainnet

This network's chain ID is 108.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Shibarium

This network's chain ID is 109.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

EtherLite Chain

This network's chain ID is 111.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Fuse Mainnet

This network's chain ID is 122.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Fuse Sparknet

This network's chain ID is 123.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Polygon Mainnet

This network's chain ID is 137.

- compatibility_fallback_handler.sol
- :0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4(opens in a new tab)
- · create call.sol
- :0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4(opens in a new tab)
- · gnosis_safe.sol
- :0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552(opens in a new tab)
- · gnosis_safe_l2.sol
- :0x3E5c63644E683549055b9Be8653de26E0B4CD36E(opens in a new tab)
- multi_send.sol:0xA238CRob142c
- :0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761(opens in a new tab)
- multi_send_call_only.sol
- :0x40A2aCCbd92BCA938b02010E17A5b8929b49130D(opens in a new tab)
- · proxy_factory.sol
- :0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2(opens in a new tab)
- sign_message_lib.sol
- :0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2(opens in a new tab)
- simulate tx accessor.sol
- :0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da(opens in a new tab)

ShimmerEVM

This network's chain ID is 148.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Tenet Testnet

This network's chain ID is 155.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Manta Pacific Mainnet

This network's chain ID is 169.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

opBNB Mainnet

This network's chain ID is 204.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Energy Web Chain

This network's chain ID is 246.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Fantom Opera

This network's chain ID is 250.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Kroma

This network's chain ID is 255.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

zkSync Era Goerli Testnet (deprecated)

This network's chain ID is 280.

- compatibility_fallback_handler.sol
- : 0x2f870a80647BbC554F3a0EBD093f11B4d2a7492A
- · create call.sol
- : 0xcB8e5E438c5c2b45FbE17B02Ca9aF91509a8ad56
- · gnosis safe.sol
- : 0xB00ce5CCcdEf57e539ddcEd01DF43a13855d9910
- gnosis safe I2.sol
- : 0x1727c2c531cf966f902E5927b98490fDFb3b2b70
- multi send.sol
- : 0x0dFcccB95225ffB03c6FBB2559B530C2B7C8A912
- multi send call only.sol
- : 0xf220D3b4DFb23C4ade8C88E526C1353AbAcbC38F
- proxy factory.sol
- : 0xDAec33641865E4651fB43181C6DB6f7232Ee91c2
- sign message lib.sol
- : 0x357147caf9C0cCa67DfA0CF5369318d8193c8407
- simulate_tx_accessor.sol
- : 0x4191E2e12E8BC5002424CE0c51f9947b02675a44

Boba Network

This network's chain ID is 288.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Orderly Mainnet

This network's chain ID is 291.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

zkSync Sepolia Testnet

This network's chain ID is 300.

- · compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

KCC Mainnet

This network's chain ID is 321.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

KCC Testnet

This network's chain ID is 322.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

zkSync Mainnet

This network's chain ID is 324.

- compatibility_fallback_handler.sol
- : 0x2f870a80647BbC554F3a0EBD093f11B4d2a7492A
- · create call.sol
- : 0xcB8e5E438c5c2b45FbE17B02Ca9aF91509a8ad56
- · gnosis safe.sol
- : 0xB00ce5CCcdEf57e539ddcEd01DF43a13855d9910
- gnosis safe I2.sol
- : 0x1727c2c531cf966f902E5927b98490fDFb3b2b70
- multi send.sol
- : 0x0dFcccB95225ffB03c6FBB2559B530C2B7C8A912
- multi send call only.sol
- : 0xf220D3b4DFb23C4ade8C88E526C1353AbAcbC38F
- proxy factory.sol
- : 0xDAec33641865E4651fB43181C6DB6f7232Ee91c2
- sign message lib.sol
- : 0x357147caf9C0cCa67DfA0CF5369318d8193c8407
- simulate_tx_accessor.sol
- : 0x4191E2e12E8BC5002424CE0c51f9947b02675a44

Shiden

This network's chain ID is 336.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Cronos Testnet

This network's chain ID is 338.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Optimism Goerli Testnet

This network's chain ID is 420.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

PGN (Public Goods Network)

This network's chain ID is 424.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Rollux Mainnet

This network's chain ID is 570.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Metis Stardust Testnet

This network's chain ID is 588.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Astar

This network's chain ID is 592.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Acala Mandala Testnet TC9

This network's chain ID is 595.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Metis Goerli Testnet

This network's chain ID is 599.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Karura Network

This network's chain ID is 686.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Acala Network

This network's chain ID is 787.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Mode Testnet

This network's chain ID is 919.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Klaytn Testnet Baobab

This network's chain ID is 1001.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Eurus Mainnet

This network's chain ID is 1008.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create_call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Conflux eSpace

This network's chain ID is 1030.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Metis Andromeda Mainnet

This network's chain ID is 1088.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Polygon zkEVM

This network's chain ID is 1101.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

WEMIX3.0 Mainnet

This network's chain ID is 1111.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

WEMIX3.0 Testnet

This network's chain ID is 1112.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Core Blockchain Testnet

This network's chain ID is 1115.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Core Blockchain Mainnet

This network's chain ID is 1116.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Ultron Testnet

This network's chain ID is 1230.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Ultron Mainnet

This network's chain ID is 1231.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Moonbeam

This network's chain ID is 1284.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Moonriver

This network's chain ID is 1285.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Moonbase Alpha

This network's chain ID is 1287.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Bobabeam

This network's chain ID is 1294.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Polygon zkEVM Testnet

This network's chain ID is 1442.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Tenet

This network's chain ID is 1559.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Horizen Gobi Testnet

This network's chain ID is 1663.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Rabbit Analog Testnet Chain

This network's chain ID is 1807.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Lightlink Phoenix Mainnet

This network's chain ID is 1890.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Lightlink Pegasus Testnet

This network's chain ID is 1891.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Eurus Testnet

This network's chain ID is 1984.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Kyoto Testnet

This network's chain ID is 1998.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Milkomeda C1 Mainnet

This network's chain ID is 2001.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Milkomeda A1 Mainnet

This network's chain ID is 2002.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

CloudWalk Testnet

This network's chain ID is 2008.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

PublicMint Testnet

This network's chain ID is 2019.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

PublicMint Mainnet

This network's chain ID is 2020.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Edgeware EdgeEVM Mainnet

This network's chain ID is 2021.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Kava Testnet

This network's chain ID is 2221.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Kava

This network's chain ID is 2222.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Kroma Sepolia

This network's chain ID is 2358.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Crossbell

This network's chain ID is 3737.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Fantom Testnet

This network's chain ID is 4002.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Lisk Sepolia Testnet

This network's chain ID is 4202.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Beam

This network's chain ID is 4337.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Orderly Sepolia Testnet

This network's chain ID is 4460.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

IoTeX Network Mainnet

This network's chain ID is 4689.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Venidium Testnet

This network's chain ID is 4918.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Venidium Mainnet

This network's chain ID is 4919.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Mantle

This network's chain ID is 5000.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Mantle Testnet

This network's chain ID is 5001.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Mantle Sepolia Testnet

This network's chain ID is 5003.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Syscoin Tanenbaum Testnet

This network's chain ID is 5700.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Cascadia Testnet

This network's chain ID is 6102.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

ZetaChain Athens 3 Testnet

This network's chain ID is 7001.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Horizen EON Mainnet

This network's chain ID is 7332.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Shyft Mainnet

This network's chain ID is 7341.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Canto

This network's chain ID is 7700.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Torus Mainnet

This network's chain ID is 8192.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Torus Testnet

This network's chain ID is 8194.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Klaytn Mainnet Cypress

This network's chain ID is 8217.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Base

This network's chain ID is 8453.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Evmos Testnet

This network's chain ID is 9000.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Evmos

This network's chain ID is 9001.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Boba BNB Testnet

This network's chain ID is 9728.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Smart Bitcoin Cash

This network's chain ID is 10000.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Smart Bitcoin Cash Testnet

This network's chain ID is 10001.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Japan Open Chain Testnet

This network's chain ID is 10081.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Gnosis Chiado Testnet

This network's chain ID is 10200.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Arthera Mainnet

This network's chain ID is 10242.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Arthera Testnet

This network's chain ID is 10243.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Haqq Network

This network's chain ID is 11235.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Shyft Testnet

This network's chain ID is 11437.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Polygon Supernet Arianee

This network's chain ID is 11891.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

undefined

This network's chain ID is 12357.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Beam Testnet

This network's chain ID is 13337.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Holesky

This network's chain ID is 17000.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Eclipse Subnet

This network's chain ID is 17172.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

unreal

This network's chain ID is 18231.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Oasis Sapphire

This network's chain ID is 23294.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Oasis Sapphire Testnet

This network's chain ID is 23295.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Mode

This network's chain ID is 34443.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Arbitrum One

This network's chain ID is 42161.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Arbitrum Nova

This network's chain ID is 42170.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Celo Mainnet

This network's chain ID is 42220.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Avalanche Fuji Testnet

This network's chain ID is 43113.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Avalanche C-Chain

This network's chain ID is 43114.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Boba Avax

This network's chain ID is 43288.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Celo Alfajores Testnet

This network's chain ID is 44787.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Autobahn Network

This network's chain ID is 45000.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

REI Network

This network's chain ID is 47805.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Haqq Chain Testnet

This network's chain ID is 54211.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Boba BNB Mainnet

This network's chain ID is 56288.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Rollux Testnet

This network's chain ID is 57000.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Sepolia PGN (Public Goods Network)

This network's chain ID is 58008.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Linea Testnet

This network's chain ID is 59140.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Linea

This network's chain ID is 59144.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Godwoken Testnet v1

This network's chain ID is 71401.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Godwoken Mainnet

This network's chain ID is 71402.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Energy Web Volta Testnet

This network's chain ID is 73799.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Mumbai

This network's chain ID is 80001.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Berachain Artio

This network's chain ID is 80085.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Base Goerli Testnet

This network's chain ID is 84531.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Base Sepolia Testnet

This network's chain ID is 84532.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Taiko Katla L2

This network's chain ID is 167008.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Milkomeda C1 Testnet

This network's chain ID is 200101.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Milkomeda A1 Testnet

This network's chain ID is 200202.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Polis Mainnet

This network's chain ID is 333999.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Arbitrum Rinkeby

This network's chain ID is 421611.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Arbitrum Goerli

This network's chain ID is 421613.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Arbitrum Sepolia

This network's chain ID is 421614.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Scroll Sepolia Testnet

This network's chain ID is 534351.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Scroll

This network's chain ID is 534352.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Scroll Alpha Testnet

This network's chain ID is 534353.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi send call only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate_tx_accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Hypra Mainnet

This network's chain ID is 622277.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Sei Devnet

This network's chain ID is 713715.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Zora

This network's chain ID is 7777777.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Sepolia

This network's chain ID is 11155111.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

OP Sepolia Testnet

This network's chain ID is 11155420.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Kanazawa

This network's chain ID is 222000222.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- · simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Neon EVM Devnet

This network's chain ID is 245022926.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Neon EVM Mainnet

This network's chain ID is 245022934.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Meld

This network's chain ID is 333000333.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Zora Sepolia Testnet

This network's chain ID is 999999999.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Aurora Mainnet

This network's chain ID is 1313161554.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol

- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Aurora Testnet

This network's chain ID is 1313161555.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Harmony Mainnet Shard 0

This network's chain ID is 1666600000.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis_safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- · gnosis_safe_l2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- multi_send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol
- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- · proxy_factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign_message_lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Harmony Testnet Shard 0

This network's chain ID is 1666700000.

- compatibility_fallback_handler.sol
- : 0x017062a1dE2FE6b99BE3d9d37841FeD19F573804
- · create call.sol
- : 0xB19D6FFc2182150F8Eb585b79D4ABcd7C5640A9d
- · gnosis safe.sol
- : 0x69f4D1788e39c87893C980c06EdF4b7f686e2938
- gnosis safe I2.sol
- : 0xfb1bffC9d739B8D520DaF37dF666da4C687191EA
- · multi send.sol
- : 0x998739BFdAAdde7C933B942a68053933098f9EDa
- multi_send_call_only.sol

- : 0xA1dabEF33b3B82c7814B6D82A79e50F4AC44102B
- proxy factory.sol
- : 0xC22834581EbC8527d974F8a1c97E1bEA4EF910BC
- sign message lib.sol
- : 0x98FFBBF51bb33A056B08ddf711f289936AafF717
- · simulate tx accessor.sol
- : 0x727a77a074D1E6c4530e814F89E618a3298FC044

Palm Testnet

This network's chain ID is 11297108099.

- compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- gnosis safe I2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- · multi send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi send call only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign message lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate_tx_accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

Palm

This network's chain ID is 11297108109.

- · compatibility_fallback_handler.sol
- : 0xf48f2B2d2a534e402487b3ee7C18c33Aec0Fe5e4
- · create call.sol
- : 0x7cbB62EaA69F79e6873cD1ecB2392971036cFAa4
- · gnosis_safe.sol
- : 0xd9Db270c1B5E3Bd161E8c8503c55cEABeE709552
- · gnosis_safe_l2.sol
- : 0x3E5c63644E683549055b9Be8653de26E0B4CD36E
- multi_send.sol
- : 0xA238CBeb142c10Ef7Ad8442C6D1f9E89e07e7761
- multi_send_call_only.sol
- : 0x40A2aCCbd92BCA938b02010E17A5b8929b49130D
- · proxy_factory.sol
- : 0xa6B71E26C5e0845f74c812102Ca7114b6a896AB2
- sign_message_lib.sol
- : 0xA65387F16B013cf2Af4605Ad8aA5ec25a2cbA3a2
- simulate tx accessor.sol
- : 0x59AD6735bCd8152B84860Cb256dD9e96b85F69Da

v1.4.1 v1.2.0

Was this page helpful?

Report issue