# v1.4.1

This page lists the addresses of all the Safe contractsv1.4.1 grouped by chain.

### **Networks**

#### **Ethereum Mainnet**

This network's chain ID is 1.

- · compatibility\_fallback\_handler.sol
- :0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99(opens in a new tab)
- · create call.sol
- :0x9b35Af71d77eaf8d7e40252370304687390A1A52(opens in a new tab)
- · multi\_send.sol
- :0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526(opens in a new tab)
- multi\_send\_call\_only.sol
- :0x9641d764fc13c8B624c04430C7356C1C7C8102e2(opens in a new tab)
- · safe.sol
- :0x41675C099F32341bf84BFc5382aF534df5C7461a(opens in a new tab)
- · safe I2.sol
- :0x29fcB43b46531BcA003ddC8FCB67FFE91900C762(opens in a new tab)
- · safe proxy factory.sol
- :0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67(opens in a new tab)
- sign message lib.sol
- :0xd53cd0aB83D845Ac265BE939c57F53AD838012c9(opens in a new tab)
- · simulate tx accessor.sol
- :0x3d4BA2E0884aa488718476ca2FB8Efc291A46199(opens in a new tab)

#### Goerli

This network's chain ID is 5.

- · compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create\_call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- multi\_send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- · safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- · simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

### **OP Mainnet**

This network's chain ID is 10.

- · compatibility fallback handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- · multi send call only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol

- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- · simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### **BNB Smart Chain Mainnet**

This network's chain ID is 56.

- compatibility\_fallback\_handler.sol
- :0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99(opens in a new tab)
- · create call.sol
- :0x9b35Af71d77eaf8d7e40252370304687390A1A52(opens in a new tab)
- multi send.sol
- :0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526(opens in a new tab)
- multi\_send\_call\_only.sol
- :0x9641d764fc13c8B624c04430C7356C1C7C8102e2(opens in a new tab)
- · safe.sol
- :0x41675C099F32341bf84BFc5382aF534df5C7461a(opens in a new tab)
- safe I2.sol
- :0x29fcB43b46531BcA003ddC8FCB67FFE91900C762(opens in a new tab)
- · safe proxy factory.sol
- :0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67(opens in a new tab)
- sign message lib.sol
- :0xd53cd0aB83D845Ac265BE939c57F53AD838012c9(opens in a new tab)
- simulate\_tx\_accessor.sol
- :0x3d4BA2E0884aa488718476ca2FB8Efc291A46199(opens in a new tab)

## **Conflux eSpace (Testnet)**

This network's chain ID is 71.

- · compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- multi\_send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe\_proxy\_factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### **BNB Smart Chain Testnet**

This network's chain ID is 97.

- compatibility\_fallback\_handler.sol
- :0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99(opens in a new tab)
- · create call.sol
- :0x9b35Af71d77eaf8d7e40252370304687390A1A52(opens in a new tab)
- · multi send.sol
- :0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526(opens in a new tab)
- multi\_send\_call\_only.sol
- :0x9641d764fc13c8B624c04430C7356C1C7C8102e2(opens in a new tab)
- safe.sol
- :0x41675C099F32341bf84BFc5382aF534df5C7461a(opens in a new tab)
- safe\_l2.sol

- :0x29fcB43b46531BcA003ddC8FCB67FFE91900C762(opens in a new tab)
- safe proxy factory.sol
- :0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67(opens in a new tab)
- sign message lib.sol
- :0xd53cd0aB83D845Ac265BE939c57F53AD838012c9(opens in a new tab)
- simulate tx accessor.sol
- :0x3d4BA2E0884aa488718476ca2FB8Efc291A46199(opens in a new tab)

#### Gnosis

This network's chain ID is 100.

- compatibility\_fallback\_handler.sol
- :0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99(opens in a new tab)
- · create call.sol
- :0x9b35Af71d77eaf8d7e40252370304687390A1A52(opens in a new tab)
- multi send.sol
- :0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526(opens in a new tab)
- multi\_send\_call\_only.sol
- :0x9641d764fc13c8B624c04430C7356C1C7C8102e2(opens in a new tab)
- · safe.sol
- :0x41675C099F32341bf84BFc5382aF534df5C7461a(opens in a new tab)
- safe I2.sol
- :0x29fcB43b46531BcA003ddC8FCB67FFE91900C762(opens in a new tab)
- safe proxy factory.sol
- :0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67(opens in a new tab)
- sign message lib.sol
- :0xd53cd0aB83D845Ac265BE939c57F53AD838012c9(opens in a new tab)
- simulate\_tx\_accessor.sol
- :0x3d4BA2E0884aa488718476ca2FB8Efc291A46199(opens in a new tab)

## **Polygon Mainnet**

This network's chain ID is 137.

- · compatibility\_fallback\_handler.sol
- :0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99(opens in a new tab)
- · create call.sol
- :0x9b35Af71d77eaf8d7e40252370304687390A1A52(opens in a new tab)
- multi\_send.sol
- :0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526(opens in a new tab)
- multi\_send\_call\_only.sol
- :0x9641d764fc13c8B624c04430C7356C1C7C8102e2(opens in a new tab)
- safe.sol
- :0x41675C099F32341bf84BFc5382aF534df5C7461a(opens in a new tab)
- safe\_l2.sol
- :0x29fcB43b46531BcA003ddC8FCB67FFE91900C762(opens in a new tab)
- safe\_proxy\_factory.sol
- :0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67(opens in a new tab)
- sign\_message\_lib.sol
- :0xd53cd0aB83D845Ac265BE939c57F53AD838012c9(opens in a new tab)
- simulate tx accessor.sol
- :0x3d4BA2E0884aa488718476ca2FB8Efc291A46199(opens in a new tab)

### Conflux eSpace

This network's chain ID is 1030.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol

- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

### Polygon zkEVM

This network's chain ID is 1101.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- · multi send call only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe I2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign message lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate\_tx\_accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

## Polygon zkEVM Testnet

This network's chain ID is 1442.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- multi\_send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe\_proxy\_factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### Beam

This network's chain ID is 4337.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol

- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### **Torus Mainnet**

This network's chain ID is 8192.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- · multi send call only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe I2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign message lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate\_tx\_accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### **Torus Testnet**

This network's chain ID is 8194.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- multi\_send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe\_proxy\_factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### Base

This network's chain ID is 8453.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol

- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### **Arthera Mainnet**

This network's chain ID is 10242.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- · multi send call only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe I2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- · safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign message lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate\_tx\_accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

### **Arthera Testnet**

This network's chain ID is 10243.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- multi\_send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe\_proxy\_factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### Hagg Network

This network's chain ID is 11235.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol

- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### **Beam Testnet**

This network's chain ID is 13337.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe I2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign message lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate\_tx\_accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

### Holesky

This network's chain ID is 17000.

- · compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi send call only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe I2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe\_proxy\_factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### Arbitrum One

This network's chain ID is 42161.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol

- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### **Celo Mainnet**

This network's chain ID is 42220.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- · multi send call only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe I2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- · safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign message lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate\_tx\_accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

## **Haqq Chain Testnet**

This network's chain ID is 54211.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- multi\_send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe I2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe\_proxy\_factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### Mumbai

This network's chain ID is 80001.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol

- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- · simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

#### **Base Goerli Testnet**

This network's chain ID is 84531.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- · multi send call only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe I2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- · safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign message lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate\_tx\_accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

## **Base Sepolia Testnet**

This network's chain ID is 84532.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- multi\_send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe\_proxy\_factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

### Sepolia

This network's chain ID is 11155111.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- multi\_send\_call\_only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- · safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe\_l2.sol

- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- · simulate tx accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

## **OP Sepolia Testnet**

This network's chain ID is 11155420.

- compatibility\_fallback\_handler.sol
- : 0xfd0732Dc9E303f09fCEf3a7388Ad10A83459Ec99
- · create call.sol
- : 0x9b35Af71d77eaf8d7e40252370304687390A1A52
- · multi send.sol
- : 0x38869bf66a61cF6bDB996A6aE40D5853Fd43B526
- · multi send call only.sol
- : 0x9641d764fc13c8B624c04430C7356C1C7C8102e2
- safe.sol
- : 0x41675C099F32341bf84BFc5382aF534df5C7461a
- safe I2.sol
- : 0x29fcB43b46531BcA003ddC8FCB67FFE91900C762
- · safe proxy factory.sol
- : 0x4e1DCf7AD4e460CfD30791CCC4F9c8a4f820ec67
- sign\_message\_lib.sol
- : 0xd53cd0aB83D845Ac265BE939c57F53AD838012c9
- simulate\_tx\_accessor.sol
- : 0x3d4BA2E0884aa488718476ca2FB8Efc291A46199

### Supported Networks v1.3.0

Was this page helpful?

Report issue