JSON-RPC methods

Use the [StarkNet playground](#) to test supported read methods.

Supported StarkNet methods

Infura provides access to the StarkNet network via a [Pathfinder full node client](#) which supports the following subset of methods.

- starknet_getStateUpdate
- starknet_getNonce

Block information

- starknet_getBlockWithTxHashes
- starknet_getBlockWithTxs

Value of storage at a given address and key

- starknet_getStorageAt

Transaction information

- starknet_getTransactionByBlockIdAndIndex
- starknet_getBlockTransactionCount
- starknet_pendingTransactions
- starknet_getTransactionByHash
- starknet_getTransactionReceipt
- pathfinder_getTransactionStatus

The code of a class

- starknet_getClass

The class hash of a specific contract

- starknet_getClassHashAt

The code of a specific contract

- starknet_getClassAt

Call a StarkNet function without creating a transaction

- starknet_call

The latest StarkNet block height

- starknet_blockNumber
- starknet_blockHashAndNumber

The StarkNet chain this node is on

- starknet_chainId

The node's sync status

- starknet_syncing

Return all events matching the given filter

- starknet_getEvents

Submit a new invoke contract transaction

- starknet_addInvokeTransaction

Submit a new deploy contract transaction

- starknet_addDeployTransaction

Submit a new deploy account transaction

- starknet_addDeployAccountTransaction

Submit a new declare contract transaction

- starknet_addDeclareTransaction

Estimate the fee for a given transaction

- starknet_estimateFee