Introduction

- Alchemy API Reference Overview
- - Chain APIs Overview
- - Enhanced APIs Overview
- Alchemy Quickstart Guide

Resources

- FAQ
- - Feature Support By Chain
- - Throughput
- - Batch Requests
- - Gas Limits
- - Error Reference
- Compute Units
- - Pricing Plans
- - Compute Unit Costs

NFT API

- NFT API Quickstart
- NFT API Endpoints Overview
- NFT API FAQ
- Ownership & Token Gating
- - getNFTsForOwner get
- - getOwnersForNFT get
- - getOwnersForContract get
- - isHolderOfContract get
- - getContractsForOwner get
- - getCollectionsForOwner get
- NFT Metadata Access
- - getNFTMetadata get
- - getNFTMetadataBatch post
- - getContractMetadata get
- - getCollectionMetadata get
- - invalidateContract get
- - getContractMetadataBatch post
- - getNFTsForContract get
- - getNFTsForCollection get
- - searchContractMetadata get
- - refreshNftMetadata post

- Spam Detection
  - getSpamContracts get
  - isSpamContract get
  - isAirdropNFT get
  - reportSpam get
- Rarity Data
  - summarizeNFTAttributes get
  - computeRarity get
- Sales & Marketplace Data
  - getFloorPrice get
  - getNFTSales get
- NFT API V2 to V3 Migration Guide
  - NFT API V2 vs. V3 Endpoint Differences
- NFT API V2 Methods (Older Version)
  - getNFTs get
  - getNFTMetadata get
  - getNFTMetadataBatch post
  - getContractMetadata get
  - getContractMetadataBatch post
  - getNFTsForCollection get
  - getOwnersForToken get
  - getOwnersForCollection get
  - getSpamContracts get
  - isSpamContract get
  - isAirdrop get
  - invalidateContract get
  - getFloorPrice get
  - computeRarity get
  - searchContractMetadata get
  - summarizeNFTAttributes get
  - isHolderOfCollection get
  - getNFTSales get
  - getContractsForOwner get
  - reportSpam get

Transfers API (Tx History)

- Transfers API Quickstart
- Transfers API Endpoints

-
  - alchemy_getAssetTransfers post

Transaction Receipts API

- Transaction Receipts Endpoints
-
  - alchemy_getTransactionReceipts post

Token API

- Token API Quickstart
- Token API Endpoints
-
  - alchemy_getTokenBalances post
-
  - alchemy_getTokenMetadata post
-
  - alchemy_getTokenAllowance post

Alchemy Rollups

- Rollups Quickstart
- Supported Stacks

Subgraphs

- Subgraphs Quickstart
- Supported Subgraph Chains
- Developing a Subgraph
-
  - Graph CLI
-
  - Creating a Subgraph
-
  - Project Structure
-
  - Data Sources
-
  - Writing Mappings
- Moving your Subgraph to Production
-
  - Deploying a Subgraph
-
  - Subgraph Versioning
-
  - Querying a Subgraph
-
  - Deleting a Subgraph
-
  - Direct Database Access
- Community subgraphs

Webhooks

- Notify API Quickstart
-
  - Notify Tutorials and Applications
-
  - Notify API FAQ
- Custom Webhooks Quickstart
-
  - Custom Webhooks FAQ
-
  - Custom Webhooks GraphQL Examples
-

    - Custom Webhook Filters
    - Custom Webhook Variables
- Custom Webhook API Methods
    - Read Variable Elements get
    - Create a Variable post
    - Delete a Variable delete
    - Update a Variable patch
- Notify API Methods
    - Get all webhooks get
    - Get all addresses for an Address Activity webhook get
    - Create webhook post
    - Add and remove webhook addresses patch
    - Replace webhook addresses put
    - Update webhook status put
    - Update webhook NFT filters patch
    - Update NFT metadata webhook filters patch
    - Get all webhook NFT filters get
    - Delete webhook delete
- Webhook Types
    - Custom Webhook
    - Address Activity Webhook
    - Mined Transaction Webhook
    - Dropped Transaction Webhook
    - NFT Activity Webhook
    - NFT Metadata Updates Webhook

Websockets

- Subscription API Quickstart
- Best Practices for Using WebSockets in Web3
- Subscription API Endpoints
    - alchemy_minedTransactions
    - alchemy_pendingTransactions
    - newPendingTransactions
    - newHeads
    - logs

Trace API

- Trace API Quickstart
- Trace API Endpoints

- trace_block post
- trace_call post
- trace_get post
- trace_rawTransaction post
- trace_replayBlockTransactions post
- trace_replayTransaction post
- trace_transaction post
- trace_filter post

- Trace API Resources
  - What are EVM Traces?
  - Trace API vs. Debug API
  - What is trace_transaction?
  - What is trace_block?
  - What is trace_filter?
  - trace_call vs debug_traceCall

Debug API

- Debug API Quickstart
- Debug API Endpoints
  - debug_traceCall post
  - debug_traceTransaction post
  - debug_traceBlockByNumber post
  - debug_traceBlockByHash post

ACCOUNT ABSTRACTION

- Bundler API Quickstart
- Bundler API Endpoints
  - eth_getUserOperationReceipt post
  - eth_supportedEntryPoints post
  - eth_getUserOperationByHash post
  - eth_sendUserOperation post
  - rundler_maxPriorityFeePerGas post
  - eth_estimateUserOperationGas post
- Bundler API Fee Logic
- Bundler RPC Errors
- Factory Addresses
- Gas Manager Coverage API Quickstart
- Gas Manager Coverage API Endpoints
  - alchemy_requestPaymasterAndData post

    - alchemy_requestGasAndPaymasterAndData post
- Gas Manager Coverage API Fee Logic & Usage Limits
- Gas Manager Deployment Addresses
- UserOperation Simulation Endpoints
    - alchemy_simulateUserOperationAssetChanges post
- AA-SDK
- Account Abstraction FAQ
- EntryPoint Revert Codes
    - AA10 sender already constructed
    - AA13 initCode failed or OOG
    - AA14 initCode must return sender
    - AA15 initCode must create sender
    - AA20 account not deployed
    - AA21 Didn’t pay prefund
    - AA22 expired or not due
    - AA23 reverted (or OOG)
    - AA24 signature error
    - AA25 Invalid account nonce
    - AA30 paymaster not deployed
    - AA31 paymaster deposit too low
    - AA32 Paymaster expired or not due
    - AA33 reverted (or OOG)
    - AA34 Signature Error
    - AA40 over verificationGasLimit
    - AA41 too little verificationGas
    - AA50 postOp reverted
    - AA51 prefund below actualGasCost
    - AA90 invalid beneficiary
    - AA91 failed send to beneficiary
    - AA92 internal call only
    - AA93 invalid paymasterAndData
    - AA94 gas values overflow
    - AA95 out of gas
    - AA96 invalid aggregator

Embedded Accounts

- Accounts API Endpoints
    - Create Account post

- Send Auth Email post
- Authenticate User post
- Get User post
- Sign Message post
- Register New Authenticator post

Gas Manager Admin API

- Gas Manager Admin API Quickstart
- Gas Manager Admin API Endpoints
- Create Policy post
- Get Policy get
- Delete Policy delete
- Replace Policy put
- Get All Policies get
- Update Policy Status put
- Get Policy Stats get
- Get Sponsorships get

Alchemy Transact

- Transact Quickstart
- Reinforced Transactions
- Transaction Simulation
- Asset Changes
- Execution Simulation
- Bundle Simulation
- Transaction Simulation Examples
- Transaction Simulation FAQs
- Transaction Simulation Endpoints
- alchemy_simulateAssetChanges post
- alchemy_simulateAssetChangesBundle post
- alchemy_simulateExecution post
- alchemy_simulateExecutionBundle post
- Gas Optimized Transactions
- alchemy_getGasOptimizedTransactionStatus post
- alchemy_sendGasOptimizedTransaction post
- Private Transactions
- eth_cancelPrivateTransaction post
- eth_sendPrivateTransaction post

Alchemy SDK

- Alchemy SDK Quickstart
- How to use Alchemy SDK with Typescript
- Examples Using the Alchemy SDK
- How to Manage a Multichain Project Using Alchemy SDK
- Alchemy SDK Surface Overview
- Alchemy SDK vs. Raw API Methods
- SDK Core Methods
- call - SDK
- send - SDK
- estimateGas - SDK
- findContractDeployer - SDK
- getBalance - SDK
- getBlock - SDK
- getBlockNumber - SDK
- getBlockWithTransactions - SDK
- getCode - SDK
- getFeeData - SDK
- getGasPrice - SDK
- getLogs - SDK
- getStorageAt - SDK
- getTokenBalances - SDK
- getTokenMetadata - SDK
- getTokensForOwner - SDK
- getTransactionCount - SDK
- getTransactionReceipt - SDK
- getTransactionReceipts - SDK
- isContractAddress - SDK
- getAssetTransfers - SDK
- SDK NFT Methods
- getNftsForOwner - SDK
- getNftMetadata -SDK
- getNftMetadataBatch - SDK
- refreshNftMetadata - SDK
- getNftSales - SDK
- searchContractMetadata - SDK
- summarizeNftAttributes - SDK

-
  - getNftsForOwnerIterator - SDK
-
  - getNftsForContractIterator - SDK
-
  - getContractMetadata - SDK
-
  - getNftsForContract -SDK
-
  - getTransfersForOwner - SDK
-
  - getTransfersForContract - SDK
-
  - getMintedNfts - SDK
-
  - getOwnersForNft - SDK
-
  - getOwnersForContract - SDK
-
  - getSpamContracts -SDK
-
  - isSpamContract - SDK
-
  - refreshContract - SDK
-
  - getContractsForOwner - SDK
-
  - getFloorPrice - SDK
-
  - computeRarity - SDK
-
  - verifyNftOwnership - SDK
- SDK Transact Methods
-
  - getTransaction - SDK
-
  - sendTransaction - SDK
-
  - sendPrivateTransaction - SDK
-
  - cancelPrivateTransaction - SDK
-
  - waitForTransaction - SDK
-
  - estimateGas - SDK
-
  - getMaxPriorityFeePerGas - SDK
-
  - simulateAssetChanges - SDK
-
  - simulateAssetChangesBundle - SDK
-
  - simulateExecution - SDK
-
  - simulateExecutionBundle - SDK
- SDK Debug Methods
-
  - traceCall - SDK
-
  - traceTransaction - SDK
-
  - traceBlock - SDK
- SDK Notify Methods
-
  - getAllWebhooks - SDK
-
  - getAddresses - SDK
-

    - getNftFilters - SDK
-
    - createWebhook - SDK
-
    - updateWebhook - SDK
-
    - deleteWebhook - SDK
- SDK WebSockets Endpoints
- SDK Ethers Utils
-
    - arrayify
-
    - formatUnits
-
    - concat
-
    - hexConcat
-
    - dnsEncode
-
    - hexDataLength
-
    - formatEther
-
    - hexDataSlice
-
    - hexStripZeros
-
    - hashMessage
-
    - isHexString
-
    - isValidName
-
    - joinSignature
-
    - splitSignature
-
    - toUtf8Bytes
-
    - hexValue
-
    - toUtf8String
-
    - hexZeroPad
-
    - zeroPad
-
    - hexlify
-
    - id
-
    - isBytes
-
    - isBytesLike
-
    - Interface
-
    - namehash
-
    - parseEther
-
    - parseUnits
-
    - stripZeros
- Alchemy SDK V2 to V3 Migration Guide
-
    - Alchemy SDK V2 vs. V3 Method Differences

- SDK V2 Methods
  - call - SDK
  - getAssetTransfers - SDK
  - getMintedNfts - SDK
  - verifyNftOwnership - SDK
  - getOwnersForNft - SDK
  - computeRarity - SDK
  - getTransfersForContract - SDK
  - getNftsForOwner - SDK
  - refreshContract - SDK
  - getOwnersForContract - SDK
  - getFloorPrice - SDK
  - isSpamContract - SDK
  - findContractDeployer -SDK
  - getSpamContracts - SDK
  - getGasPrice - SDK
  - getBalance - SDK
  - getBlock -SDK
  - getBlockWithTransactions - SDK
  - estimateGas - SDK
  - getBlockNumber - SDK
  - getCode - SDK
  - getFeeData - SDK
  - getLogs - SDK
  - getNftMetadataBatch - SDK
  - getTokensForOwner - SDK
  - getStorageAt - SDK
  - getTokenBalances - SDK
  - getTransactionCount - SDK
  - getTokenMetadata - SDK
  - getTransactionReceipt - SDK
  - send - SDK
  - getTransactionReceipts - SDK
  - getTransaction - SDK

- isContractAddress - SDK
- getNftMetadata - SDK
- getNftSales - SDK
- cancelPrivateTransaction - SDK
- sendPrivateTransaction - SDK
- traceTransaction - SDK
- simulateExecutionBundle - SDK
- simulateExecution - SDK
- getMaxPriorityFeePerGas - SDK
- simulateAssetChangesBundle - SDK
- estimateGas - SDK
- simulateAssetChanges - SDK
- traceBlock - SDK
- waitForTransaction - SDK
- traceCall - SDK
- sendTransaction - SDK
- updateWebhook - SDK
- refreshNftMetadata -SDK
- createWebhook - SDK
- getNftFilters - SDK
- getAddresses - SDK
- summarizeNftAttributes - SDK
- deleteWebhook - SDK
- searchContractMetadata - SDK
- getAllWebhooks - SDK
- getNftsForOwnerIterator - SDK
- getNftsForContractIterator -SDK
- getContractMetadata - SDK
- getTransfersForOwner - SDK
- getNftsForContract - SDK

Ethereum

- Ethereum API Quickstart
- Ethereum API FAQ
- Ethereum Developer Guide to the Merge
- How to decode an eth_call response

-
  - How do I distinguish between a contract address and a wallet address?
- Ethereum API Endpoints
-
  - eth_blockNumber - Ethereum post
-
  - eth_getBalance - Ethereum post
-
  - eth_getLogs - Ethereum post
-
  - eth_chainId - Ethereum post
-
  - eth_getBlockByNumber - Ethereum post
-
  - eth_accounts - Ethereum post
-
  - eth_feeHistory - Ethereum post
-
  - eth_estimateGas - Ethereum post
-
  - eth_gasPrice - Ethereum post
-
  - eth_getBlockTransactionCountByHash - Ethereum post
-
  - eth_getBlockTransactionCountByNumber - Ethereum post
-
  - eth_getCode - Ethereum post
-
  - eth_getProof - Ethereum post
-
  - eth_getStorageAt - Ethereum post
-
  - eth_getTransactionByBlockHashAndIndex - Ethereum post
-
  - eth_getTransactionByHash - Ethereum post
-
  - eth_getTransactionCount - Ethereum post
-
  - eth_getTransactionReceipt - Ethereum post
-
  - eth_getUncleByBlockHashAndIndex - Ethereum post
-
  - eth_getUncleByBlockNumberAndIndex - Ethereum post
-
  - eth_getUncleCountByBlockHash - Ethereum post
-
  - eth_getUncleCountByBlockNumber - Ethereum post
-
  - eth_maxPriorityFeePerGas - Ethereum post
-
  - eth_protocolVersion - Ethereum post
-
  - eth_sendRawTransaction - Ethereum post
-
  - net_listening - Ethereum post
-
  - net_version - Ethereum post
-
  - web3_clientVersion - Ethereum post
-
  - web3_sha3 - Ethereum post
-
  - eth_getTransactionByBlockNumberAndIndex - Ethereum post
-
  - eth_call - Ethereum post
-
  - eth_getBlockByHash - Ethereum post
-

- eth_createAccessList - Ethereum post
- eth_newFilter - Ethereum post
- eth_getFilterChanges - Ethereum post
- eth_getFilterLogs - Ethereum post
- eth_newBlockFilter - Ethereum post
- eth_newPendingTransactionFilter - Ethereum post
- eth_uninstallFilter - Ethereum post
- eth_getBlockReceipts - Ethereum post
- eth_subscribe
- eth_unsubscribe

Polygon PoS

- Polygon PoS API Quickstart
  - Polygon SDK Examples
- Polygon PoS API FAQ
- Polygon PoS API Endpoints
  - bor_getAuthor - Polygon PoS post
  - bor_getCurrentProposer - Polygon PoS post
  - bor_getCurrentValidators - Polygon PoS post
  - bor_getRootHash - Polygon PoS post
  - eth_accounts - Polygon PoS post
  - eth_call - Polygon PoS post
  - eth_chainId - Polygon PoS post
  - eth_estimateGas - Polygon PoS post
  - eth_gasPrice - Polygon PoS post
  - eth_getBalance - Polygon PoS post
  - eth_getBlockByHash - Polygon PoS post
  - eth_getBlockByNumber - Polygon PoS post
  - eth_getBlockTransactionCountByHash - Polygon PoS post
  - eth_getBlockTransactionCountByNumber - Polygon PoS post
  - eth_getCode - Polygon PoS post
  - eth_getFilterChanges - Polygon PoS post
  - eth_getFilterLogs - Polygon PoS post
  - eth_getLogs - Polygon PoS post
  - eth_getRootHash - Polygon PoS post
  - eth_getSignersAtHash - Polygon PoS post

- eth_getStorageAt - Polygon PoS post
- eth_getTransactionByBlockHashAndIndex - Polygon PoS post
- eth_getTransactionByBlockNumberAndIndex - Polygon PoS post
- eth_getTransactionByHash - Polygon PoS post
- eth_getTransactionCount - Polygon PoS post
- eth_getTransactionReceipt - Polygon PoS post
- eth_getTransactionReceiptsByBlock - Polygon PoS post
- eth_sendRawTransaction - Polygon PoS post
- eth_uninstallFilter - Polygon PoS post
- net_listening - Polygon PoS post
- eth_getUncleCountByBlockHash - Polygon PoS post
- eth_getUncleCountByBlockNumber - Polygon PoS post
- eth_newBlockFilter - Polygon PoS post
- eth_newFilter - Polygon PoS post
- eth_newPendingTransactionFilter - Polygon PoS post
- web3_clientVersion - Polygon PoS post
- eth_createAccessList - Polygon PoS post
- eth_blockNumber - Polygon PoS post
- bor_getSignersAtHash - Polygon PoS post
- net_version - Polygon PoS post
- eth_getProof - Polygon PoS post
- eth_getUncleByBlockNumberAndIndex - Polygon PoS post
- eth_maxPriorityFeePerGas - Polygon PoS post
- eth_getBlockReceipts - Polygon PoS post
- eth_subscribe - Polygon PoS
- eth_unsubscribe - Polygon PoS

Polygon zkEVM

- Polygon zkEVM API Quickstart
- Polygon zkEVM API FAQ
  - What is the difference between Polygon zkEVM and Ethereum?
  - What is the difference between Polygon zkEVM and Polygon PoS?
- Polygon zkEVM Endpoints
  - eth_getTransactionCount - Polygon zkEVM post
  - eth_call - Polygon zkEVM post
  - eth_chainId - Polygon zkEVM post

- eth_newBlockFilter - Polygon zkEVM post
- eth_estimateGas - Polygon zkEVM post
- eth_newFilter - Polygon zkEVM post
- eth_gasPrice - Polygon zkEVM post
- eth_sendRawTransaction - Polygon zkEVM post
- eth_getBalance - Polygon zkEVM post
- eth_uninstallFilter - Polygon zkEVM post
- eth_getBlockByHash - Polygon zkEVM post
- net_version - Polygon zkEVM post
- eth_getBlockByNumber - Polygon zkEVM post
- web3_clientVersion - Polygon zkEVM post
- eth_getBlockTransactionCountByHash - Polygon zkEVM post
- eth_getBlockTransactionCountByNumber - Polygon zkEVM post
- zkevm_batchNumber - Polygon zkEVM post
- eth_getCode - Polygon zkEVM post
- eth_getFilterChanges - Polygon zkEVM post
- eth_getFilterLogs - Polygon zkEVM post
- zkevm_getBatchByNumber - Polygon zkEVM post
- eth_getLogs - Polygon zkEVM post
- zkevm_getBroadcastURI - Polygon zkEVM post
- eth_getStorageAt - Polygon zkEVM post
- zkevm_isBlockConsolidated - Polygon zkEVM post
- eth_getTransactionByBlockHashAndIndex - Polygon zkEVM post
- zkevm_isBlockVirtualized - Polygon zkEVM post
- eth_getTransactionByBlockNumberAndIndex - Polygon zkEVM post
- zkevm_verifiedBatchNumber - Polygon zkEVM post
- eth_getTransactionByHash - Polygon zkEVM post
- zkevm_virtualBatchNumber - Polygon zkEVM post
- eth_getCompilers - Polygon zkEVM post
- eth_getUncleByBlockHashAndIndex - Polygon zkEVM post
- eth_getUncleByBlockNumberAndIndex - Polygon zkEVM post
- eth_getUncleCountByBlockHash - Polygon zkEVM post
- eth_getUncleCountByBlockNumber - Polygon zkEVM post
- eth_protocolVersion - Polygon zkEVM post
-

- eth_blockNumber - Polygon zkEVM post
- eth_getTransactionReceipt - Polygon zkEVM post
- zkevm_batchNumberByBlockNumber - Polygon zkEVM post
- zkevm_consolidatedBlockNumber - Polygon zkEVM post
- zkevm_estimateFee API - Polygon zkEVM post
- zkevm_estimateGasPrice API - Polygon zkEVM post

Arbitrum

- Arbitrum API Quickstart
- Arbitrum SDK Examples
- Arbitrum API FAQ
- Arbitrum vs. Ethereum API Differences
- Arbitrum API Endpoints
- eth_call - Arbitrum post
- eth_estimateGas - Arbitrum post
- eth_accounts - Arbitrum post
- eth_blockNumber - Arbitrum post
- eth_chainId - Arbitrum post
- eth_gasPrice - Arbitrum post
- eth_getBalance - Arbitrum post
- eth_getBlockTransactionCountByHash - Arbitrum post
- eth_getBlockTransactionCountByNumber - Arbitrum post
- eth_getCode - Arbitrum post
- eth_getFilterChanges - Arbitrum post
- eth_getFilterLogs - Arbitrum post
- eth_getLogs - Arbitrum post
- eth_getStorageAt - Arbitrum post
- eth_getTransactionByBlockHashAndIndex - Arbitrum post
- eth_getTransactionCount - Arbitrum post
- eth_getUncleByBlockNumberAndIndex - Arbitrum post
- eth_getUncleCountByBlockHash - Arbitrum post
- eth_getUncleCountByBlockNumber - Arbitrum post
- eth_newBlockFilter - Arbitrum post
- eth_newFilter - Arbitrum post
- eth_newPendingTransactionFilter - Arbitrum post
- eth_uninstallFilter - Arbitrum post

- net_listening - Arbitrum post
- net_version - Arbitrum post
- web3_clientVersion - Arbitrum post
- web3_sha3 - Arbitrum post
- eth_sendRawTransaction - Arbitrum post
- eth_createAccessList - Arbitrum post
- eth_maxPriorityFeePerGas - Arbitrum post
- eth_getBlockByHash - Arbitrum post
- eth_getBlockByNumber - Arbitrum post
- eth_getTransactionByBlockNumberAndIndex - Arbitrum post
- eth_getTransactionByHash - Arbitrum post
- eth_getProof - Arbitrum post
- eth_getTransactionReceipt - Arbitrum post
- eth_getUncleByBlockHashAndIndex - Arbitrum post
- eth_getBlockReceipts - Arbitrum post
- eth_feeHistory - Arbitrum post
- eth_subscribe
- eth_unsubscribe

Optimism

- Optimism API Quickstart
- Optimism SDK Examples
- Optimism API FAQ
- Optimism Error Codes
- Optimism API Endpoints
- eth_call - Optimism post
- eth_estimateGas - Optimism post
- eth_accounts - Optimism post
- eth_blockNumber - Optimism post
- eth_chainId - Optimism post
- eth_gasPrice - Optimism post
- eth_getBalance - Optimism post
- eth_getBlockTransactionCountByHash - Optimism post
- eth_getBlockTransactionCountByNumber - Optimism post
- eth_getCode - Optimism post
- eth_getFilterChanges - Optimism post

- eth_getFilterLogs - Optimism post
- eth_getLogs - Optimism post
- eth_getStorageAt - Optimism post
- eth_getTransactionByBlockHashAndIndex - Optimism post
- eth_getTransactionByBlockNumberAndIndex - Optimism post
- eth_getTransactionByHash - Optimism post
- eth_getTransactionCount - Optimism post
- eth_getTransactionReceipt - Optimism post
- eth_getUncleByBlockHashAndIndex - Optimism post
- eth_getUncleByBlockNumberAndIndex - Optimism post
- eth_getUncleCountByBlockHash - Optimism post
- eth_getUncleCountByBlockNumber - Optimism post
- eth_newBlockFilter - Optimism post
- eth_newFilter - Optimism post
- eth_newPendingTransactionFilter - Optimism post
- eth_protocolVersion - Optimism post
- eth_sendRawTransaction - Optimism post
- eth_syncing - Optimism post
- eth_uninstallFilter - Optimism post
- net_listening - Optimism post
- net_version - Optimism post
- web3_clientVersion - Optimism post
- web3_sha3 - Optimism post
- eth_getBlockByHash - Optimism post
- eth_getBlockByNumber - Optimism post
- eth_getProof - Optimism post
- eth_getBlockReceipts - Optimism post
- eth_subscribe
- eth_unsubscribe

Base

- Base API Quickstart
- Base API FAQ
- Base API Endpoints
- eth_accounts - Base post
- eth_blockNumber - Base post

- eth_call - Base post
- eth_chainId - Base post
- eth_estimateGas - Base post
- eth_feeHistory - Base post
- eth_gasPrice - Base post
- eth_getBalance - Base post
- eth_getBlockByHash - Base post
- eth_getBlockByNumber - Base post
- eth_getBlockTransactionCountByHash - Base post
- eth_getBlockTransactionCountByNumber - Base post
- eth_getCode - Base post
- eth_getFilterChanges - Base post
- eth_getFilterLogs - Base post
- eth_getLogs - Base post
- eth_getProof - Base post
- eth_getStorageAt - Base post
- eth_getTransactionByBlockHashAndIndex - Base post
- eth_getTransactionByBlockNumberAndIndex - Base post
- eth_getTransactionByHash - Base post
- eth_getTransactionCount - Base post
- eth_getTransactionReceipt - Base post
- eth_getUncleByBlockHashAndIndex - Base post
- eth_getUncleByBlockNumberAndIndex - Base post
- eth_getUncleCountByBlockHash - Base post
- eth_getUncleCountByBlockNumber - Base post
- eth_maxPriorityFeePerGas - Base post
- eth_newBlockFilter - Base post
- eth_newFilter - Base post
- eth_newPendingTransactionFilter - Base post
- eth_protocolVersion - Base post
- eth_sendRawTransaction - Base post
- eth_syncing - Base post
- eth_uninstallFilter - Base post
- net_listening - Base post

- web3_sha3 - Base post
- eth_getBlockReceipts - Base post

❇ Solana

- Solana API Quickstart
- Solana API FAQ
- Solana API Endpoints
- getAccountInfo post
- simulateTransaction post
- getBalance post
- getBlock post
- getBlockCommitment post
- getBlockProduction post
- getBlocks post
- getBlocksWithLimit post
- getBlockTime post
- getClusterNodes post
- getEpochInfo post
- getEpochSchedule post
- getFeeForMessage post
- getFirstAvailableBlock post
- getGenesisHash post
- getHealth post
- getHighestSnapshotSlot post
- getIdentity post
- getInflationGovernor post
- getInflationRate post
- getInflationReward post
- getLargestAccounts post
- getMaxRetransmitSlot post
- getMaxShredInsertSlot post
- getMinimumBalanceForRentExemption post
- getMultipleAccounts post
- getProgramAccounts post
- getRecentPerformanceSamples post
- getSignaturesForAddress post

- getSignatureStatuses post
- getSlot post
- getSlotLeader post
- getSlotLeaders post
- getSupply post
- getTokenAccountBalance post
- getTokenAccountsByOwner post
- getTokenSupply post
- getTransaction post
- getVersion post
- getVoteAccounts post
- isBlockhashValid post
- minimumLedgerSlot post
- sendTransaction post
- requestAirdrop post
- getBlockHeight post
- getRecentBlockhash post
- getRecentPrioritizationFees post

Astar

- Astar API Quickstart
- Astar API FAQ
- Astar API Endpoints
- eth_accounts - Astar post
- eth_getTransactionReceipt - Astar post
- eth_maxPriorityFeePerGas - Astar post
- eth_blockNumber - Astar post
- eth_call - Astar post
- eth_chainId - Astar post
- eth_gasPrice - Astar post
- eth_getBalance - Astar post
- eth_getBlockByHash - Astar post
- eth_getBlockByNumber - Astar post
- eth_getBlockTransactionCountByHash - Astar post
- eth_getBlockTransactionCountByNumber - Astar post
- eth_getCode - Astar post

- eth_getStorageAt - Astar post
- eth_getTransactionByBlockHashAndIndex - Astar post
- eth_getTransactionByBlockNumberAndIndex - Astar post
- eth_getTransactionByHash - Astar post
- eth_getTransactionCount - Astar post
- eth_getUncleByBlockNumberAndIndex - Astar post
- eth_sendRawTransaction - Astar post
- net_version - Astar post
- web3_clientVersion - Astar post
- web3_sha3 - Astar post
- eth_getLogs - Astar post
- eth_getFilterChanges - Astar post
- eth_getFilterLogs - Astar post
- eth_newFilter - Astar post
- eth_newPendingTransactionFilter - Astar post
- eth_uninstallFilter - Astar post
- eth_newBlockFilter - Astar post
- eth_estimateGas - Astar post
- eth_getBlockReceipts - Astar post
- eth_subscribe
- eth_unsubscribe

STARKNET

- Starknet API Quickstart
- Starknet API FAQ
- Starknet API Endpoints
- starknet_addDeclareTransaction post
- starknet_getClassAt post
- starknet_addDeployAccountTransaction post
- starknet_getClassHashAt post
- starknet_addInvokeTransaction post
- starknet_getEvents post
- starknet_blockHashAndNumber post
- starknet_getNonce post
- starknet_blockNumber post
- starknet_getStateUpdate post

- starknet_call post
- starknet_getStorageAt post
- starknet_chainId post
- starknet_getTransactionByBlockIdAndIndex post
- starknet_estimateFee post
- starknet_getTransactionByHash post
- starknet_getBlockTransactionCount post
- starknet_getTransactionReceipt post
- starknet_getBlockWithTxHashes post
- starknet_pendingTransactions post
- starknet_getBlockWithTxs post
- starknet_syncing post
- starknet_getClass post
- starknet_estimateMessageFee post

zksync

- zkSync Era API Quickstart
- zkSync Era API FAQ
- zkSync Era API Endpoints
  - eth_accounts - zkSync post
  - eth_blockNumber - zkSync post
  - eth_call - zkSync post
  - eth_chainId - zkSync post
  - eth_createAccessList - zkSync post
  - eth_estimateGas - zkSync post
  - eth_feeHistory - zkSync post
  - eth_gasPrice - zkSync post
  - eth_getBalance - zkSync post
  - eth_getBlockByHash - zkSync post
  - eth_getBlockByNumber - zkSync post
  - eth_getBlockTransactionCountByHash - zkSync post
  - eth_getBlockTransactionCountByNumber - zkSync post
  - eth_getCode - zkSync post
  - eth_getFilterChanges - zkSync post
  - eth_getFilterLogs - zkSync post
  - eth_getLogs - zkSync post

- eth_getProof - zkSync post
- eth_getStorageAt - zkSync post
- eth_getTransactionByBlockHashAndIndex - zkSync post
- eth_getTransactionByBlockNumberAndIndex - zkSync post
- eth_getTransactionByHash - zkSync post
- eth_getTransactionCount - zkSync post
- eth_getTransactionReceipt - zkSync post
- eth_getUncleByBlockHashAndIndex - zkSync post
- eth_getUncleByBlockNumberAndIndex - zkSync post
- eth_getUncleCountByBlockHash - zkSync post
- eth_getUncleCountByBlockNumber - zkSync post
- eth_maxPriorityFeePerGas - zkSync post
- eth_newBlockFilter - zkSync post
- eth_newFilter - zkSync post
- eth_newPendingTransactionFilter - zkSync post
- eth_protocolVersion - zkSync post
- eth_sendRawTransaction - zkSync post
- eth_uninstallFilter - zkSync post
- net_listening - zkSync post
- net_version - zkSync post
- web3_clientVersion - zkSync post
- web3_sha3 - zkSync post
- zks_estimateFee - zkSync post
- zks_estimateGasL1ToL2 - zkSync post
- zks_getAllAccountBalances - zkSync post
- zks_getBlockDetails - zkSync post
- zks_getBridgeContracts - zkSync post
- zks_getBytecodeByHash - zkSync post
- zks_getL1BatchBlockRange - zkSync post
- zks_getL1BatchDetails - zkSync post
- zks_getL2ToL1LogProof - zkSync post
- zks_getL2ToL1MsgProof - zkSync post
- zks_getMainContract - zkSync post
- zks_getProof - zkSync post

- zks_getRawBlockTransactions - zkSync post
- zks_getTestnetPaymaster - zkSync post
- zks_getTransactionDetails - zkSync post
- zks_L1BatchNumber - zkSync post
- zks_L1ChainId - zkSync post
- eth_getBlockReceipts - zkSync post

AA32 Paymaster expired or not due

The paymaster's signature is outside of the specified time range and has expired.

Possible Solutions

1. If you are using Alchemy's Gas Manager, make sure you are sending the userOp within the
2. sponsorship expiry
3. period specified in your Gas Manager policy.
4. If you are using another paymaster service, contact them.
5. If you are running your own paymaster and using time-based signatures, check that the
6. validAfter
7. and
8. validUntil
9. fields are correct and the userOp is sent within the specified range.
10. If you are running your own paymaster and don't use time-based signatures, check that the
11. validAfter
12. and
13. validUntil
14. fields are set to
15. 0
16. .

Updated 2 days ago

AA31 paymaster deposit too low AA33 reverted (or OOG) Did this page help you?Yes No