

bor_getRootHash

Returns the root hash of a specified block range.

For Growth and Custom service plans This JSON-RPC method allows a request to be forwarded to a partner service provider if Infura should experience a service issue or outage. See [Failover protection](#) and [Enable API request forwarding](#) for complete details.

If you would like failover protection but don't qualify under your current plan, then either self-upgrade to the Growth plan or contact a sales representative to upgrade to a Custom plan. warning The maximum difference between the specified block range can be 32767.

Parameters

- fromBlock (int)
 - from block number specified as an integer
- toBlock (int)
 - to block number specified as an integer

Returns

string : root hash of the specified block range

Example

Request

- cURL
- WSS

```
curl https://polygon-mainnet.infura.io/v3/YOUR-API-KEY \-X POST \-H "Content-Type: application/json" \-d '{"jsonrpc":"2.0","method":"bor_getRootHash","params":[1000, 1032], "id":1}' wscat -c wss://polygon-mainnet.infura.io/ws/v3/YOUR-API-KEY -x '{"jsonrpc":"2.0","method":"bor_getRootHash","params":[1000, 1032], "id":1}'
```

Response

```
{"jsonrpc":"2.0","id":1,"result":"67518d9fc6bf9ff886ba1a4e932a0d0a8a1318b3f300518773aaf2210410cf73"}
```

Last updated on Apr 19, 2024 [Previous bor_getCurrentValidators](#) [Next bor_getSignersAtHash](#)