

Feature	Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
hooks_test	19.762 s	1	0	1	0	3	2	1	0	


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@failed_tests	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	hooks_test	1	0	1	0	19.762 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	hooks_test	TC_01_test	3	2	1	0	19.752 s

DETAILED SECTION -- 6 --

hooks_test

Scenarios		Steps	
Total - 1		Total - 3	
Pass - 0	1	Pass - 2	3
Fail - 1		Fail - 1	💆 ŭ 📕
Skip - 0		Skip - 0	
2 s	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1 Total - 3 Pass - 2 Fail - 1

TC_01_test



#	Step / Hook Details	Status	Duration
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	13.039 s
2	When user enters customer_email and customer_password	PASSED	2.150 s
	username password jack@gmail.com 12345		
3	Then verify the login page url contains login keyword	FAILED	3.067 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.LoginStepDefinitions.verify_the_login_page_url_contains_login_keyword(LoginStepDefinitions.java:50) at ?.verify the login page url contains login keyword(file:///C:/Users/SAMSUNG/Desktop/my-cucumber-project/./src/test/resources/features/day26_failed_test_cases.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	1.443 s
	failed_scenarioTC_01_test		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	DILLO-COCIONI STATE DILLO-COC		