

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
hooks_test	21.489 s	1	0	1	0	3	2	1	0	


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@failed_tests	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	hooks_test	1	0	1	0	21.489 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	hooks_test	<u>TC_01_test</u>	3	2	1	0	<i>21.465</i> s

DETAILED SECTION -- 6 --

hooks_test

FAILED	DURATION - 21.489 s	Scenarios		Steps	
		Total - 1		Total - 3	
/8:31:22.202 PM // 8	8:31:43.691 PM /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	📜 🌂 📗
		Skip - 0		Skip - 0	

TC_01_test



#	Step / Hook Details	Status	Duration
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	15.435 s
2	When user enters customer_email and customer_password	PASSED	1.973 s
	username password jack@gmail.com 12345		
3	Then verify the login page url contains login keyword	FAILED	3.065 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.LoginStepDefinitions.verify_the_login_page_url_contains_login_keyword(LoginStepDefinitions.java:50) at ?.verify the login page url contains login keyword(file:///C:/Users/SAMSUNG/Desktop/my-cucumber-project/./src/test/resources/features/day26_failed_test_cases.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	0.934 s
	failed_scenarioTC_01_test		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	DILLO-COCIONI STATE DILLO-COC		