

• PATTERN PRINTING: -

Q) Print:

```
1 1 1 1
1 1 1 1
1 1 1 1
1 1 1 1
```

i → Row
j → Column

```
#include <iostream>
using namespace std;
```

```
int main () {
```

```
    int n;
```

```
    cin >> n;
```

```
    for (int i=1; i<=n; i++) {
```

```
        for (int j=1; j<=n; j++) {
```

```
            cout << "1 ";
```

```
        }
```

```
        cout << endl;
```

```
    }
```

```
    return 0;
```

```
}
```

Q) Print:

```
1 2 3 4
1 2 3 4
1 2 3 4
1 2 3 4
```

```
#include <iostream>
```

```
using namespace std;
```

```
int main () {
```

```
    int n;
```

```
    cin >> n;
```

```
    for (int i=1; i<=n; i++) {
```

```
        for (int j=1; j<=n; j++) {
```

```
            cout << j << " ";
```

```
        }
```


cout << endl;

return 0;

Q) Print:

```
4 3 2 1
4 3 2 1
4 3 2 1
4 3 2 1
```

```
#include <iostream>
using namespace std;
```

```
int main () {
```

```
    int n;
```

```
    cin >> n;
```

```
    for(int i=1; i<=n; i++) {
```

```
        for(int j=n; j>=1; j--) {
```

```
            cout << j << " ";
```

```
        }
```

```
        cout << endl;
```

```
    }
```

```
    return 0;
```

```
}
```

Q) Print:-

```
1  2  3  4
5  6  7  8
9  10 11 12
13 14 15 16
```

```
#include <iostream>
```

```
using namespace std;
```

```
int main () {
```

```
    int n;
```

```
    cin >> n;
```

```
    int count=1;
```

```
    for(int i=1; i<=n; i++) {
```

```
        for(int j=1; j<=n; j++) {
```

```
            cout << count << " ";
```

```
            count++;
```

```
        }
```

```
        cout << endl;
```

```
    }
```

```
    return 0;
```

```
}
```