LAPORAN PRAKTIKUM 5

Merancang Projek Web Configurasi dan Pembuatan Database dan Table pada Framwork

Halaman Login Admin



```
namespace App\Controllers;

use App\Models\UserModel;

class Login extends BaseController
{
    protected $userModel;

    public function __construct()
    {
        $this->userModel = new UserModel();
    }

    public function index()
```


```
// echo password_hash('meylin999', PASSWORD_DEFAULT);
       // Cek jika user sudah Login, Langsung arahkan ke dashboard
       if (session()->get('logged_in')) {
            return redirect()->to('/admin');
       return view('login');
   public function auth()
        $session = session();
        $model = new UserModel();
        $username = $this->request->getVar('username');
        $password = $this->request->getVar('password');
        $user = $model->where('username', $username)->first();
        if ($user && password_verify($password, $user['password'])) {
            // Set session untuk pengguna yang berhasil login
            $session->set([
                'id' => $user['id'],
                'nama' => $user['nama'],
                'username' => $user['username'],
                'logged_in' => true
            ]);
            // Redirect ke dashboard setelah login berhasil
            return redirect()->to('/admin');
        } else {
            // Menampilkan pesan error jika login gagal
            $session->setFlashdata('error', 'Username atau Password
salah');
            return redirect()->to('/login');
        }
   public function logout()
        session()->destroy(); // Hapus session pengguna yang sedang
        return redirect()->to('/login'); // Redirect kembali ke halaman
Login
```

```
// Fungsi untuk menampilkan dashboard setelah login
public function dashboard()
{
    // Cek apakah pengguna sudah login
    if (!session()->get('logged_in')) {
        return redirect()->to('/login');
    }

    // Ambil nama pengguna dari session
    $user = session()->get('nama'); // Nama pengguna

    // Kirim data nama pengguna ke view dashboard
    return view('admin/dashboard', ['user' => $user]);
}
```

Dasboard



```
<!DOCTYPE html>
<html lang="id">
```

```
<meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Dashboard SafeNet</title>
</head>
<body>
 <div class="container">
   <div class="header">
     <h1>Dashboard SafeNet</h1>
     <div>
       <button class="add-button"</pre>
onclick="window.location.href='/admin/create'">Tambah Data Baru</button>
       <button class="logout-button"</pre>
onclick="window.location.href='/logout'">Logout</button>
     </div>
   </div>
   <?php if (session()->getFlashdata('pesan')): ?>
     <div class="flash-message">
       <?= session()->getFlashdata('pesan'); ?>
     </div>
   <?php endif; ?>
   <div class="table-container">
     ID
           Judul
           Media
           Deskripsi
           Aksi
         </thead>
       <?php $i = 1 + (5 * ($currentPage - 1)); ?>
         <?php
         $judol = array_reverse($judol);
         foreach ($judol as $item): ?>
```

```
<!-- $i++; ?>
             <?= $item['judul']; ?>
             <img src="/assets/img/<?= $item['media']; ?>"
alt="Media" style="width: 100px;">
             <?= character_limiter(strip_tags($item['deskripsi']),
50); ?>
             <div class="action-group">
                 <a href="/admin/detail/<?= $item['slug']; ?>"
class="action-button detail-button">Detail</a>
                 <a href="/admin/edit/<?= $item['slug']; ?>"
class="action-button edit-button">Edit</a>
                 <div>
                   <form action="/admin/delete/<?= $item['id']; ?>"
method="post" onsubmit="return confirm('Apakah Anda yakin ingin
menghapus materi ini?');">
                     <?= csrf_field(); ?>
                     <input type="hidden" name="_method"</pre>
value="DELETE">
                     <button type="submit" class="action-button delete-</pre>
button">Hapus</button>
                   </form>
                 </div>
               </div>
             <?php endforeach; ?>
       <div class="d-flex justify-content-center mt-4">
       <?= $pager->links('judol', 'page_judol'); ?>
     </div>
   </div>
 </div>
</body>
</html>
<style>
   margin: 0;
   padding: 0;
```

```
box-sizing: border-box;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
body {
 background-color: #f5f5f5;
.container {
 max-width: 1200px;
 margin: 0 auto;
 padding: 20px;
.header {
 display: flex;
 justify-content: space-between;
 align-items: center;
 margin-bottom: 20px;
.header h1 {
  color: #2c3e50;
.add-button,
.logout-button {
 color: white;
 border: none;
 padding: 8px 16px;
 border-radius: 4px;
  cursor: pointer;
.add-button {
  background-color: #3498db;
.add-button:hover {
 background-color: #2980b9;
.logout-button {
```

```
background-color: rgb(255, 0, 0);
  padding: 8px 8px;
.logout-button:hover {
  background-color: rgb(143, 9, 9);
.table-container {
  background-color: white;
  border-radius: 8px;
  box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
  padding: 20px;
table {
 width: 100%;
  border-collapse: collapse;
th,
td {
 padding: 12px 15px;
  text-align: left;
  border-bottom: 1px solid #ddd;
th {
  background-color: #f2f2f2;
  color: #2c3e50;
tr:hover {
  background-color: #f5f5f5;
/* Tombol aksi */
.action-group {
  display: flex;
  justify-content: center;
  gap: 8px;
  flex-wrap: wrap;
```

```
.action-button {
  padding: 6px 12px;
 font-size: 14px;
  border: none;
 border-radius: 4px;
 text-decoration: none;
 color: #fff;
  cursor: pointer;
 transition: background-color 0.3s ease;
.detail-button {
  background-color: #28a745;
.detail-button:hover {
  background-color: #218838;
.edit-button {
 background-color: #ffc107;
 color: #000;
.edit-button:hover {
  background-color: #e0a800;
.delete-button {
  background-color: #dc3545;
.delete-button:hover {
 background-color: #c82333;
.flash-message {
 background-color: #d4edda;
 /* Hijau terang */
 color: #155724;
 /* Hijau gelap */
 border: 1px solid #c3e6cb;
```

```
padding: 12px 20px;
border-radius: 5px;
margin: 20px 0;
/* Margin atas dan bawah */
text-align: center;
box-shadow: 0 2px 6px rgba(0, 0, 0, 0.05);
font-weight: 500;
}
</style>
```

Tambah Database



Code

```
box-sizing: border-box;
            font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif;
        body {
            background-color: #f5f5f5;
        .container {
            max-width: 800px;
            margin: 30px auto;
            padding: 20px;
        .header {
            display: flex;
            justify-content: space-between;
            align-items: center;
            margin-bottom: 20px;
        .header h1 {
            color: #2c3e50;
        }
        .form-container {
            background-color: white;
            border-radius: 8px;
            box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
            padding: 25px;
        .form-group {
            margin-bottom: 20px;
        .form-group label {
            display: block;
            margin-bottom: 8px;
            font-weight: 500;
            color: #2c3e50;
```

```
.form-group input,
.form-group textarea {
   width: 100%;
    padding: 10px;
    border: 1px solid #ddd;
    border-radius: 4px;
    font-size: 14px;
.form-group textarea {
   min-height: 150px;
    resize: vertical;
.button-group {
    display: flex;
   justify-content: flex-end;
   gap: 10px;
   margin-top: 20px;
.save-button {
    background-color: #2ecc71;
    color: white;
    border: none;
    padding: 10px 20px;
    border-radius: 4px;
    cursor: pointer;
.cancel-button {
    background-color: #95a5a6;
    color: white;
    border: none;
    padding: 10px 20px;
    border-radius: 4px;
    cursor: pointer;
.save-button:hover {
    background-color: #27ae60;
```

```
.cancel-button:hover {
            background-color: #7f8c8d;
        .preview-img {
            width: 100px;
            height: 100px;
            object-fit: cover;
            border-radius: 4px;
            box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
        .invalid-feedback {
            color: #e74c3c;
            /* Merah cerah */
            font-size: 14px;
            margin-top: 5px;
            margin-bottom: 10px;
            display: block;
            /* pastikan terlihat */
    </style>
</head>
<body>
    <div class="container">
        <div class="header">
            <h1>Tambah Info Judol</h1>
        </div>
        <div class="form-container">
            <form action="/admin/save" method="post"</pre>
enctype="multipart/form-data">
                <?= csrf_field(); ?>
                <div class="form-group">
                     <label for="judul">Judul</label>
                     <input type="text" id="judul" name="judul"</pre>
                         class="<?= session('errors.judul') ? 'is-</pre>
invalid' : ''; ?>" placeholder="Masukkan Judul"
                         value="<?= old('judul'); ?>">
                    <div class="invalid-feedback">
```

```
<?= session('errors.judul'); ?>
                    </div>
                </div>
                <div class="form-group">
                    <label for="deskripsi">Deskripsi</label>
                     <textarea id="deskripsi" name="deskripsi"
                         class="<?= session('errors.deskripsi') ? 'is-</pre>
invalid' : ''; ?>"
                        placeholder="Tulis deskripsi materi..."><?=</pre>
old('deskripsi'); ?></textarea>
                    <div class="invalid-feedback">
                         <?= session('errors.deskripsi'); ?>
                     </div>
                </div>
                <div class="form-group">
                    <label for="media">Upload Media</label>
                    <div class="d-flex align-items-center gap-3">
                         <img id="preview-img"</pre>
src="/assets/img/default.jpg" alt="Preview" class="preview-img">
                         <input type="file" id="media" name="media"</pre>
                             class="<?= session('errors.media') ? 'is-</pre>
invalid' : ''; ?>" onchange="previewImage()">
                    </div>
                    <div class="invalid-feedback">
                        <?= session('errors.media'); ?>
                    </div>
                </div>
                <div class="button-group">
                    <button type="button" class="cancel-</pre>
button">Kembali
                    <button type="submit" class="save-</pre>
button">Simpan
                </div>
            </form>
        </div>
    </div>
    <script>
        // Tombol kembali
        document.querySelector('.cancel-
button').addEventListener('click', function() {
```

```
if (confirm('Apakah Anda yakin ingin membatalkan dan
kembali?')) {
                window.location.href = '/admin';
            }
        });
        // Preview media
        function previewImage() {
            const imageInput = document.getElementById('media');
            const preview = document.getElementById('preview-img');
            if (imageInput.files.length > 0) {
                const reader = new FileReader();
                reader.onload = function(e) {
                    preview.src = e.target.result;
                };
                reader.readAsDataURL(imageInput.files[0]);
            }
    </script>
</body>
</html>
```

Edit Database



```
<!DOCTYPE html>
<html Lang="id">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Edit Data - SafeNet</title>
  <style>
     margin: 0;
     padding: 0;
     box-sizing: border-box;
      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    body {
     background-color: #f5f5f5;
    .container {
     max-width: 800px;
     margin: 30px auto;
     padding: 20px;
    .header {
      display: flex;
      justify-content: space-between;
      align-items: center;
     margin-bottom: 20px;
    .header h1 {
      color: #2c3e50;
    .form-container {
      background-color: white;
      border-radius: 8px;
      box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
      padding: 25px;
```

```
.form-group {
 margin-bottom: 20px;
.form-group label {
 display: block;
 margin-bottom: 8px;
 font-weight: 500;
 color: #2c3e50;
.form-group input,
.form-group textarea {
 width: 100%;
 padding: 10px;
 border: 1px solid #ddd;
 border-radius: 4px;
 font-size: 14px;
.form-group textarea {
 min-height: 150px;
 resize: vertical;
.button-group {
 display: flex;
 justify-content: flex-end;
 gap: 10px;
 margin-top: 20px;
.save-button {
 background-color: #2ecc71;
 color: white;
 border: none;
 padding: 10px 20px;
 border-radius: 4px;
 cursor: pointer;
```

```
.cancel-button {
     background-color: #95a5a6;
     color: white;
     border: none;
     padding: 10px 20px;
     border-radius: 4px;
     cursor: pointer;
    .save-button:hover {
     background-color: #27ae60;
    .cancel-button:hover {
     background-color: #7f8c8d;
    .preview-img {
     width: 100px;
     height: 100px;
     object-fit: cover;
     border-radius: 4px;
     box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
    .invalid-feedback {
     color: #e74c3c;
     font-size: 14px;
     margin-top: 5px;
     margin-bottom: 10px;
     display: block;
 </style>
</head>
<body>
 <div class="container">
   <div class="header">
     <h1>Edit Info Judol</h1>
    </div>
   <div class="form-container">
```

```
<form action="/admin/update/<?= $judol['id']; ?>" method="post"
enctype="multipart/form-data">
        <?= csrf_field(); ?>
        <input type="hidden" name="id" value="<?= $judol['id']; ?>">
        <div class="form-group">
          <label for="judul">Judul</label>
          <input type="text" id="judul" name="judul"</pre>
            class="<?= session('errors.judul') ? 'is-invalid' : ''; ?>"
            value="<?= old('judul', $judol['judul']); ?>"
placeholder="Masukkan Judul">
          <div class="invalid-feedback">
            <?= session('errors.judul'); ?>
          </div>
        </div>
        <div class="form-group">
          <label for="deskripsi">Deskripsi</label>
          <textarea id="deskripsi" name="deskripsi"
            class="<?= session('errors.deskripsi') ? 'is-invalid' : '';</pre>
?>"
            placeholder="Tulis deskripsi materi..."><?= old('deskripsi',</pre>
$judol['deskripsi']); ?></textarea>
          <div class="invalid-feedback">
            <?= session('errors.deskripsi'); ?>
          </div>
        </div>
        <div class="form-group">
          <label for="media">Upload Media</label>
          <div class="d-flex align-items-center gap-3">
            <img id="preview-img"</pre>
              src="/assets/img/<?= $judol['media'] ?: 'default.jpg'; ?>"
              alt="Preview" class="preview-img">
            <input type="file" id="media" name="media"</pre>
              class="<?= session('errors.media') ? 'is-invalid' : '';</pre>
?>" onchange="previewImage()">
          </div>
          <div class="invalid-feedback">
            <?= session('errors.media'); ?>
          </div>
        </div>
```

```
<div class="button-group">
          <button type="button" class="cancel-button">Kembali
          <button type="submit" class="save-button">Simpan
Perubahan</button>
       </div>
      </form>
    </div>
  </div>
  <script>
   // Tombol kembali
    document.querySelector('.cancel-button').addEventListener('click',
function() {
      if (confirm('Apakah Anda yakin ingin membatalkan perubahan dan
kembali?')) {
       window.location.href = '/admin';
   });
    // Preview media
   function previewImage() {
      const imageInput = document.getElementById('media');
      const preview = document.getElementById('preview-img');
     if (imageInput.files.length > 0) {
        const reader = new FileReader();
       reader.onload = function(e) {
          preview.src = e.target.result;
       };
       reader.readAsDataURL(imageInput.files[0]);
  </script>
</body>
</html>
```

Detail Database



```
<!DOCTYPE html>
<html Lang="id">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Detail - SafeNet</title>
    <style>
            margin: 0;
            padding: 0;
            box-sizing: border-box;
            font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif;
        body {
            background-color: #f5f5f5;
        .container {
            max-width: 800px;
            margin: 30px auto;
```

```
padding: 20px;
.header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 20px;
.header h1 {
    color: #2c3e50;
.detail-container {
    background-color: white;
    border-radius: 8px;
    box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
    padding: 25px;
.detail-group {
    margin-bottom: 20px;
.detail-group label {
   font-weight: 600;
    color: #2c3e50;
    display: block;
   margin-bottom: 6px;
.detail-group .value {
    background-color: #f9f9f9;
    padding: 10px;
    border: 1px solid #ddd;
    border-radius: 4px;
    color: #333;
.detail-group img {
   max-width: 100%;
    border-radius: 4px;
```

```
margin-top: 10px;
        .button-group {
            display: flex;
            justify-content: flex-end;
            margin-top: 20px;
        .back-button {
            background-color: rgb(0, 139, 194);
            color: white;
            border: none;
            padding: 10px 20px;
            border-radius: 4px;
            cursor: pointer;
        .back-button:hover {
            background-color: rgb(0, 61, 131);
        .text-justify p {
            margin-bottom: 1rem;
            /* jarak antar paragraf */
            text-align: justify;
    </style>
</head>
<body>
    <div class="container">
        <div class="header">
            <h1>Detail Blog</h1>
        </div>
        <div class="detail-container">
            <div class="detail-group">
                <label>Judul</label>
                <div class="value"><?= $judol['judul']; ?></div>
            </div>
```

```
<div class="detail-group">
                <label>Gambar Utama</label>
                <img src="/assets/img/<?= $judol['media']; ?>"
alt="Gambar Blog">
            </div>
            <div class="detail-group">
                <label>Deskripsi</label>
                <div class="value text-justify">
                    <?= nl2br($judol['deskripsi']); ?>
            </div>
            <div class="button-group">
                <button class="back-button"</pre>
onclick="window.history.back()">Kembali</button>
            </div>
        </div>
    </div>
</body>
</html>
```