

Vulnerability Management Standard

Nexus Communications · Security

Document Name: Vulnerability Management Standard

Company: Nexus Communications

Company ID: nexuscomms

Department: Security

Industry: telco

Version: 2.9

Audience: New joiners during onboarding

Privacy Level: Restricted

Date of Creation: 2026-10-04

Date of Update: 2026-10-04

Format: PDF

Estimated Pages: 5

Risk Assessment

Commercial terms relating to operational task may not be varied without written sign-off. Historical records remain queryable for audit purposes for the full retention window. Each operational task must be recorded in the control log before it is presented to a customer. The Control Owner may suspend the control log entries without notice where risk warrants it.

Clauses covering supplier engagement are reviewed by Security before any renewal is negotiated. Business continuity plans assume the Vulnerability Management capability can be restored within year. Approval for any change to the process record is granted by the Control Owner and logged with a reference. Training is mandatory before production access is granted to the Vulnerability Management environment. A supplier engagement raised outside Security is handed to the Control Owner rather than handled locally. Performance against the commitments in this document is reported to the Control Owner each year. The standing target for cost per unit is agreed with the Control Owner and reported each year.

Systems that process Vulnerability Management data must enforce encryption at rest and in transit. Data used to calculate cost per unit is sourced from the monitoring stack and is not adjusted without approval. Any deviation must be raised within one business day through the Vulnerability Management intake channel. Security maintains this standard on behalf of Nexus Communications to keep telco operations defensible. Personnel joining Security complete this training before receiving production credentials. Departments that consume cost per unit are notified before the figures are restated.

Metric	Target	Escalation if missed
Availability	99.5%	Two consecutive year
Change lead time	Five business days	Any P1 change
Evidence completeness	100%	Any gap at audit
Training completion	100%	Before access grant

Review and Revision History

Evidence of compliance is retained for a minimum of seven years in the central records system. Any correction to the process record is versioned, with the superseded version retained for audit. Every control described here is reviewed at least once per year by an independent reviewer. Reconciliation of throughput is performed before the year reporting cycle is closed.

Failures exceeding the material impact threshold trigger a formal incident record. Teams outside Security consume the operational register read-only; changes are requested through the Control Owner. New starters shadow an experienced owner until they can process a change request unaided. Where change request cannot be completed as described, the fallback path is recorded in the operational register. Automated checks run continuously and alert the on-call engineer when thresholds are breached. Where change request is urgent, the shortened route is used and logged for review afterwards. Templates for change request are versioned centrally so that Security does not maintain local copies.

Controls and Requirements

The Control Owner is accountable for confirming that this document is followed in practice. Where this document conflicts with legislation, the stricter requirement always prevails. Material changes to telco regulation are assessed for impact within year. Access is granted on a least-privilege basis and recertified every year. Metrics covering availability and error rate are published to stakeholders each year. Corrections to first-time-right rate are explained in the commentary that accompanies the process record. Third parties are bound by these terms through contractual clauses in their statement of work.

Customer-facing commitments made about supplier engagement are traceable to a clause in the control log. Ownership rests with the Security head, who may delegate day-to-day operation to a named owner. Capacity to absorb cost per unit is reassessed every year and signed off by the Control Owner. Changes to telco practice are evaluated by the Security change advisory board. Escalation proceeds to the Control Owner when the material threshold is not restored in time. Applies to all staff, contractors and automated systems that support the Vulnerability Management lifecycle.

Changes to telco practice are evaluated by the Security change advisory board. Any

deviation must be raised within one business day through the Vulnerability Management intake channel. Where service request cannot be completed as described, the fallback path is recorded in the control log. Corrections to throughput are explained in the commentary that accompanies the control log. Where this document conflicts with legislation, the stricter requirement always prevails. Material changes to telco regulation are assessed for impact within year.

Purpose and Objectives

Metrics covering availability and error rate are published to stakeholders each year. Customer-facing commitments made about operational task are traceable to a clause in the process record. Historical records remain queryable for audit purposes for the full retention window. Business continuity plans assume the Vulnerability Management capability can be restored within year.

Data used to calculate backlog age is sourced from the monitoring stack and is not adjusted without approval. Personnel joining Security complete this training before receiving production credentials. Automated checks run continuously and alert the on-call engineer when thresholds are breached. Templates for approval workflow are versioned centrally so that Security does not maintain local copies. Every control described here is reviewed at least once per year by an independent reviewer. The Control Owner is accountable for confirming that this document is followed in practice.

Third parties are bound by these terms through contractual clauses in their statement of work. Where approval workflow is urgent, the shortened route is used and logged for review afterwards. Failures exceeding the material impact threshold trigger a formal incident record. The Control Owner may suspend the control log entries without notice where risk warrants it.

Compliance Monitoring

Security maintains this standard on behalf of Nexus Communications to keep telco operations defensible. Teams outside Security consume the control log read-only; changes are requested through the Control Owner. Training is mandatory before production access is granted to the Vulnerability Management environment. Access is granted on a least-privilege basis and recertified every year. New starters shadow an experienced owner until they can process a customer commitment unaided. Ownership rests with the Security head, who may delegate day-to-day operation to a named owner. Performance against the commitments in this document is reported to the Control Owner each year.

Evidence of testing is captured automatically and attached to the control record. Any correction to the control log is versioned, with the superseded version retained for audit. Commercial terms relating to approval workflow may not be varied without written sign-off. The standing target for throughput is agreed with the Control Owner and reported each year. Controls are mapped to the wider assurance framework to avoid duplicated effort.

Monitoring and Reporting

The Control Owner reviews throughput alongside financial results to confirm the operational task assumptions hold. Disputes about operational task are settled by reference to the control log and the recorded decision. Escalation proceeds to the Control Owner when the material threshold is not restored in time. Each operational task must be recorded in the control log before it is presented to a customer. Capacity to absorb throughput is reassessed every year and signed off by the Control Owner. Clauses covering operational task are reviewed by Security before any renewal is negotiated.

A operational task raised outside Security is handed to the Control Owner rather than handled locally. Departments that consume cost per unit are notified before the figures are restated. Exceptions require written approval from the Control Owner and are logged with a review date. Evidence of compliance is retained for a minimum of seven years in the central records system. Applies to all staff, contractors and automated systems that support the Vulnerability Management lifecycle.

Commercial terms relating to customer commitment may not be varied without written sign-off. Controls are mapped to the wider assurance framework to avoid duplicated effort. Changes to telco practice are evaluated by the Security change advisory board. Personnel joining Security complete this training before receiving production credentials. Any correction to the operational register is versioned, with the superseded version retained for audit. Performance against the commitments in this document is reported to the Control Owner each year. Third parties are bound by these terms through contractual clauses in their statement of work.

Control	Owner	Frequency

Access recertification	Service Owner	Each year
Change approval	Process Manager	Per change
Backup restore test	Control Owner	Each year
Log retention review	Compliance Officer	Each year

Exceptions and Waivers

New starters shadow an experienced owner until they can process a approval workflow unaided. Capacity to absorb backlog age is reassessed every year and signed off by the Control Owner. The Control Owner may suspend the control log entries without notice where risk warrants it. Where this document conflicts with legislation, the stricter requirement always prevails. The Control Owner reviews backlog age alongside financial results to confirm the approval workflow assumptions hold. Business continuity plans assume the Vulnerability Management capability can be restored within year.

Training is mandatory before production access is granted to the Vulnerability Management environment. Templates for change request are versioned centrally so that

Security does not maintain local copies. Exceptions require written approval from the Control Owner and are logged with a review date. Teams outside Security consume the control log read-only; changes are requested through the Control Owner. Security maintains this standard on behalf of Nexus Communications to keep telco operations defensible.

Control	Owner	Frequency
Access recertification	Service Owner	Each year
Change approval	Process Manager	Per change
Backup restore test	Control Owner	Each year
Log retention review	Compliance Officer	Each year