

dt-mcp-workspace — Install & Upgrade Guide

Get a Dynatrace MCP workspace running in 5 minutes.
Version 3.0 — Auto-updating skills, one-way sync, multi-tenant safe.

New Install (Fresh Deployment)

Prerequisites

- **Node.js 18+** — nodejs.org
- **VS Code** with GitHub Copilot (Chat enabled) — *for Copilot users*
- **Claude Code** installed — *for Claude users* (`npm install -g @anthropic-ai/claude-code`)
- **Dynatrace Platform Token** with required scopes

Works on **macOS**, **Windows**, and **Linux**. Platform-specific commands noted below.

Step 1: Clone & Initialize

macOS / Linux:

```
git clone https://github.com/mf-dynatrace/dt-mcp-workspace.git my-client-workspace
cd my-client-workspace
bash setup.sh
```

Windows (Git Bash or PowerShell):

```
git clone https://github.com/mf-dynatrace/dt-mcp-workspace.git my-client-workspace
cd my-client-workspace
bash setup.sh
```

`setup.sh` creates `reference/*.md` files from templates, validates your environment, and creates the `report/` directory. On Windows, use Git Bash to run it.

Step 2: Create Your `.env`

```
cp .env.example .env
```

Edit `.env` with your Dynatrace credentials:

```
DT_ENVIRONMENT=https://YOUR_TENANT_ID.apps.dynatrace.com
DT_PLATFORM_TOKEN=YOUR_PLATFORM_TOKEN_HERE
MCP_USER_ID=your.email@company.com
```

Step 3: Token Scopes

Create a **Platform Token** in Dynatrace with:

Scope	Required For
-------	--------------

app-engine:apps:run	MCP server
storage:logs:read	Log queries
storage:events:read	Event queries
storage:spans:read	Trace/span queries
storage:bizevents:read	Business events
storage:metrics:read	Metric queries
storage:entities:read	Entity lookups
storage:user.sessions:read	RUM sessions (optional)
storage:user.events:read	RUM events (optional)

Step 4: Launch Your AI Client

VS Code + GitHub Copilot:

```
code .
```

The MCP server auto-starts via `.vscode/mcp.json` . Verify in Copilot Chat:

"What Dynatrace environment am I connected to?"

Claude Code (macOS / Linux):

```
claude
```

Run from the workspace root. Claude Code loads `.mcp.json` automatically.

Claude Code (Windows):

```
Get-Content .env | Where-Object { $_ -notmatch '^#' -and $_ -ne '' } | ForEach-Object {
    $k, $v = $_ -split '=', 2; [System.Environment]::SetEnvironmentVariable($k, $v)
}
claude
```

VS Code extension (Claude): After cloning, run **Developer: Reload Window** (`Cmd/Ctrl+Shift+P`) so the extension picks up `.mcp.json` , then check `/mcp` .

Step 5: Replace Placeholders

Search and replace across all files:

Placeholder	Replace With
[CLIENT_NAME]	Customer name

[TENANT_ID]	Dynatrace tenant ID
[INDUSTRY]	Customer industry
[WEBSITE_URL]	Customer website URL

Tip: Ask your AI to do this: "Replace all placeholders — prompt me for values before writing"

Upgrade (Existing MCP-cleanDeploy Workspace)

If the workspace was git-cloned:

```
cd my-client-workspace
curl -fsSL https://raw.githubusercontent.com/mf-dynatrace/dt-mcp-workspace/main/migrate-to-v3.sh -o migrate-to-v3.sh
bash migrate-to-v3.sh
```

If the workspace was folder-copied (no `.git` directory):

Same command — the migration script detects this and initializes git automatically:

```
cd my-client-workspace
curl -fsSL https://raw.githubusercontent.com/mf-dynatrace/dt-mcp-workspace/main/migrate-to-v3.sh -o migrate-to-v3.sh
bash migrate-to-v3.sh
```

What the migration does:

1. **Backs up** your `.env` and `reference/*.md` files
2. **Connects** the workspace to `mf-dynatrace/dt-mcp-workspace` (initializes git if needed)
3. **Pulls** the latest structure (skills, prompts, instructions, examples)
4. **Restores** your reference files (now gitignored — safe from future pulls)
5. **Disables push** (one-way sync only — prevents accidental upload of tenant data)

After migration:

- Your `.env` and reference data are **unchanged**
 - Skills are now at the **latest version** (17 skills including new Azure, GCP, alerting, JS runtime, predictive analytics)
 - VS Code will **auto-pull updates** every time you open the workspace
 - No further manual steps needed
-

Receiving Updates (After Install or Upgrade)

Automatic (VS Code)

A background task runs `git pull --ff-only` every time the workspace opens. You get updated skills, prompts, and instructions silently.

Manual (Claude Code or terminal)

```
cd my-client-workspace
git pull --ff-only
```

What updates include

- Skills (synced weekly from [dynatrace-for-ai](#))
- Instruction files (`CLAUDE.md` , `copilot-instructions.md`)
- Prompt templates (`.github/prompts/`)
- Example dashboards and workflows

What is NEVER overwritten by updates

- `.env` — your credentials (gitignored)
- `reference/*.md` — your tenant-specific cached data (gitignored)
- `report/` — your generated reports (gitignored)

Push is disabled by design

After migration, `git push` is blocked. This workspace is **pull-only** to prevent accidental upload of customer data to the shared repo.

Supported AI Clients

Client	Config File	How It Connects
VS Code + GitHub Copilot	<code>.vscode/mcp.json</code>	VS Code native <code>envFile</code> support
Claude Code (CLI / desktop / IDE)	<code>.mcp.json</code>	Bash wrapper sources <code>.env</code>

Both configs are included. Configure `.env` once — works for both.

⚠ **Claude Code reads `.mcp.json` (workspace root), NOT `.claude/settings.json`.** The `mcpServers` key only works in `.mcp.json`. `.claude/settings.json` is only for `enableAllProjectMcpServers` (auto-approval).

Feature Flags (Optional)

All default to `yes`. Set to `no` in `.env` to disable:

Flag	Effect when no
<code>MCP_GRAIL_ONLY</code>	Enables Gen 2 USQL/classic APIs
<code>MCP_USE_USER_VARIABLE</code>	Skips user identity on events
<code>MCP_SEND_TRACKING_EVENTS</code>	Disables query tracking

File Structure

- `.env`
- ← Your credentials (gitignored)
- `.mcp.json`
- ← MCP server config for Claude Code

<code>.vscode/mcp.json</code>	← MCP server config for VS Code + Copilot
<code>.vscode/tasks.json</code>	← Auto-pull updates on workspace open
<code>.claude/settings.json</code>	← Claude Code: <code>enableAllProjectMcpServers</code>
<code>.github/copilot-instructions.md</code>	← GitHub Copilot behaviour rules
<code>CLAUDE.md</code>	← Claude Code behaviour rules
<code>setup.sh</code>	← First-run initialization
<code>migrate-to-v3.sh</code>	← One-time upgrade from MCP-cleanDeploy
<code>skills-lock.json</code>	← Skill registry (upstream + custom)
<code>skills/</code>	← DQL domain knowledge (auto-synced + custom)
<code>reference/*.template.md</code>	← Clean templates (git-tracked)
<code>reference/*.md</code>	← Tenant-specific data (gitignored)
<code>example/</code>	← Sample dashboards & workflows
<code>report/</code>	← Generated reports (gitignored)

First Session Checklist

- ☐ `.env` configured with credentials
- ☐ Connection verified ("What environment am I connected to?")
- ☐ Placeholders replaced in `CLAUDE.md` and `copilot-instructions.md`
- ☐ Run `find_entity_by_name` to discover key services (FREE)
- ☐ Update `reference/Entities_Reference.md` with discovered IDs
- ☐ Run a BizEvents summary to discover event types
- ☐ Update `reference/BizEvents_Reference.md`

Troubleshooting

Problem	Fix
MCP not connecting (VS Code)	Check <code>DT_ENVIRONMENT</code> URL format (<code>*.apps.dynatrace.com</code>); reload window
MCP not connecting (Claude Code)	Confirm <code>.mcp.json</code> exists at workspace root; run <code>claude</code> from that folder; reload window in VS Code extension
MCP not connecting (Windows)	<code>bash</code> must be on PATH (Git for Windows) — or pre-export <code>.env</code> vars before <code>claude</code>
Auth errors	Verify token scopes match table above
"Not authorized for table"	Add missing <code>storage:*:read</code> scope to token
Copilot ignoring instructions	Ensure <code>.github/copilot-instructions.md</code> at workspace root
Claude ignoring instructions	Ensure <code>CLAUDE.md</code> at workspace root
High query costs	Read <code>reference/MCP_Query_Optimization_Guide.md</code>
<code>git push</code> fails	By design — workspace is pull-only after migration

Untracked files after
upgrade

Run `git status` — gitignored files are safe; any "U" files are local-only