

Customer Sign Up

Execution Environment

Host name	Win 10 - LENNONOVO
OS	Windows 10 64bit
Katalon version	7.0.0.1
Browser	Chrome 81.0.4044.122

Summary

ID	Test Suites/Web RoomMe.id/Customer Sign Up		
Description			
Total	8		
Passed	6	Failed	2
Error	0	Incomplete	0
Start	2020-04-28 05:51:45	End	2020-04-28 05:57:59
Elapsed	6m - 14.334s		

#	ID	Description	Status
1	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		PASSED
2	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		PASSED
3	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		PASSED
4	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		PASSED
5	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		PASSED
6	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		FAILED
7	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		FAILED
8	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		PASSED

1. Sign Up with Valid Data

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		
Description			
Tag			
Start	2020-04-28 05:51:45	End	2020-04-28 05:52:15
Elapsed	29.794s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	11.671s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.468s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.520s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.698s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.587s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	6.427s	PASSED

1. Sign Up with Valid Data

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.436s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "Faldi Test AT")</code> Text 'Faldi Test AT' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	1.034s	PASSED
9	<code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code> NOT_RUN: <code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>	0.002s	NOT_RUN
10	<code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code> NOT_RUN: <code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>	0.001s	NOT_RUN
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "faldiat" + RandomStringUtils.randomNumeric(5))</code> Text 'faldiat96373' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.814s	PASSED
12	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "@gmail.com")</code> Keys '@gmail.com' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.654s	PASSED
13	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "081234567890")</code> Text '081234567890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	1.096s	PASSED
14	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "da8fEzhczGg=")</code> Text '*****' has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.870s	PASSED

1. Sign Up with Valid Data

#	Description	Elapsed	Status
15	setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "da8fEzhczGg=") Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.945s	PASSED
16	click(findTestObject("Web RoomMe.id/Sign Up Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Button Sign Up' is clicked on	0.821s	PASSED
17	waitForPageLoad(0) NOT_RUN: waitForPageLoad(0)	0.001s	NOT_RUN
18	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Button Close")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Button Close"))	0.001s	NOT_RUN
19	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Image Logo RoomMe")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Image Logo RoomMe"))	0.001s	NOT_RUN
20	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Welcome to RoomMe")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Welcome to RoomMe"))	0.001s	NOT_RUN
21	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"))	0.001s	NOT_RUN
22	verifyElementText(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"), namauser) NOT_RUN: verifyElementText(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"), namauser)	0.002s	NOT_RUN

1. Sign Up with Valid Data

#	Description	Elapsed	Status
23	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Thank you Youve successfully signed up"))	0.000s	NOT_RUN
NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Thank you Youve successfully signed up"))			
24	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Please check your email for activation"))	0.000s	NOT_RUN
NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Please check your email for activation"))			

5. Customer Input Phone Number with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:52:15	End	2020-04-28 05:52:42
Elapsed	27.211s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	10.125s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.497s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.492s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.592s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.511s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.877s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is visible	0.349s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "abcdefghij")</code> Text 'abcdefghij' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.725s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.506s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.469s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "12345abcde")</code> Text '12345abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.886s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.443s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.491s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
14	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456 7890") Text '08123456 7890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	1.016s	PASSED
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.443s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.486s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "!@#%&*()") Text '!@#%&*()' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	1.022s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.398s	PASSED
19	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.472s	PASSED

3. Customer Input Name Field with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:52:42	End	2020-04-28 05:53:57
Elapsed	1m - 14.655s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	10.165s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.903s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.521s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.675s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.469s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	5.016s	PASSED

3. Customer Input Name Field with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.408s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "ab")</code> Text 'ab' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.624s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text At least input 3 characters long"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text At least input 3 characters long' is visible	0.702s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.450s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "abcde abcde abcde abcde abcde abcde abcde")</code> Text 'abcde abcde abcde abcde abcde abcde abcde abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	1.628s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Name input characters is 20"), 30, STOP_ON_FAILURE)</code> Web element with id: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Name input characters is 20' located by 'By.xpath: id("dropdown-auth")/ul[@class="dropdown-menu show"]/div[1]/div[1]/div[@class="auth-dropdown-form pt-0"]/div[1]/form[@class="auth-form"]/div[1]/div[@class="form-group"]/div[@class="my-2 mt-0"]/div[@class="invalid-feedback"]/span[1]' not found	47.687s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.569s	PASSED

3. Customer Input Name Field with Invalid Format

#	Description	Elapsed	Status
14	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "abc1") Text 'abc1' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.838s	PASSED
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters' is visible	0.605s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.488s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "abc!@#") Text 'abc!@#' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.930s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters' is visible	0.571s	PASSED

4. Customer Input Email with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:53:57	End	2020-04-28 05:54:28
Elapsed	30.724s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	9.926s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.068s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.530s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.680s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.478s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	5.140s	PASSED

4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is visible	0.407s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc123")</code> Text 'abc123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.787s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.581s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.478s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc 123")</code> Text 'abc 123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.920s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.434s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.467s	PASSED
14	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "!@#\$\$!@")</code> Text '!@#\$\$!@' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.795s	PASSED

4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
15	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.504s	PASSED
16	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.474s	PASSED
17	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "ab@gmail")</code> Text 'ab@gmail' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.835s	PASSED
18	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.537s	PASSED
19	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.488s	PASSED
20	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "ab@.com")</code> Text 'ab@.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.920s	PASSED
21	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.448s	PASSED

4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
22	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.483s	PASSED
23	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc 1 2 3@ac.com")</code> Text 'abc 1 2 3@ac.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	1.023s	PASSED
24	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.426s	PASSED
25	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.459s	PASSED

5. Customer Input Phone Number with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:54:28	End	2020-04-28 05:54:55
Elapsed	26.819s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	9.833s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.076s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.475s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.684s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.477s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	5.274s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is visible	0.428s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "abcdefghij")</code> Text 'abcdefghij' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.789s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.563s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.498s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "12345abcde")</code> Text '12345abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.858s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.552s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.457s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
14	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456 7890") Text '08123456 7890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	1.000s	PASSED
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.419s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.479s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "!@#%&*()") Text '!@#%&*()' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	1.010s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.445s	PASSED
19	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.460s	PASSED

6. Customer Input Password with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:54:55	End	2020-04-28 05:56:46
Elapsed	1m - 51.791s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	10.295s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.036s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.511s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.669s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.459s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	5.330s	PASSED

6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
7	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is visible	0.387s	PASSED
8	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "abc") Text 'abc' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.622s	PASSED
9	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0) Web element with id: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' located by 'By.xpath: id("dropdown-auth")/ul[@class="dropdown-menu show"]/div[1]/div[1]/div[@class="auth-dropdown-form pt-0"]/div[1]/form[@class="auth-form"]/div[1]/div[@class="form-group"]/div[@class="my-2"]/div[@class="invalid-feedback"]/span[1][count(. /*[(text() = 'Password at least 6 Characters, one letter of capitalize, one number and one special character' or . = 'Password at least 6 Characters, one letter of capitalize, one number and one special character')]] = count(/*[(text() = 'Password at least 6 Characters, one letter of capitalize, one number and one special character' or . = 'Password at least 6 Characters, one letter of capitalize, one number and one special character')]])' not found	53.096s	PASSED
10	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.577s	PASSED
11	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "123") Text '123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.837s	PASSED

6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
---	-------------	---------	--------


6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
12	<p>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)</p> <p>Unable to wait for object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' to be visible (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to wait for object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' to be visible at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementVisibleKeyword.waitForElementVisible (WaitForElementVisibleKeyword.groovy:98) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementVisibleKeyword.execute (WaitForElementVisibleKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.waitForElementVisible (WebUiBuiltInKeywords.groovy:434) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$waitForElementVisible\$4.call(Unknown Source) at 6. Customer Input Password with Invalid Format.run (6. Customer Input Password with Invalid Format:42) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027679839.run (TempTestSuite1588027679839.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (Session info: chrome=81.0.4044.122) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LENNONNOVO', ip: '192.168.1.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</p>	36.564s	FAILED

6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
81.0.4044.122,	chrome: {chromedriverVersion: 81.0.4044.69 (6813546031a4b..., userDataDir: C:\Users\Faldi\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:57203}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn: virtualAuthenticators: true} Session ID: 08d13933805840a45116fdf69d124356 *** Element info: {Using=xpath, value=id("dropdown-auth")/ul[@class="dropdown-menu show"]/div[1]/div[1]/div[@class="auth-dropdown-form pt-0"]/div[1]/form[@class="auth-form"] /div[1]/div[@class="form-group"]/div[@class="my-2"]/div[@class="invalid-feedback"] /span[1] count(. /*[(text() = ' Password at least 6 Characters, one letter of capitalize, one number and one special character ' or . = ' Password at least 6 Characters, one letter of capitalize, one number and one special character ')]) = count(/*[(text() = ' Password at least 6 Characters, one letter of capitalize, one number and one special character ' or . = ' Password at least 6 Characters, one letter of capitalize, one number and one special character ')]) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy9.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:762) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1109)		

6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword\$findWebElement.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementVisibleKeyword\$_waitForElementVisible_closure1.doCall (WaitForElementVisibleKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementVisibleKeyword\$_waitForElementVisible_closure1.doCall (WaitForElementVisibleKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementVisibleKeyword. waitForElementVisible(WaitForElementVisibleKeyword.groovy:98) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementVisibleKeyword. execute(WaitForElementVisibleKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. waitForElementVisible(WebUiBuiltInKeywords.groovy:434) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$waitForElementVisible\$4.call(Unknown Source) at Script1586326200216.run(Script1586326200216.groovy:42) ... 13 more)</pre>		
			

7. Customer Input Confirm Password with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:56:46	End	2020-04-28 05:57:35
Elapsed	48.519s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)	15.458s	PASSED
Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully			


7. Customer Input Confirm Password with Invalid Format

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 7. Customer Input Confirm Password with Invalid Format.run(7. Customer Input Confirm Password with Invalid Format:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027679839.run(TempTestSuite1588027679839.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Are You Landlord' is visible at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword. verifyElementVisible(VerifyElementVisibleKeyword.groovy:97) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword. execute(VerifyElementVisibleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)</p>	32.678s	FAILED

7. Customer Input Confirm Password with Invalid Format

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementVisible(WebUiBuiltInKeywords.groovy:372) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementVisible\$2.call(Unknown Source) at 2. Verify Header RoomMe.id.run(2. Verify Header RoomMe.id:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:114) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/Web RoomMe.id\RoomMe.id Header\Button Are You Landlord' located by 'By.xpath: //div[2]/a' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall(VerifyElementVisibleKeyword.groovy:89) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call(VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 35 more)</pre>		
	<div><p>No internet</p><p>Try:</p><ul style="list-style-type: none">• Checking the network cables, modem, and router• Reconnecting to Wi-Fi• Running Windows Network Diagnostics<p>ERR_INTERNET_DISCONNECTED</p></div>		

7. Customer Input Confirm Password with Invalid Format

#	Description	Elapsed	Status
	<div><div></div><div>No internet</div><div><div>Try:</div><ul style="list-style-type: none">• Checking the network cables, modem, and router• Reconnecting to Wi-Fi• Running Windows Network Diagnostics</div><div>ERR_INTERNET_DISCONNECTED</div></div>		

8. Sign Up with Already Registered Email

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		
Description			
Tag			
Start	2020-04-28 05:57:35	End	2020-04-28 05:57:59
Elapsed	24.409s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	9.520s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.985s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.428s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.571s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.572s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.718s	PASSED

8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.325s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "Faldi Test AT")</code> Text 'Faldi Test AT' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.587s	PASSED
9	<code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code> NOT_RUN: <code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>	0.000s	NOT_RUN
10	<code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code> NOT_RUN: <code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>	0.001s	NOT_RUN
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "hurujy@getnada.com")</code> Text 'hurujy@getnada.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.745s	PASSED
12	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "081234567890")</code> Text '081234567890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.746s	PASSED
13	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "da8fEzhczGg=")</code> Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.709s	PASSED
14	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "da8fEzhczGg=")</code> Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.707s	PASSED

8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
15	click(findTestObject("Web RoomMe.id/Sign Up Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Button Sign Up' is clicked on	0.621s	PASSED
16	mouseOver(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered")) Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered' is hovered	1.533s	PASSED
17	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered"), 0) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered' is visible	0.323s	PASSED