# Customer Login with Google

#### **Execution Environment**

Host name Faldi - Alienware-X51
OS Windows 10 64bit

Katalon version 7.2.6.1

Browser

Summary

ID Test Suites/Web RoomMe.id/Customer Login with Google

Description

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Start 2020-04-26 20:29:19 End 2020-04-26 20:29:24

Elapsed 5.023s

#	ID	Description	Status
1	Test Cases/Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail		FAILED
2	Test Cases/Web RoomMe.id/19. Sign In with Google/2. Customer Login with Already Login Google Account		FAILED

#### Information

ID Test Cases/Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail

Description

Tag

Start 2020-04-26 20:29:19 End 2020-04-26 20:29:23

Elapsed 3.383s Status FAILED

#### **Details**

# Description Elapsed Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)	2.918s	FAILED
	Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page'		
	failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at 1. Customer Login with Registered Gmail.run(1. Customer Login with		
	Registered Gmail:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1587907754038.run(TempTestSuite1587907754038.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		

(OpenBrowserKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

```
Description
                                                                                                                                                                   Elapsed
                                                                                                                                                                                                   Status
executeKeywordForPlatform(KeywordExecutor.groovy:72)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
                 at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
18)
                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                 java:337)
                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                 at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:307)
                 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
                 at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
java:233)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                 at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                 ... 20 more
Caused by: org.openga.selenium.WebDriverException: unknown error: cannot find Chrome
binary
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch:
 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
                 Ordinal0 [0x00C3A113+1548563]
                 Ordinal0 [0x00BBDDA1+1039777]
                 Ordinal0 [0x00B3E485+517253]
                 Ordinal0 [0x00ACC0F1+49393]
                 Ordinal0 [0x00AEB797+178071]
                 Ordinal0 [0x00AEB59D+177565]
                 Ordinal0 [0x00AE95FB+169467]
                 Ordinal0 [0x00AD160A+71178]
                 Ordinal0 [0x00AD2690+75408]
                 Ordinal0 [0x00AD2629+75305]
                 Ordinal0 [0x00BD71B7+1143223]
                 GetHandleVerifier [0x00CD2B46+507814]
                 GetHandleVerifier [0x00CD2864+507076]
                 GetHandleVerifier [0x00CD9F47+537511]
                 GetHandleVerifier [0x00CD3402+510050]
                 Ordinal0 [0x00BCF29C+1110684]
                 Ordinal0 [0x00BD938B+1151883]
                 Ordinal0 [0x00BD94F3+1152243]
                 Ordinal0 [0x00BD83F5+1147893]
                 BaseThreadInitThunk [0x76C36359+25]
                 RtlGetAppContainerNamedObjectPath [0x77977C14+228]
                 RtlGetAppContainerNamedObjectPath [0x77977BE4+180]
                 at org.openga.selenium.remote.W3CHandshakeResponse.
```

lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)

at org.openqa.selenium.remote.HandshakeResponse.

```
Description
                                                                                           Elapsed
                                                                                                             Status
lambda$getResponseFunction$0(HandshakeResponse.java:30)
          at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
          at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at\ org. open qa. selenium. remote. Http Command Executor. execute
(HttpCommandExecutor.java:136)
          at\ org. open qa. selenium. remote. service. Driver Command Executor. execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at\ org. open qa. selenium. remote. Remote Web Driver. start Session
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
          at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
          at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
          at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:356)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:317)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:208)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 35 more
```

#### Information

ID Test Cases/Web RoomMe.id/19. Sign In with Google/2. Customer Login with Already Login Google Account

Description

Tag

Start 2020-04-26 20:29:23 End 2020-04-26 20:29:24

Elapsed 1.168s Status FAILED

#### **Details**

# Description Elapsed Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail"), [:], STOP_ON_FAILURE)	0.800s	FAILED
	Unable to call Test Case 'Test Cases/Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail' (Root cause: com.kms.katalon.core.exception.  StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 2. Customer Login with Already Login Google Account.run(2. Customer Login		
	with Already Login Google Account:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1587907754038.run(TempTestSuite1587907754038.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:68)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)		

(CallTestCaseKeyword.groovy:81)

 $at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. execute$ 

```
Description
                                                                                                                                                                                                                                                                                                      Elapsed
                                                                                                                                                                                                                                                                                                                                                              Status
 (CallTestCaseKeyword.groovy:44)
                                at com.kms.katalon.core.keyword.internal.KeywordExecutor.
  executeKeywordForPlatform(KeywordExecutor.groovy:72)
                               at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords.
  groovy:334)
                                at 1. Customer Login with Registered Gmail.run(1. Customer Login with
  Registered Gmail:18)
                                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:337)
                                at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
 java:328)
                               at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
  (TestCaseExecutor.java:307)
                               at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
  (TestCaseExecutor.java:299)
                               at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
 java:233)
                               at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
  114)
                               at com.kms.katalon.core.kevword.builtin.
  CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                                ... 20 more
  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser
 with url: 'https://web.roomme.id/'
                                at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
  (WebUIKeywordMain.groovy:64)
                               at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword Main. run Keyw
  (WebUIKeywordMain.groovy:26)
                               at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
  openBrowser(OpenBrowserKeyword.groovy:81)
                               at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
  (OpenBrowserKeyword.groovy:67)
                               at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
  executeKeywordForPlatform(KeywordExecutor.groovy:72)
                                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
  (WebUiBuiltInKeywords.groovy:60)
                               at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
  (Unknown Source)
                                at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
  18)
                                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:337)
                                at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
 java:328)
                               at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
  (TestCaseExecutor.java:307)
                               at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
  (TestCaseExecutor.java:299)
                               at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
 iava:233)
```

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:

114)

```
Description
                                                                                          Elapsed
                                                                                                           Status
         at com.kms.katalon.core.keyword.builtin.
Call Test Case Keyword \$\_call Test Case\_closure 1. do Call (Call Test Case Keyword. groovy: 59)
         ... 36 more
Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
         Ordinal0 [0x00C3A113+1548563]
         Ordinal0 [0x00BBDDA1+1039777]
         Ordinal0 [0x00B3E485+517253]
          Ordinal0 [0x00ACC0F1+49393]
          Ordinal0 [0x00AEB797+178071]
          Ordinal0 [0x00AEB59D+177565]
          Ordinal0 [0x00AE95FB+169467]
          Ordinal0 [0x00AD160A+71178]
          Ordinal0 [0x00AD2690+75408]
          Ordinal0 [0x00AD2629+75305]
          Ordinal0 [0x00BD71B7+1143223]
          GetHandleVerifier [0x00CD2B46+507814]
          GetHandleVerifier [0x00CD2864+507076]
          GetHandleVerifier [0x00CD9F47+537511]
          GetHandleVerifier [0x00CD3402+510050]
          Ordinal0 [0x00BCF29C+1110684]
         Ordinal0 [0x00BD938B+1151883]
          Ordinal0 [0x00BD94F3+1152243]
          Ordinal0 [0x00BD83F5+1147893]
          BaseThreadInitThunk [0x76C36359+25]
         RtlGetAppContainerNamedObjectPath [0x77977C14+228]
         RtlGetAppContainerNamedObjectPath [0x77977BE4+180]
         at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
```

at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:

```
Description
                                                                                               Elapsed
                                                                                                                 Status
13)
          at\ com. kms. katalon. core. we bui. driver. Driver Factory. create New Chrome Driver
(DriverFactory.java:356)
          at\ com. kms. katalon. core. we bui. driver. Driver Factory. start New Browser
(DriverFactory.java:317)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:208)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword
(WebUIKeywordMain.groovy:20)
          ... 51 more
```