

Customer Sign Up

Execution Environment

Host name	Win 10 - LENNONOVO
OS	Windows 10 64bit
Katalon version	7.2.6.1
Browser	Chrome 81.0.4044.122

Summary

ID	Test Suites/Web RoomMe.id/Customer Sign Up		
Description			
Total	8		
Passed	8	Failed	0
Error	0	Incomplete	0
Start	2020-04-27 12:17:36	End	2020-04-27 12:22:38
Elapsed	5m - 1.555s		

#	ID	Description	Status
1	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		PASSED
2	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		PASSED
3	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		PASSED
4	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		PASSED
5	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		PASSED
6	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		PASSED
7	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		PASSED
8	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		PASSED

1. Sign Up with Valid Data

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		
Description			
Tag			
Start	2020-04-27 12:17:37	End	2020-04-27 12:18:00
Elapsed	22.934s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	9.974s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.513s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.365s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.611s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.333s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.152s	PASSED

1. Sign Up with Valid Data

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.333s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "Faldi Test AT")</code> Text 'Faldi Test AT' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.574s	PASSED
9	<code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code> NOT_RUN: <code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>	0.001s	NOT_RUN
10	<code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code> NOT_RUN: <code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>	0.001s	NOT_RUN
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "faldiat" + RandomStringUtils.randomNumeric(5))</code> Text 'faldiat62230' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.579s	PASSED
12	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "@gmail.com")</code> Keys '@gmail.com' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.539s	PASSED
13	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "081234567890")</code> Text '081234567890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.714s	PASSED
14	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "da8fEzhczGg=")</code> Text '*****' has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.617s	PASSED

1. Sign Up with Valid Data

#	Description	Elapsed	Status
15	setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "da8fEzhczGg=") Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.666s	PASSED
16	click(findTestObject("Web RoomMe.id/Sign Up Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Button Sign Up' is clicked on	0.577s	PASSED
17	waitForPageLoad(0) NOT_RUN: waitForPageLoad(0)	0.000s	NOT_RUN
18	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Button Close")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Button Close"))	0.000s	NOT_RUN
19	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Image Logo RoomMe")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Image Logo RoomMe"))	0.000s	NOT_RUN
20	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Welcome to RoomMe")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Welcome to RoomMe"))	0.000s	NOT_RUN
21	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"))	0.001s	NOT_RUN
22	verifyElementText(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"), namauser) NOT_RUN: verifyElementText(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"), namauser)	0.000s	NOT_RUN

1. Sign Up with Valid Data

#	Description	Elapsed	Status
23	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Thank you Youve successfully signed up"))	0.001s	NOT_RUN
NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Thank you Youve successfully signed up"))			
24	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Please check your email for activation"))	0.000s	NOT_RUN
NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Please check your email for activation"))			

5. Customer Input Phone Number with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:18:00	End	2020-04-27 12:19:09
Elapsed	1m - 9.761s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	8.924s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.674s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.372s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.556s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.434s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.184s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is visible	0.279s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "abcdefghij")</code> Text 'abcdefghij' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.408s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.464s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.391s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "12345abcde")</code> Text '12345abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.750s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.457s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.439s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
14	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456 7890") Text '08123456 7890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.665s	PASSED
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE) Web element with id: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' located by 'By.xpath: //div[@id='dropdown-auth']/ul/div/div/div/div/form/div/div[3]/div/div[2]/span' not found	47.584s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.415s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "!@#%&*()") Text '!@#%&*()' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.795s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.431s	PASSED
19	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.385s	PASSED

3. Customer Input Name Field with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:19:09	End	2020-04-27 12:19:37
Elapsed	27.372s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	13.502s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.896s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.306s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.558s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.361s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.198s	PASSED

3. Customer Input Name Field with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.328s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "ab")</code> Text 'ab' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.462s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text At least input 3 characters long"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text At least input 3 characters long' is visible	0.474s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.400s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "abcde abcde abcde abcde abcde abcde abcde")</code> Text 'abcde abcde abcde abcde abcde abcde abcde abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.985s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Name input characters is 20"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Name input characters is 20' is visible	0.455s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.426s	PASSED
14	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "abc1")</code> Text 'abc1' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.762s	PASSED

3. Customer Input Name Field with Invalid Format

#	Description	Elapsed	Status
15	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters' is visible	0.493s	PASSED
16	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.381s	PASSED
17	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "abc!@#")</code> Text 'abc!@#' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.676s	PASSED
18	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters' is visible	0.550s	PASSED

4. Customer Input Email with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:19:37	End	2020-04-27 12:20:02
Elapsed	25.724s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	8.709s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.914s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.398s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.562s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.372s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.068s	PASSED

4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is visible	0.346s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc123")</code> Text 'abc123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.561s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.599s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.415s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc 123")</code> Text 'abc 123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.728s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.491s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.417s	PASSED
14	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "!@#\$\$!@")</code> Text '!@#\$\$!@' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.592s	PASSED

4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.462s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.316s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "ab@gmail") Text 'ab@gmail' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.704s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.481s	PASSED
19	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.402s	PASSED
20	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "ab@.com") Text 'ab@.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.635s	PASSED
21	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.437s	PASSED

4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
22	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.429s	PASSED
23	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc 1 2 3@ac.com") Text 'abc 1 2 3@ac.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.735s	PASSED
24	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.341s	PASSED
25	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.439s	PASSED

5. Customer Input Phone Number with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:20:02	End	2020-04-27 12:21:12
Elapsed	1m - 9.985s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	8.457s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.478s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.307s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.507s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.353s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.428s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is visible	0.302s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "abcdefghij")</code> Text 'abcdefghij' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.559s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.473s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.460s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "12345abcde")</code> Text '12345abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.632s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.457s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.427s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
14	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456 7890") Text '08123456 7890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.805s	PASSED
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE) Web element with id: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' located by 'By.xpath: //div[@id='dropdown-auth']/ul/div/div/div/div/form/div/div[3]/div/div[2]/span' not found	47.375s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.435s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "!@#%^^&*()") Text '!@#%^^&*()' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.650s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.451s	PASSED
19	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE)) Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.411s	PASSED

6. Customer Input Password with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:21:12	End	2020-04-27 12:21:37
Elapsed	24.495s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	8.591s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.703s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.297s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.550s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.324s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.011s	PASSED

6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is visible	0.322s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "abc")</code> Text 'abc' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.432s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.583s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.408s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "123")</code> Text '123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.650s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.589s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.353s	PASSED
14	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "!@#")</code> Text '!@#' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.676s	PASSED

6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
15	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.509s	PASSED
16	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.378s	PASSED
17	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), " ")</code> Keys ' ' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.660s	PASSED
18	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password is required"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password is required' is visible	0.369s	PASSED
19	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.394s	PASSED
20	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "abcde1234512345")</code> Text 'abcde1234512345' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.485s	PASSED
21	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.477s	PASSED

6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
22	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))</code> Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.350s	PASSED
23	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "abcd123!@#")</code> Text 'abcd123!@#' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.750s	PASSED
24	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.491s	PASSED

7. Customer Input Confirm Password with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:21:37	End	2020-04-27 12:22:13
Elapsed	36.380s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	26.613s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.970s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.386s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.581s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.435s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.001s	PASSED

7. Customer Input Confirm Password with Invalid Format

#	Description	Elapsed	Status
7	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password' is visible	0.331s	PASSED
8	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is visible	0.340s	PASSED
9	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "Abc123!") Text 'Abc123!' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.528s	PASSED
10	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "abcdef") Text 'abcdef' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.672s	PASSED
11	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text password confirmation didnt match password"), 0) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text password confirmation didnt match password' is visible	0.387s	PASSED

8. Sign Up with Already Registered Email

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		
Description			
Tag			
Start	2020-04-27 12:22:13	End	2020-04-27 12:22:38
Elapsed	24.651s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	11.345s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.675s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.355s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.509s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.336s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.108s	PASSED

8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.326s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "Faldi Test AT")</code> Text 'Faldi Test AT' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.591s	PASSED
9	<code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code> NOT_RUN: <code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>	0.000s	NOT_RUN
10	<code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code> NOT_RUN: <code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>	0.000s	NOT_RUN
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "hurujy@getnada.com")</code> Text 'hurujy@getnada.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.572s	PASSED
12	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "081234567890")</code> Text '081234567890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.725s	PASSED
13	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "da8fEzhczGg=")</code> Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.733s	PASSED
14	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "da8fEzhczGg=")</code> Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.666s	PASSED

8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
15	click(findTestObject("Web RoomMe.id/Sign Up Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Button Sign Up' is clicked on	0.570s	PASSED
16	mouseOver(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered")) Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered' is hovered	1.644s	PASSED
17	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered"), 0) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered' is visible	0.383s	PASSED