Customer Login

Execution Environment

Host name Faldi - Alienware-X51
OS Windows 10 64bit

Katalon version 7.2.6.1

Browser

Summary

ID Test Suites/Web RoomMe.id/Customer Login

Description

Total 6

Passed 0 Failed 6 Error 0 Incomplete 0

Start 2020-04-26 20:29:17 End 2020-04-26 20:29:27

Elapsed 10.364s

| # | ID | Description | Status |
|---|--|-----------------------------|--------|
| 1 | Test Cases/Web RoomMe.id/3. Sign In/1. Login With Valid Credential | Customer login to RoomMe.id | FAILED |
| 2 | Test Cases/Web RoomMe.id/3. Sign In/2. Login With Not Registered Email | | FAILED |
| 3 | Test Cases/Web RoomMe.id/3. Sign In/3. Input Email With Incorrect Email Format | | FAILED |
| 4 | Test Cases/Web RoomMe.id/3. Sign In/4. Login With Wrong Password | | FAILED |
| 5 | Test Cases/Web RoomMe.id/3. Sign In/5. Input Password With Less Than 6 Character | | FAILED |
| 6 | Test Cases/Web RoomMe.id/3. Sign In/6. Input Password With Space Character | | FAILED |

Information

ID Test Cases/Web RoomMe.id/3. Sign In/1. Login With Valid Credential

Description Customer login to RoomMe.id

Tag login

Start 2020-04-26 20:29:17 End 2020-04-26 20:29:22

Elapsed 4.852s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) | 4.281s | FAILED |
| | Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed | | |
| | at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. | | |
| | CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. | | |
| | groovy:334) at 1. Login With Valid Credential.run(1. Login With Valid Credential:19) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) at TempTestSuite1587907749179.run(TempTestSuite1587907749179.groovy:36) | | |
| | Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| | openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| | (OpenBrowserKeyword.groovy:67) | | |

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:72)

```
Description
                                                                                                                                                                        Elapsed
                                                                                                                                                                                                         Status
                  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
                  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
                  at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
18)
                  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                 at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:307)
                 at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:299)
                 at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at con.kms.katalon.execute (Test Case Executor.execute) at con.kms.kata
java:233)
                  at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                 at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                  ... 20 more
Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome
binary
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch:
 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
                  Ordinal0 [0x00C3A113+1548563]
                  Ordinal0 [0x00BBDDA1+1039777]
                  Ordinal0 [0x00B3E485+517253]
                  Ordinal0 [0x00ACC0F1+49393]
                  Ordinal0 [0x00AEB797+178071]
                  Ordinal0 [0x00AEB59D+177565]
                  Ordinal0 [0x00AE95FB+169467]
                  Ordinal0 [0x00AD160A+71178]
                  Ordinal0 [0x00AD2690+75408]
                  Ordinal0 [0x00AD2629+75305]
                  Ordinal0 [0x00BD71B7+1143223]
                  GetHandleVerifier [0x00CD2B46+507814]
                  GetHandleVerifier [0x00CD2864+507076]
                  GetHandleVerifier [0x00CD9F47+537511]
                  GetHandleVerifier [0x00CD3402+510050]
                  Ordinal0 [0x00BCF29C+1110684]
                  Ordinal0 [0x00BD938B+1151883]
                  Ordinal0 [0x00BD94F3+1152243]
                  Ordinal0 [0x00BD83F5+1147893]
                  BaseThreadInitThunk [0x76C36359+25]
                  RtlGetAppContainerNamedObjectPath [0x77977C14+228]
                  RtlGetAppContainerNamedObjectPath [0x77977BE4+180]
                  at org.openga.selenium.remote.W3CHandshakeResponse.
```

lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)

lambda\$getResponseFunction\$0(HandshakeResponse.java:30)

at org.openga.selenium.remote.HandshakeResponse.

```
Description
                                                                                          Elapsed
                                                                                                            Status
         at org.openga.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at\ org. open qa. selenium. remote. Http Command Executor. execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:356)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:317)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:208)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 35 more
```

Information

ID Test Cases/Web RoomMe.id/3. Sign In/2. Login With Not Registered Email

Description

Tag

Start 2020-04-26 20:29:22 End 2020-04-26 20:29:23

Elapsed 1.016s
Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe | 0.706s | FAILED |
| | Page"), [:], STOP_ON_FAILURE) | | |
| | Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access | | |
| | RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call | | |
| | Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed | | |
| | at com.kms.katalon.core.keyword.builtin. | | |
| | CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) | | |
| | at com.kms.katalon.core.keyword.builtin. | | |
| | CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword | | |
| | (KeywordMain.groovy:68) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase | | |
| | (CallTestCaseKeyword.groovy:81) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute | | |
| | (CallTestCaseKeyword.groovy:44) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:72) | | |
| | at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. | | |
| | groovy:334) | | |
| | at 2. Login With Not Registered Email.run(2. Login With Not Registered Email:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java.194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:337) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:328) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:307) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:233) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) | | |
| | at TempTestSuite1587907749179.run(TempTestSuite1587907749179.groovy:36) | | |
| | Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser | | |
| | with url: 'https://web.roomme.id/' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| | openBrowser(OpenBrowserKeyword.groovy:81) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) | | |
| | (Openbiowsenteyword.groovy.or) | | |

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)

```
Description
                                                                                                                                                                        Elapsed
                                                                                                                                                                                                         Status
                  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
                  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
                  at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
18)
                  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                 at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:307)
                 at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:299)
                 at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at con.kms.katalon.execute (Test Case Executor.execute) at con.kms.kata
java:233)
                  at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                 at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                  ... 20 more
Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome
binary
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch:
 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
                  Ordinal0 [0x00C3A113+1548563]
                  Ordinal0 [0x00BBDDA1+1039777]
                  Ordinal0 [0x00B3E485+517253]
                  Ordinal0 [0x00ACC0F1+49393]
                  Ordinal0 [0x00AEB797+178071]
                  Ordinal0 [0x00AEB59D+177565]
                  Ordinal0 [0x00AE95FB+169467]
                  Ordinal0 [0x00AD160A+71178]
                  Ordinal0 [0x00AD2690+75408]
                  Ordinal0 [0x00AD2629+75305]
                  Ordinal0 [0x00BD71B7+1143223]
                  GetHandleVerifier [0x00CD2B46+507814]
                  GetHandleVerifier [0x00CD2864+507076]
                  GetHandleVerifier [0x00CD9F47+537511]
                  GetHandleVerifier [0x00CD3402+510050]
                  Ordinal0 [0x00BCF29C+1110684]
                  Ordinal0 [0x00BD938B+1151883]
                  Ordinal0 [0x00BD94F3+1152243]
                  Ordinal0 [0x00BD83F5+1147893]
                  BaseThreadInitThunk [0x76C36359+25]
                  RtlGetAppContainerNamedObjectPath [0x77977C14+228]
                  RtlGetAppContainerNamedObjectPath [0x77977BE4+180]
                  at org.openga.selenium.remote.W3CHandshakeResponse.
```

lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)

lambda\$getResponseFunction\$0(HandshakeResponse.java:30)

at org.openga.selenium.remote.HandshakeResponse.

```
Description
                                                                                          Elapsed
                                                                                                           Status
         at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:356)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:317)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:208)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 35 more
```

Information

ID Test Cases/Web RoomMe.id/3. Sign In/3. Input Email With Incorrect Email Format

Description

Tag

Start 2020-04-26 20:29:23 End 2020-04-26 20:29:24

Elapsed 0.997s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) | 0.664s | FAILED |
| | Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed | | |
| | at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. | | |
| | CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. | | |
| | groovy:334) at 3. Input Email With Incorrect Email Format.run(3. Input Email With Incorrect | | |
| | Email Format:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| | at TempTestSuite1587907749179.run(TempTestSuite1587907749179.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| | openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |

(OpenBrowserKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

```
Description
                                                                                                                                                                   Elapsed
                                                                                                                                                                                                   Status
executeKeywordForPlatform(KeywordExecutor.groovy:72)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
                 at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
18)
                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                 java:337)
                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                 at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:307)
                 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
                 at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
java:233)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                 at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                 ... 20 more
Caused by: org.openga.selenium.WebDriverException: unknown error: cannot find Chrome
binary
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch:
 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
                 Ordinal0 [0x00C3A113+1548563]
                 Ordinal0 [0x00BBDDA1+1039777]
                 Ordinal0 [0x00B3E485+517253]
                 Ordinal0 [0x00ACC0F1+49393]
                 Ordinal0 [0x00AEB797+178071]
                 Ordinal0 [0x00AEB59D+177565]
                 Ordinal0 [0x00AE95FB+169467]
                 Ordinal0 [0x00AD160A+71178]
                 Ordinal0 [0x00AD2690+75408]
                 Ordinal0 [0x00AD2629+75305]
                 Ordinal0 [0x00BD71B7+1143223]
                 GetHandleVerifier [0x00CD2B46+507814]
                 GetHandleVerifier [0x00CD2864+507076]
                 GetHandleVerifier [0x00CD9F47+537511]
                 GetHandleVerifier [0x00CD3402+510050]
                 Ordinal0 [0x00BCF29C+1110684]
                 Ordinal0 [0x00BD938B+1151883]
                 Ordinal0 [0x00BD94F3+1152243]
                 Ordinal0 [0x00BD83F5+1147893]
                 BaseThreadInitThunk [0x76C36359+25]
                 RtlGetAppContainerNamedObjectPath [0x77977C14+228]
                 RtlGetAppContainerNamedObjectPath [0x77977BE4+180]
                 at org.openga.selenium.remote.W3CHandshakeResponse.
```

lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)

at org.openqa.selenium.remote.HandshakeResponse.

```
Description
                                                                                           Elapsed
                                                                                                            Status
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at\ org. open qa. selenium. remote. Http Command Executor. execute
(HttpCommandExecutor.java:136)
         at\ org. open qa. selenium. remote. service. Driver Command Executor. execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:356)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:317)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:208)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 35 more
```

Information

ID Test Cases/Web RoomMe.id/3. Sign In/4. Login With Wrong Password

Description

Tag

Start 2020-04-26 20:29:24 End 2020-04-26 20:29:25

Elapsed 0.953s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) | 0.642s | FAILED |
| | Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed | | |
| | at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. | | |
| | CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. | | |
| | groovy:334) at 4. Login With Wrong Password.run(4. Login With Wrong Password:18) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TastSuiteForgutes inverted) | | |
| | (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) at TempTestSuite1587907749179.run(TempTestSuite1587907749179.groovy:36) | | |
| | Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| | openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| | (OpenBrowserKeyword.groovy:67) | | |

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:72)

```
Description
                                                                                          Elapsed
                                                                                                            Status
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
18)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
         at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:307)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:299)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:233)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
         at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
         ... 20 more
Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome
binary
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
         Ordinal0 [0x00C3A113+1548563]
         Ordinal0 [0x00BBDDA1+1039777]
         Ordinal0 [0x00B3E485+517253]
         Ordinal0 [0x00ACC0F1+49393]
         Ordinal0 [0x00AEB797+178071]
         Ordinal0 [0x00AEB59D+177565]
         Ordinal0 [0x00AE95FB+169467]
         Ordinal0 [0x00AD160A+71178]
         Ordinal0 [0x00AD2690+75408]
         Ordinal0 [0x00AD2629+75305]
         Ordinal0 [0x00BD71B7+1143223]
         GetHandleVerifier [0x00CD2B46+507814]
         GetHandleVerifier [0x00CD2864+507076]
         GetHandleVerifier [0x00CD9F47+537511]
         GetHandleVerifier [0x00CD3402+510050]
         Ordinal0 [0x00BCF29C+1110684]
         Ordinal0 [0x00BD938B+1151883]
         Ordinal0 [0x00BD94F3+1152243]
         Ordinal0 [0x00BD83F5+1147893]
         BaseThreadInitThunk [0x76C36359+25]
         RtlGetAppContainerNamedObjectPath [0x77977C14+228]
         RtlGetAppContainerNamedObjectPath [0x77977BE4+180]
         at org.openga.selenium.remote.W3CHandshakeResponse.
```

lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)

lambda\$getResponseFunction\$0(HandshakeResponse.java:30)

at org.openga.selenium.remote.HandshakeResponse.

```
Description
                                                                                          Elapsed
                                                                                                           Status
         at org.openga.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:356)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:317)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:208)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 35 more
```

Information

ID Test Cases/Web RoomMe.id/3. Sign In/5. Input Password With Less Than 6 Character

Description

Tag

Start 2020-04-26 20:29:25 End 2020-04-26 20:29:26

Elapsed 0.959s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) | 0.660s | FAILED |
| | Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed | | |
| | at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. | | |
| | CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. | | |
| | groovy:334) at 5. Input Password With Less Than 6 Character.run(5. Input Password With Less Than 6 Character:18) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) at TempTestSuite1587907749179.run(TempTestSuite1587907749179.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser | | |
| | with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |

(OpenBrowserKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

```
Description
                                                                                                                                                                   Elapsed
                                                                                                                                                                                                   Status
executeKeywordForPlatform(KeywordExecutor.groovy:72)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
                 at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
18)
                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                 java:337)
                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                 at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:307)
                 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
                 at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
java:233)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                 at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                 ... 20 more
Caused by: org.openga.selenium.WebDriverException: unknown error: cannot find Chrome
binary
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch:
 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
                 Ordinal0 [0x00C3A113+1548563]
                 Ordinal0 [0x00BBDDA1+1039777]
                 Ordinal0 [0x00B3E485+517253]
                 Ordinal0 [0x00ACC0F1+49393]
                 Ordinal0 [0x00AEB797+178071]
                 Ordinal0 [0x00AEB59D+177565]
                 Ordinal0 [0x00AE95FB+169467]
                 Ordinal0 [0x00AD160A+71178]
                 Ordinal0 [0x00AD2690+75408]
                 Ordinal0 [0x00AD2629+75305]
                 Ordinal0 [0x00BD71B7+1143223]
                 GetHandleVerifier [0x00CD2B46+507814]
                 GetHandleVerifier [0x00CD2864+507076]
                 GetHandleVerifier [0x00CD9F47+537511]
                 GetHandleVerifier [0x00CD3402+510050]
                 Ordinal0 [0x00BCF29C+1110684]
                 Ordinal0 [0x00BD938B+1151883]
                 Ordinal0 [0x00BD94F3+1152243]
                 Ordinal0 [0x00BD83F5+1147893]
                 BaseThreadInitThunk [0x76C36359+25]
                 RtlGetAppContainerNamedObjectPath [0x77977C14+228]
                 RtlGetAppContainerNamedObjectPath [0x77977BE4+180]
                 at org.openga.selenium.remote.W3CHandshakeResponse.
```

lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)

at org.openqa.selenium.remote.HandshakeResponse.

Status

```
Description
                                                                                           Elapsed
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at\ org. open qa. selenium. remote. Http Command Executor. execute
(HttpCommandExecutor.java:136)
         at\ org. open qa. selenium. remote. service. Driver Command Executor. execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:356)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:317)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:208)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         ... 35 more
```

Information

ID Test Cases/Web RoomMe.id/3. Sign In/6. Input Password With Space Character

Description

Tag

Start 2020-04-26 20:29:26 End 2020-04-26 20:29:27

Elapsed 1.140s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) | 0.681s | FAILED |
| | Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed | | |
| | at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. | | |
| | CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) | | |
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute | | |
| | (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) | | |
| | at 6. Input Password With Space Character.run(6. Input Password With Space Character:18) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| | at TempTestSuite1587907749179.run(TempTestSuite1587907749179.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| | openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) | | |

(OpenBrowserKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

```
Description
                                                                                                                                                                      Elapsed
                                                                                                                                                                                                       Status
executeKeywordForPlatform(KeywordExecutor.groovy:72)
                  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
                  at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
(Unknown Source)
                  at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
18)
                  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                 at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:307)
                 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
                 at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
java:233)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                  at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                  ... 20 more
Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome
binary
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch:
 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
                  Ordinal0 [0x00C3A113+1548563]
                  Ordinal0 [0x00BBDDA1+1039777]
                  Ordinal0 [0x00B3E485+517253]
                  Ordinal0 [0x00ACC0F1+49393]
                  Ordinal0 [0x00AEB797+178071]
                  Ordinal0 [0x00AEB59D+177565]
                  Ordinal0 [0x00AE95FB+169467]
                  Ordinal0 [0x00AD160A+71178]
                  Ordinal0 [0x00AD2690+75408]
                  Ordinal0 [0x00AD2629+75305]
                  Ordinal0 [0x00BD71B7+1143223]
                  GetHandleVerifier [0x00CD2B46+507814]
                  GetHandleVerifier [0x00CD2864+507076]
                  GetHandleVerifier [0x00CD9F47+537511]
                  GetHandleVerifier [0x00CD3402+510050]
                  Ordinal0 [0x00BCF29C+1110684]
                  Ordinal0 [0x00BD938B+1151883]
                  Ordinal0 [0x00BD94F3+1152243]
                  Ordinal0 [0x00BD83F5+1147893]
                  BaseThreadInitThunk [0x76C36359+25]
                  RtlGetAppContainerNamedObjectPath [0x77977C14+228]
                  RtlGetAppContainerNamedObjectPath [0x77977BE4+180]
                  at org.openga.selenium.remote.W3CHandshakeResponse.
```

lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)

at org.openqa.selenium.remote.HandshakeResponse.

Status

```
Description
                                                                                           Elapsed
lambda$getResponseFunction$0(HandshakeResponse.java:30)
          at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
          at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
          at\ org. open qa. selenium. remote. service. Driver Command Executor. execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at\ org. open qa. selenium. remote. Remote Web Driver. start Session
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
          at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
          at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
          at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:356)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:317)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:208)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 35 more
```