

Customer Login

Execution Environment

Host name	Faldi - Alienware-X51
OS	Windows 10 64bit
Katalon version	7.2.6.1
Browser	

Summary

ID	Test Suites/Web RoomMe.id/Customer Login		
Description			
Total	6		
Passed	0	Failed	6
Error	0	Incomplete	0
Start	2020-04-26 20:30:00	End	2020-04-26 20:30:08
Elapsed	7.832s		

#	ID	Description	Status
1	Test Cases/Web RoomMe.id/3. Sign In/1. Login With Valid Credential	Customer login to RoomMe.id	FAILED
2	Test Cases/Web RoomMe.id/3. Sign In/2. Login With Not Registered Email		FAILED
3	Test Cases/Web RoomMe.id/3. Sign In/3. Input Email With Incorrect Email Format		FAILED
4	Test Cases/Web RoomMe.id/3. Sign In/4. Login With Wrong Password		FAILED
5	Test Cases/Web RoomMe.id/3. Sign In/5. Input Password With Less Than 6 Character		FAILED
6	Test Cases/Web RoomMe.id/3. Sign In/6. Input Password With Space Character		FAILED

1. Login With Valid Credential

Information

ID	Test Cases/Web RoomMe.id/3. Sign In/1. Login With Valid Credential		
Description	Customer login to RoomMe.id		
Tag	login		
Start	2020-04-26 20:30:01	End	2020-04-26 20:30:04
Elapsed	2.998s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

1. Login With Valid Credential

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 1. Login With Valid Credential.run(1. Login With Valid Credential:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1587907790909.run(TempTestSuite1587907790909.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)</p>	2.561s	FAILED

1. Login With Valid Credential

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x00C3A113+1548563] Ordinal0 [0x00BBDDA1+1039777] Ordinal0 [0x00B3E485+517253] Ordinal0 [0x00ACC0F1+49393] Ordinal0 [0x00AEB797+178071] Ordinal0 [0x00AEB59D+177565] Ordinal0 [0x00AE95FB+169467] Ordinal0 [0x00AD160A+71178] Ordinal0 [0x00AD2690+75408] Ordinal0 [0x00AD2629+75305] Ordinal0 [0x00BD71B7+1143223] GetHandleVerifier [0x00CD2B46+507814] GetHandleVerifier [0x00CD2864+507076] GetHandleVerifier [0x00CD9F47+537511] GetHandleVerifier [0x00CD3402+510050] Ordinal0 [0x00BCF29C+1110684] Ordinal0 [0x00BD938B+1151883] Ordinal0 [0x00BD94F3+1152243] Ordinal0 [0x00BD83F5+1147893] BaseThreadInitThunk [0x76C36359+25] RtlGetAppContainerNamedObjectPath [0x77977C14+228] RtlGetAppContainerNamedObjectPath [0x77977BE4+180] at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30)		

1. Login With Valid Credential

#	Description	Elapsed	Status
	at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:356) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:317) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:208) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more)		

2. Login With Not Registered Email

Information

ID	Test Cases/Web RoomMe.id/3. Sign In/2. Login With Not Registered Email		
Description			
Tag			
Start	2020-04-26 20:30:04	End	2020-04-26 20:30:04
Elapsed	0.937s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

2. Login With Not Registered Email

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 2. Login With Not Registered Email.run(2. Login With Not Registered Email:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1587907790909.run(TempTestSuite1587907790909.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)</p>	0.703s	FAILED

2. Login With Not Registered Email

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x00C3A113+1548563] Ordinal0 [0x00BBDDA1+1039777] Ordinal0 [0x00B3E485+517253] Ordinal0 [0x00ACC0F1+49393] Ordinal0 [0x00AEB797+178071] Ordinal0 [0x00AEB59D+177565] Ordinal0 [0x00AE95FB+169467] Ordinal0 [0x00AD160A+71178] Ordinal0 [0x00AD2690+75408] Ordinal0 [0x00AD2629+75305] Ordinal0 [0x00BD71B7+1143223] GetHandleVerifier [0x00CD2B46+507814] GetHandleVerifier [0x00CD2864+507076] GetHandleVerifier [0x00CD9F47+537511] GetHandleVerifier [0x00CD3402+510050] Ordinal0 [0x00BCF29C+1110684] Ordinal0 [0x00BD938B+1151883] Ordinal0 [0x00BD94F3+1152243] Ordinal0 [0x00BD83F5+1147893] BaseThreadInitThunk [0x76C36359+25] RtlGetAppContainerNamedObjectPath [0x77977C14+228] RtlGetAppContainerNamedObjectPath [0x77977BE4+180] at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30)		

2. Login With Not Registered Email

#	Description	Elapsed	Status
	at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:356) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:317) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:208) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more)		

3. Input Email With Incorrect Email Format

Information

ID	Test Cases/Web RoomMe.id/3. Sign In/3. Input Email With Incorrect Email Format		
Description			
Tag			
Start	2020-04-26 20:30:04	End	2020-04-26 20:30:05
Elapsed	0.938s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

3. Input Email With Incorrect Email Format

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 3. Input Email With Incorrect Email Format.run(3. Input Email With Incorrect Email Format:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1587907790909.run(TempTestSuite1587907790909.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	0.704s	FAILED

3. Input Email With Incorrect Email Format

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x00C3A113+1548563] Ordinal0 [0x00BBDDA1+1039777] Ordinal0 [0x00B3E485+517253] Ordinal0 [0x00ACC0F1+49393] Ordinal0 [0x00AEB797+178071] Ordinal0 [0x00AEB59D+177565] Ordinal0 [0x00AE95FB+169467] Ordinal0 [0x00AD160A+71178] Ordinal0 [0x00AD2690+75408] Ordinal0 [0x00AD2629+75305] Ordinal0 [0x00BD71B7+1143223] GetHandleVerifier [0x00CD2B46+507814] GetHandleVerifier [0x00CD2864+507076] GetHandleVerifier [0x00CD9F47+537511] GetHandleVerifier [0x00CD3402+510050] Ordinal0 [0x00BCF29C+1110684] Ordinal0 [0x00BD938B+1151883] Ordinal0 [0x00BD94F3+1152243] Ordinal0 [0x00BD83F5+1147893] BaseThreadInitThunk [0x76C36359+25] RtlGetAppContainerNamedObjectPath [0x77977C14+228] RtlGetAppContainerNamedObjectPath [0x77977BE4+180] at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.</pre>		

3. Input Email With Incorrect Email Format

#	Description	Elapsed	Status
	lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:356) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:317) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:208) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more)		

4. Login With Wrong Password

Information

ID	Test Cases/Web RoomMe.id/3. Sign In/4. Login With Wrong Password		
Description			
Tag			
Start	2020-04-26 20:30:05	End	2020-04-26 20:30:06
Elapsed	0.908s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

4. Login With Wrong Password

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 4. Login With Wrong Password.run(4. Login With Wrong Password:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1587907790909.run(TempTestSuite1587907790909.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)</p>	0.673s	FAILED

4. Login With Wrong Password

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x00C3A113+1548563] Ordinal0 [0x00BBDDA1+1039777] Ordinal0 [0x00B3E485+517253] Ordinal0 [0x00ACC0F1+49393] Ordinal0 [0x00AEB797+178071] Ordinal0 [0x00AEB59D+177565] Ordinal0 [0x00AE95FB+169467] Ordinal0 [0x00AD160A+71178] Ordinal0 [0x00AD2690+75408] Ordinal0 [0x00AD2629+75305] Ordinal0 [0x00BD71B7+1143223] GetHandleVerifier [0x00CD2B46+507814] GetHandleVerifier [0x00CD2864+507076] GetHandleVerifier [0x00CD9F47+537511] GetHandleVerifier [0x00CD3402+510050] Ordinal0 [0x00BCF29C+1110684] Ordinal0 [0x00BD938B+1151883] Ordinal0 [0x00BD94F3+1152243] Ordinal0 [0x00BD83F5+1147893] BaseThreadInitThunk [0x76C36359+25] RtlGetAppContainerNamedObjectPath [0x77977C14+228] RtlGetAppContainerNamedObjectPath [0x77977BE4+180] at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30)		

4. Login With Wrong Password

#	Description	Elapsed	Status
	at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:356) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:317) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:208) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more)		

5. Input Password With Less Than 6 Character

Information

ID	Test Cases/Web RoomMe.id/3. Sign In/5. Input Password With Less Than 6 Character		
Description			
Tag			
Start	2020-04-26 20:30:06	End	2020-04-26 20:30:07
Elapsed	0.894s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

5. Input Password With Less Than 6 Character

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 5. Input Password With Less Than 6 Character.run(5. Input Password With Less Than 6 Character:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1587907790909.run(TempTestSuite1587907790909.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	0.660s	FAILED

5. Input Password With Less Than 6 Character

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x00C3A113+1548563] Ordinal0 [0x00BBDDA1+1039777] Ordinal0 [0x00B3E485+517253] Ordinal0 [0x00ACC0F1+49393] Ordinal0 [0x00AEB797+178071] Ordinal0 [0x00AEB59D+177565] Ordinal0 [0x00AE95FB+169467] Ordinal0 [0x00AD160A+71178] Ordinal0 [0x00AD2690+75408] Ordinal0 [0x00AD2629+75305] Ordinal0 [0x00BD71B7+1143223] GetHandleVerifier [0x00CD2B46+507814] GetHandleVerifier [0x00CD2864+507076] GetHandleVerifier [0x00CD9F47+537511] GetHandleVerifier [0x00CD3402+510050] Ordinal0 [0x00BCF29C+1110684] Ordinal0 [0x00BD938B+1151883] Ordinal0 [0x00BD94F3+1152243] Ordinal0 [0x00BD83F5+1147893] BaseThreadInitThunk [0x76C36359+25] RtlGetAppContainerNamedObjectPath [0x77977C14+228] RtlGetAppContainerNamedObjectPath [0x77977BE4+180] at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.</pre>		

5. Input Password With Less Than 6 Character

#	Description	Elapsed	Status
	lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:356) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:317) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:208) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more)		

6. Input Password With Space Character

Information

ID	Test Cases/Web RoomMe.id/3. Sign In/6. Input Password With Space Character		
Description			
Tag			
Start	2020-04-26 20:30:07	End	2020-04-26 20:30:08
Elapsed	0.875s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

6. Input Password With Space Character

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 6. Input Password With Space Character.run(6. Input Password With Space Character:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1587907790909.run(TempTestSuite1587907790909.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	0.672s	FAILED

6. Input Password With Space Character

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find Chrome binary Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'ALIENWARE-X51', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x00C3A113+1548563] Ordinal0 [0x00BBDDA1+1039777] Ordinal0 [0x00B3E485+517253] Ordinal0 [0x00ACC0F1+49393] Ordinal0 [0x00AEB797+178071] Ordinal0 [0x00AEB59D+177565] Ordinal0 [0x00AE95FB+169467] Ordinal0 [0x00AD160A+71178] Ordinal0 [0x00AD2690+75408] Ordinal0 [0x00AD2629+75305] Ordinal0 [0x00BD71B7+1143223] GetHandleVerifier [0x00CD2B46+507814] GetHandleVerifier [0x00CD2864+507076] GetHandleVerifier [0x00CD9F47+537511] GetHandleVerifier [0x00CD3402+510050] Ordinal0 [0x00BCF29C+1110684] Ordinal0 [0x00BD938B+1151883] Ordinal0 [0x00BD94F3+1152243] Ordinal0 [0x00BD83F5+1147893] BaseThreadInitThunk [0x76C36359+25] RtlGetAppContainerNamedObjectPath [0x77977C14+228] RtlGetAppContainerNamedObjectPath [0x77977BE4+180] at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.</pre>		

6. Input Password With Space Character

#	Description	Elapsed	Status
	lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:356) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:317) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:208) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more)		