

# Customer Sign Up

## Execution Environment

Host name	Win 10 - LENNONOVO
OS	Windows 10 64bit
Katalon version	7.0.0.1
Browser	

## Summary

ID	Test Suites/Web RoomMe.id/Customer Sign Up		
Description			
Total	8		
Passed	0	Failed	8
Error	0	Incomplete	0
Start	2020-04-28 05:40:32	End	2020-04-28 05:40:49
Elapsed	17.618s		

#	ID	Description	Status
1	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		FAILED
2	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		FAILED
3	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		FAILED
4	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		FAILED
5	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		FAILED
6	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		FAILED
7	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		FAILED
8	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		FAILED

# 1. Sign Up with Valid Data

---

## Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		
Description			
Tag			
Start	2020-04-28 05:40:32	End	2020-04-28 05:40:37
Elapsed	4.610s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# 1. Sign Up with Valid Data

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 1. Sign Up with Valid Data.run(1. Sign Up with Valid Data:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027166032.run(TempTestSuite1588027166032.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)</p>	3.868s	FAILED

# 1. Sign Up with Valid Data

#	Description	Elapsed	Status
18)	<pre>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: java:119) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 77 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LENNONOV0', ip: '192.168.1.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x003EEB13+1501971] Ordinal0 [0x0036F6D1+980689] Ordinal0 [0x002F765F+489055] Ordinal0 [0x0028F2F4+62196] Ordinal0 [0x0028BCDA+48346] Ordinal0 [0x002A9800+169984] Ordinal0 [0x002A942D+169005] Ordinal0 [0x002A78EB+162027] Ordinal0 [0x00290AC7+68295] Ordinal0 [0x00291B40+72512] Ordinal0 [0x00291AD9+72409] Ordinal0 [0x00388F37+1085239] GetHandleVerifier [0x0048D7ED+503293] GetHandleVerifier [0x0048D580+502672] GetHandleVerifier [0x004946AC+531644] GetHandleVerifier [0x0048DFFA+505354] Ordinal0 [0x00380606+1050118] Ordinal0 [0x0038047F+1049727] Ordinal0 [0x0038AF9B+1093531] Ordinal0 [0x0038B103+1093891] Ordinal0 [0x0038A095+1089685] BaseThreadInitThunk [0x760B6359+25] RtlGetAppContainerNamedObjectPath [0x77AC7C14+228] RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180] at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)</pre>		

# 1. Sign Up with Valid Data

#	Description	Elapsed	Status
	at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:347) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:308) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:206) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more )		

## 5. Customer Input Phone Number with Invalid Format

---

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:40:37	End	2020-04-28 05:40:39
Elapsed	1.866s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 5. Customer Input Phone Number with Invalid Format.run(5. Customer Input Phone Number with Invalid Format:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027166032.run(TempTestSuite1588027166032.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	1.465s	FAILED

## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:60)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)   at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 77 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LENNONNOVO', ip: '192.168.1.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace:     Ordinal0 [0x003EEB13+1501971]     Ordinal0 [0x0036F6D1+980689]     Ordinal0 [0x002F765F+489055]     Ordinal0 [0x0028F2F4+62196]     Ordinal0 [0x0028BCDA+48346]     Ordinal0 [0x002A9800+169984]     Ordinal0 [0x002A942D+169005]     Ordinal0 [0x002A78EB+162027]     Ordinal0 [0x00290AC7+68295]     Ordinal0 [0x00291B40+72512]     Ordinal0 [0x00291AD9+72409]     Ordinal0 [0x00388F37+1085239]     GetHandleVerifier [0x0048D7ED+503293]     GetHandleVerifier [0x0048D580+502672]     GetHandleVerifier [0x004946AC+531644]     GetHandleVerifier [0x0048DFFA+505354]     Ordinal0 [0x00380606+1050118]     Ordinal0 [0x0038047F+1049727]     Ordinal0 [0x0038AF9B+1093531]     Ordinal0 [0x0038B103+1093891]     Ordinal0 [0x0038A095+1089685]     BaseThreadInitThunk [0x760B6359+25]     RtlGetAppContainerNamedObjectPath [0x77AC7C14+228]     RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180]      at org.openqa.selenium.remote.W3CHandshakeResponse.</pre>		



## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
	lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:347) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:308) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:206) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more )		

### 3. Customer Input Name Field with Invalid Format

---

#### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:40:39	End	2020-04-28 05:40:40
Elapsed	1.903s		
Status	FAILED		

#### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

### 3. Customer Input Name Field with Invalid Format

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 3. Customer Input Name Field with Invalid Format.run(3. Customer Input Name Field with Invalid Format:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027166032.run(TempTestSuite1588027166032.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	1.546s	FAILED

### 3. Customer Input Name Field with Invalid Format

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:60)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)   at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 77 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LENNONOVO', ip: '192.168.1.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace:     Ordinal0 [0x003EEB13+1501971]     Ordinal0 [0x0036F6D1+980689]     Ordinal0 [0x002F765F+489055]     Ordinal0 [0x0028F2F4+62196]     Ordinal0 [0x0028BCDA+48346]     Ordinal0 [0x002A9800+169984]     Ordinal0 [0x002A942D+169005]     Ordinal0 [0x002A78EB+162027]     Ordinal0 [0x00290AC7+68295]     Ordinal0 [0x00291B40+72512]     Ordinal0 [0x00291AD9+72409]     Ordinal0 [0x00388F37+1085239]     GetHandleVerifier [0x0048D7ED+503293]     GetHandleVerifier [0x0048D580+502672]     GetHandleVerifier [0x004946AC+531644]     GetHandleVerifier [0x0048DFFA+505354]     Ordinal0 [0x00380606+1050118]     Ordinal0 [0x0038047F+1049727]     Ordinal0 [0x0038AF9B+1093531]     Ordinal0 [0x0038B103+1093891]     Ordinal0 [0x0038A095+1089685]     BaseThreadInitThunk [0x760B6359+25]     RtlGetAppContainerNamedObjectPath [0x77AC7C14+228]     RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180]     at org.openqa.selenium.remote.W3CHandshakeResponse.</pre>		

### 3. Customer Input Name Field with Invalid Format

#	Description	Elapsed	Status
	<pre>lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)     at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30)     at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74)     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java: 131)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:147)     at com.kms.katalon.selenium.driver.CChromeDriver.&lt;init&gt;(CChromeDriver.java: 13)     at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:347)     at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:308)     at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:206)     at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 35 more )</pre>		

## 4. Customer Input Email with Invalid Format

---

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:40:41	End	2020-04-28 05:40:43
Elapsed	2.015s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## 4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 4. Customer Input Email with Invalid Format.run(4. Customer Input Email with Invalid Format:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027166032.run(TempTestSuite1588027166032.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	1.610s	FAILED

## 4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:60)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)     at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 77 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LENNONNOVO', ip: '192.168.1.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace:     Ordinal0 [0x003EEB13+1501971]     Ordinal0 [0x0036F6D1+980689]     Ordinal0 [0x002F765F+489055]     Ordinal0 [0x0028F2F4+62196]     Ordinal0 [0x0028BCDA+48346]     Ordinal0 [0x002A9800+169984]     Ordinal0 [0x002A942D+169005]     Ordinal0 [0x002A78EB+162027]     Ordinal0 [0x00290AC7+68295]     Ordinal0 [0x00291B40+72512]     Ordinal0 [0x00291AD9+72409]     Ordinal0 [0x00388F37+1085239]     GetHandleVerifier [0x0048D7ED+503293]     GetHandleVerifier [0x0048D580+502672]     GetHandleVerifier [0x004946AC+531644]     GetHandleVerifier [0x0048DFFA+505354]     Ordinal0 [0x00380606+1050118]     Ordinal0 [0x0038047F+1049727]     Ordinal0 [0x0038AF9B+1093531]     Ordinal0 [0x0038B103+1093891]     Ordinal0 [0x0038A095+1089685]     BaseThreadInitThunk [0x760B6359+25]     RtlGetAppContainerNamedObjectPath [0x77AC7C14+228]     RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180]      at org.openqa.selenium.remote.W3CHandshakeResponse.</pre>		



## 4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
	<pre>lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)     at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30)     at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74)     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java: 131)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:147)     at com.kms.katalon.selenium.driver.CChromeDriver.&lt;init&gt;(CChromeDriver.java: 13)     at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:347)     at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:308)     at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:206)     at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 35 more )</pre>		

## 5. Customer Input Phone Number with Invalid Format

---

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:40:43	End	2020-04-28 05:40:44
Elapsed	1.453s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 5. Customer Input Phone Number with Invalid Format.run(5. Customer Input Phone Number with Invalid Format:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027166032.run(TempTestSuite1588027166032.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	1.436s	FAILED

## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:60)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)   at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 77 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LENNONOV0', ip: '192.168.1.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace:     Ordinal0 [0x003EEB13+1501971]     Ordinal0 [0x0036F6D1+980689]     Ordinal0 [0x002F765F+489055]     Ordinal0 [0x0028F2F4+62196]     Ordinal0 [0x0028BCDA+48346]     Ordinal0 [0x002A9800+169984]     Ordinal0 [0x002A942D+169005]     Ordinal0 [0x002A78EB+162027]     Ordinal0 [0x00290AC7+68295]     Ordinal0 [0x00291B40+72512]     Ordinal0 [0x00291AD9+72409]     Ordinal0 [0x00388F37+1085239]     GetHandleVerifier [0x0048D7ED+503293]     GetHandleVerifier [0x0048D580+502672]     GetHandleVerifier [0x004946AC+531644]     GetHandleVerifier [0x0048DFFA+505354]     Ordinal0 [0x00380606+1050118]     Ordinal0 [0x0038047F+1049727]     Ordinal0 [0x0038AF9B+1093531]     Ordinal0 [0x0038B103+1093891]     Ordinal0 [0x0038A095+1089685]     BaseThreadInitThunk [0x760B6359+25]     RtlGetAppContainerNamedObjectPath [0x77AC7C14+228]     RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180]      at org.openqa.selenium.remote.W3CHandshakeResponse.</pre>		

## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
	lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:347) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:308) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:206) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more )		

## 6. Customer Input Password with Invalid Format

---

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:40:44	End	2020-04-28 05:40:46
Elapsed	1.715s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## 6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 6. Customer Input Password with Invalid Format.run(6. Customer Input Password with Invalid Format:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027166032.run(TempTestSuite1588027166032.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	1.366s	FAILED

## 6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:60)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)   at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 77 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LENNONOV0', ip: '192.168.1.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace:     Ordinal0 [0x003EEB13+1501971]     Ordinal0 [0x0036F6D1+980689]     Ordinal0 [0x002F765F+489055]     Ordinal0 [0x0028F2F4+62196]     Ordinal0 [0x0028BCDA+48346]     Ordinal0 [0x002A9800+169984]     Ordinal0 [0x002A942D+169005]     Ordinal0 [0x002A78EB+162027]     Ordinal0 [0x00290AC7+68295]     Ordinal0 [0x00291B40+72512]     Ordinal0 [0x00291AD9+72409]     Ordinal0 [0x00388F37+1085239]     GetHandleVerifier [0x0048D7ED+503293]     GetHandleVerifier [0x0048D580+502672]     GetHandleVerifier [0x004946AC+531644]     GetHandleVerifier [0x0048DFFA+505354]     Ordinal0 [0x00380606+1050118]     Ordinal0 [0x0038047F+1049727]     Ordinal0 [0x0038AF9B+1093531]     Ordinal0 [0x0038B103+1093891]     Ordinal0 [0x0038A095+1089685]     BaseThreadInitThunk [0x760B6359+25]     RtlGetAppContainerNamedObjectPath [0x77AC7C14+228]     RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180]      at org.openqa.selenium.remote.W3CHandshakeResponse.</pre>		



## 6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
	lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:347) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:308) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:206) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more )		

## 7. Customer Input Confirm Password with Invalid Format

---

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		
Description			
Tag			
Start	2020-04-28 05:40:46	End	2020-04-28 05:40:48
Elapsed	1.829s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## 7. Customer Input Confirm Password with Invalid Format

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 7. Customer Input Confirm Password with Invalid Format.run(7. Customer Input Confirm Password with Invalid Format:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027166032.run(TempTestSuite1588027166032.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	1.503s	FAILED

## 7. Customer Input Confirm Password with Invalid Format

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:60)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)     at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 77 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LENNONNOVO', ip: '192.168.1.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace:     Ordinal0 [0x003EEB13+1501971]     Ordinal0 [0x0036F6D1+980689]     Ordinal0 [0x002F765F+489055]     Ordinal0 [0x0028F2F4+62196]     Ordinal0 [0x0028BCDA+48346]     Ordinal0 [0x002A9800+169984]     Ordinal0 [0x002A942D+169005]     Ordinal0 [0x002A78EB+162027]     Ordinal0 [0x00290AC7+68295]     Ordinal0 [0x00291B40+72512]     Ordinal0 [0x00291AD9+72409]     Ordinal0 [0x00388F37+1085239]     GetHandleVerifier [0x0048D7ED+503293]     GetHandleVerifier [0x0048D580+502672]     GetHandleVerifier [0x004946AC+531644]     GetHandleVerifier [0x0048DFFA+505354]     Ordinal0 [0x00380606+1050118]     Ordinal0 [0x0038047F+1049727]     Ordinal0 [0x0038AF9B+1093531]     Ordinal0 [0x0038B103+1093891]     Ordinal0 [0x0038A095+1089685]     BaseThreadInitThunk [0x760B6359+25]     RtlGetAppContainerNamedObjectPath [0x77AC7C14+228]     RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180]     at org.openqa.selenium.remote.W3CHandshakeResponse.</pre>		

## 7. Customer Input Confirm Password with Invalid Format

#	Description	Elapsed	Status
	lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:347) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:308) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:206) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more )		

## 8. Sign Up with Already Registered Email

---

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		
Description			
Tag			
Start	2020-04-28 05:40:48	End	2020-04-28 05:40:49
Elapsed	1.798s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## 8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 8. Sign Up with Already Registered Email.run(8. Sign Up with Already Registered Email:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1588027166032.run(TempTestSuite1588027166032.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	1.498s	FAILED

## 8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:60)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)     at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page: 18)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 77 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LENNONOV0', ip: '192.168.1.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace:     Ordinal0 [0x003EEB13+1501971]     Ordinal0 [0x0036F6D1+980689]     Ordinal0 [0x002F765F+489055]     Ordinal0 [0x0028F2F4+62196]     Ordinal0 [0x0028BCDA+48346]     Ordinal0 [0x002A9800+169984]     Ordinal0 [0x002A942D+169005]     Ordinal0 [0x002A78EB+162027]     Ordinal0 [0x00290AC7+68295]     Ordinal0 [0x00291B40+72512]     Ordinal0 [0x00291AD9+72409]     Ordinal0 [0x00388F37+1085239]     GetHandleVerifier [0x0048D7ED+503293]     GetHandleVerifier [0x0048D580+502672]     GetHandleVerifier [0x004946AC+531644]     GetHandleVerifier [0x0048DFFA+505354]     Ordinal0 [0x00380606+1050118]     Ordinal0 [0x0038047F+1049727]     Ordinal0 [0x0038AF9B+1093531]     Ordinal0 [0x0038B103+1093891]     Ordinal0 [0x0038A095+1089685]     BaseThreadInitThunk [0x760B6359+25]     RtlGetAppContainerNamedObjectPath [0x77AC7C14+228]     RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180]      at org.openqa.selenium.remote.W3CHandshakeResponse.</pre>		



## 8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
	lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:347) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:308) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:206) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more )		