

# Customer Sign Up

## Execution Environment

Host name	Win 10 - LENNONOVO
OS	Windows 10 64bit
Katalon version	7.2.6.1
Browser	Chrome 81.0.4044.122

## Summary

ID	Test Suites/Web RoomMe.id/Customer Sign Up		
Description			
Total	8		
Passed	8	Failed	0
Error	0	Incomplete	0
Start	2020-04-27 12:32:45	End	2020-04-27 12:37:28
Elapsed	4m - 42.607s		

#	ID	Description	Status
1	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		PASSED
2	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		PASSED
3	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		PASSED
4	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		PASSED
5	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		PASSED
6	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		PASSED
7	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		PASSED
8	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		PASSED

# 1. Sign Up with Valid Data

## Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		
Description			
Tag			
Start	2020-04-27 12:32:45	End	2020-04-27 12:33:10
Elapsed	24.356s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	10.839s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.885s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In"))  Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.359s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0)  Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.514s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.354s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.980s	PASSED

## 1. Sign Up with Valid Data

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 0)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.381s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "Faldi Test AT")</code>  Text 'Faldi Test AT' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.645s	PASSED
9	<code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>  NOT_RUN: <code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>	0.001s	NOT_RUN
10	<code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>  NOT_RUN: <code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>	0.001s	NOT_RUN
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "faldiat" + RandomStringUtils.randomNumeric(5))</code>  Text 'faldiat58408' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.629s	PASSED
12	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "@gmail.com")</code>  Keys '@gmail.com' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.600s	PASSED
13	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "081234567890")</code>  Text '081234567890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.818s	PASSED
14	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "da8fEzhczGg=")</code>  Text '*****' has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.615s	PASSED

## 1. Sign Up with Valid Data

#	Description	Elapsed	Status
15	setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "da8fEzhczGg=")  Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.685s	PASSED
16	click(findTestObject("Web RoomMe.id/Sign Up Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Button Sign Up' is clicked on	0.656s	PASSED
17	waitForPageLoad(0)  NOT_RUN: waitForPageLoad(0)	0.001s	NOT_RUN
18	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Button Close"))  NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Button Close"))	0.002s	NOT_RUN
19	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Image Logo RoomMe"))  NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Image Logo RoomMe"))	0.002s	NOT_RUN
20	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Welcome to RoomMe"))  NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Welcome to RoomMe"))	0.002s	NOT_RUN
21	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"))  NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"))	0.001s	NOT_RUN
22	verifyElementText(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"), namauser)  NOT_RUN: verifyElementText(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"), namauser)	0.001s	NOT_RUN

## 1. Sign Up with Valid Data

---

#	Description	Elapsed	Status
23	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Thank you Youve successfully signed up"))	0.001s	NOT_RUN
NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Thank you Youve successfully signed up"))			
24	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Please check your email for activation"))	0.000s	NOT_RUN
NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Please check your email for activation"))			

## 5. Customer Input Phone Number with Invalid Format

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:33:10	End	2020-04-27 12:34:19
Elapsed	1m - 9.099s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	8.555s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.702s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In"))  Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.321s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0)  Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.538s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.351s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.258s	PASSED

## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
7	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is visible	0.282s	PASSED
8	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "abcdefghij")  Text 'abcdefghij' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.412s	PASSED
9	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.460s	PASSED
10	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.399s	PASSED
11	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "12345abcde")  Text '12345abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.687s	PASSED
12	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.439s	PASSED
13	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.382s	PASSED

## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
14	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456 7890")  Text '08123456 7890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.708s	PASSED
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)  Web element with id: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' located by 'By.xpath: //div[@id='dropdown-auth']/ul/div/div/div/div/form/div/div[3]/div/div[2]/span' not found	47.475s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.427s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "!@#%^^&*()")  Text '!@#%^^&*()' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.737s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.448s	PASSED
19	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.364s	PASSED



### 3. Customer Input Name Field with Invalid Format

#### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:34:19	End	2020-04-27 12:34:41
Elapsed	22.418s		
Status	PASSED		

#### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	8.761s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.787s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In"))  Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.301s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0)  Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.490s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.322s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.438s	PASSED

### 3. Customer Input Name Field with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 30, STOP_ON_FAILURE)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.376s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "ab")</code>  Text 'ab' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.505s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text At least input 3 characters long"), 30, STOP_ON_FAILURE)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text At least input 3 characters long' is visible	0.563s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), Keys.chord(CONTROL, "a", BACK_SPACE))</code>  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.380s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "abcde abcde abcde abcde abcde abcde abcde")</code>  Text 'abcde abcde abcde abcde abcde abcde abcde abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.852s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Name input characters is 20"), 30, STOP_ON_FAILURE)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Name input characters is 20' is visible	0.439s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), Keys.chord(CONTROL, "a", BACK_SPACE))</code>  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.393s	PASSED
14	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "abc1")</code>  Text 'abc1' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.528s	PASSED

### 3. Customer Input Name Field with Invalid Format

---

#	Description	Elapsed	Status
15	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters"), 30, STOP_ON_FAILURE)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters' is visible	0.553s	PASSED
16	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), Keys.chord(CONTROL, "a", BACK_SPACE))</code>  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.382s	PASSED
17	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "abc!@#")</code>  Text 'abc!@#' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.639s	PASSED
18	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters"), 30, STOP_ON_FAILURE)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Your name seems to contain incorrect characters' is visible	0.572s	PASSED

## 4. Customer Input Email with Invalid Format

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:34:41	End	2020-04-27 12:35:07
Elapsed	26.130s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	9.486s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.548s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In"))  Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.290s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0)  Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.513s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.320s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.403s	PASSED

## 4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), 30, STOP_ON_FAILURE)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is visible	0.353s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc123")</code>  Text 'abc123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.510s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.536s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code>  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.348s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc 123")</code>  Text 'abc 123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.714s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.455s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))</code>  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.353s	PASSED
14	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "!@#\$\$!@")</code>  Text '!@#\$\$!@' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.686s	PASSED

## 4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.454s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.396s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "ab@gmail")  Text 'ab@gmail' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.710s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.482s	PASSED
19	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.377s	PASSED
20	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "ab@.com")  Text 'ab@.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.639s	PASSED
21	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.543s	PASSED

## 4. Customer Input Email with Invalid Format

---

#	Description	Elapsed	Status
22	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.401s	PASSED
23	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc 1 2 3@ac.com")  Text 'abc 1 2 3@ac.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.632s	PASSED
24	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.441s	PASSED
25	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.388s	PASSED

## 5. Customer Input Phone Number with Invalid Format

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:35:07	End	2020-04-27 12:36:17
Elapsed	1m - 9.723s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	8.461s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.047s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In"))  Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.287s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0)  Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.488s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.333s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.598s	PASSED



## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
7	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is visible	0.335s	PASSED
8	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "abcdefghij")  Text 'abcdefghij' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.528s	PASSED
9	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.454s	PASSED
10	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.394s	PASSED
11	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "12345abcde")  Text '12345abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.673s	PASSED
12	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.438s	PASSED
13	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.389s	PASSED

## 5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
14	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456 7890")  Text '08123456 7890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.786s	PASSED
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)  Web element with id: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' located by 'By.xpath: //div[@id='dropdown-auth']/ul/div/div/div/div/form/div/div[3]/div/div[2]/span' not found	47.452s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.451s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "!@#%^^&*()")  Text '!@#%^^&*()' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.728s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Invalid phone number' is visible	0.481s	PASSED
19	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.388s	PASSED

## 6. Customer Input Password with Invalid Format

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:36:17	End	2020-04-27 12:36:42
Elapsed	24.996s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	8.484s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.819s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In"))  Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.294s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0)  Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.490s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.326s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.437s	PASSED

## 6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), 30, STOP_ON_FAILURE)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is visible	0.366s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "abc")</code>  Text 'abc' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.473s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.633s	PASSED
10	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))</code>  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.402s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "123")</code>  Text '123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.665s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.484s	PASSED
13	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))</code>  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.406s	PASSED
14	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "!@#")</code>  Text '!@#' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.730s	PASSED

## 6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.515s	PASSED
16	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.406s	PASSED
17	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), " ")  Keys ' ' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.648s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password is required"), 0)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password is required' is visible	0.367s	PASSED
19	sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.424s	PASSED
20	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "abcde1234512345")  Text 'abcde1234512345' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.568s	PASSED
21	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.467s	PASSED

## 6. Customer Input Password with Invalid Format

---

#	Description	Elapsed	Status
22	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), Keys.chord(CONTROL, "a", BACK_SPACE))</code>  Keys 'CONTROL + BACK_SPACE + a' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.395s	PASSED
23	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "abcd123!@#")</code>  Text 'abcd123!@#' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.582s	PASSED
24	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number"), 0)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password at least 6 Characters one letter of capitalize one number' is visible	0.494s	PASSED

## 7. Customer Input Confirm Password with Invalid Format

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		
Description			
Tag			
Start	2020-04-27 12:36:42	End	2020-04-27 12:37:01
Elapsed	19.085s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	9.116s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.185s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In"))  Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.291s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0)  Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.491s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.321s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.250s	PASSED

## 7. Customer Input Confirm Password with Invalid Format

---

#	Description	Elapsed	Status
7	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password' is visible	0.355s	PASSED
8	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), 30, STOP_ON_FAILURE)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is visible	0.374s	PASSED
9	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "Abc123!")  Text 'Abc123!' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.540s	PASSED
10	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "abcdef")  Text 'abcdef' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.678s	PASSED
11	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text password confirmation didnt match password"), 0)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text password confirmation didnt match password' is visible	0.363s	PASSED



## 8. Sign Up with Already Registered Email

### Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		
Description			
Tag			
Start	2020-04-27 12:37:01	End	2020-04-27 12:37:28
Elapsed	26.597s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	12.375s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	1.859s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In"))  Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.351s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0)  Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.556s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.377s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.761s	PASSED

## 8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 0)</code>  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.341s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "Faldi Test AT")</code>  Text 'Faldi Test AT' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.530s	PASSED
9	<code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>  NOT_RUN: <code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>	0.001s	NOT_RUN
10	<code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>  NOT_RUN: <code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>	0.000s	NOT_RUN
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "hurujy@getnada.com")</code>  Text 'hurujy@getnada.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.610s	PASSED
12	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "081234567890")</code>  Text '081234567890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.699s	PASSED
13	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "da8fEzhczGg=")</code>  Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.677s	PASSED
14	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "da8fEzhczGg=")</code>  Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.692s	PASSED

## 8. Sign Up with Already Registered Email

---

#	Description	Elapsed	Status
15	click(findTestObject("Web RoomMe.id/Sign Up Menu/Button Sign Up"))  Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Button Sign Up' is clicked on	0.569s	PASSED
16	mouseOver(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered"))  Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered' is hovered	1.711s	PASSED
17	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered"), 0)  Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Toast User is Registered' is visible	0.374s	PASSED