

Customer Sign Up

Execution Environment

Host name	Win 10 - LENNONOVO
OS	Windows 10 64bit
Katalon version	7.2.6.1
Browser	Firefox 74.0

Summary

ID	Test Suites/Web RoomMe.id/Customer Sign Up		
Description			
Total	8		
Passed	8	Failed	0
Error	0	Incomplete	0
Start	2020-04-09 12:04:15	End	2020-04-09 12:10:25
Elapsed	6m - 9.763s		

#	ID	Description	Status
1	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		PASSED
2	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		PASSED
3	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		PASSED
4	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		PASSED
5	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		PASSED
6	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		PASSED
7	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		PASSED
8	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		PASSED

1. Sign Up with Valid Data

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/1. Sign Up with Valid Data		
Description			
Tag			
Start	2020-04-09 12:04:16	End	2020-04-09 12:04:40
Elapsed	24.763s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	9.838s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	3.204s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.541s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.505s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.546s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.246s	PASSED

1. Sign Up with Valid Data

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.334s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "Faldi Test AT")</code> Text 'Faldi Test AT' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.385s	PASSED
9	<code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code> NOT_RUN: <code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>	0.002s	NOT_RUN
10	<code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code> NOT_RUN: <code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>	0.000s	NOT_RUN
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "faldiat" + RandomStringUtils.randomNumeric(5))</code> Text 'faldiat04002' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.973s	PASSED
12	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "@gmail.com")</code> Keys '@gmail.com' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.545s	PASSED
13	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "081234567890")</code> Text '081234567890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.327s	PASSED
14	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "aeHFOx8jV/A=")</code> Text '*****' has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	1.074s	PASSED

1. Sign Up with Valid Data

#	Description	Elapsed	Status
15	setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "aeHFOx8jV/A=") Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.959s	PASSED
16	click(findTestObject("Web RoomMe.id/Sign Up Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Button Sign Up' is clicked on	0.743s	PASSED
17	waitForPageLoad(0) NOT_RUN: waitForPageLoad(0)	0.001s	NOT_RUN
18	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Button Close")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Button Close"))	0.001s	NOT_RUN
19	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Image Logo RoomMe")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Image Logo RoomMe"))	0.001s	NOT_RUN
20	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Welcome to RoomMe")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Welcome to RoomMe"))	0.001s	NOT_RUN
21	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name")) NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"))	0.001s	NOT_RUN
22	verifyElementText(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"), namauser) NOT_RUN: verifyElementText(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text User Full Name"), namauser)	0.001s	NOT_RUN

1. Sign Up with Valid Data

#	Description	Elapsed	Status
23	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Thank you Youve successfully signed up"))	0.001s	NOT_RUN
NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Thank you Youve successfully signed up"))			
24	verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Please check your email for activation"))	0.001s	NOT_RUN
NOT_RUN: verifyElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Success Sign Up/Text Please check your email for activation"))			

5. Customer Input Phone Number with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-09 12:04:40	End	2020-04-09 12:05:08
Elapsed	27.385s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	8.686s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	4.548s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.587s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.396s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.577s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	3.988s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is visible	0.305s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "abcdefghij")</code> Text 'abcdefghij' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.371s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible	1.069s	PASSED
10	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is cleared	0.280s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "12345abcde")</code> Text '12345abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.347s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible	1.061s	PASSED
13	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is cleared	0.311s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
14	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456 7890") Text '08123456 7890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.342s	PASSED
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible	1.050s	PASSED
16	clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number")) Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is cleared	0.304s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "!@#\$\$%^&*()") Text '!@#\$\$%^&*()' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.365s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible	0.937s	PASSED
19	clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number")) Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is cleared	0.311s	PASSED
20	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456789012") Text '08123456789012' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.324s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
21	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE)	1.071s	PASSED
Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible			

3. Customer Input Name Field with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/3. Customer Input Name Field with Invalid Format		
Description			
Tag			
Start	2020-04-09 12:05:08	End	2020-04-09 12:06:27
Elapsed	1m - 18.950s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	1m - 5.676s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	5.123s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.532s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.313s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.559s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	3.957s	PASSED

3. Customer Input Name Field with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.292s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "a1")</code> Text 'a1' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.348s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text At least input 3 characters long"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text At least input 3 characters long' is visible	0.840s	PASSED
10	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is cleared	0.305s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "ab12#\$ ch12ab12#\$ ch12ab12#\$ ch12ab12#\$ ch12X")</code> Text 'ab12#\$ ch12ab12#\$ ch12ab12#\$ ch12ab12#\$ ch12X' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.368s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Name Input Character is 50"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Name Input Character is 50' is visible	0.513s	PASSED

4. Customer Input Email with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/4. Customer Input Email with Invalid Format		
Description			
Tag			
Start	2020-04-09 12:06:27	End	2020-04-09 12:07:06
Elapsed	39.667s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	19.737s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	3.347s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.727s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.322s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.558s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	3.927s	PASSED

4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is visible	0.316s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc123")</code> Text 'abc123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.350s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.845s	PASSED
10	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is cleared	0.291s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc 123")</code> Text 'abc 123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.345s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.536s	PASSED
13	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is cleared	0.599s	PASSED
14	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "!@#\$\$!@")</code> Text '!@#\$\$!@' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.341s	PASSED

4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
15	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.839s	PASSED
16	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is cleared	0.295s	PASSED
17	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "ab@gmail")</code> Text 'ab@gmail' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.345s	PASSED
18	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.529s	PASSED
19	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is cleared	0.595s	PASSED
20	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "ab@.com")</code> Text 'ab@.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.350s	PASSED
21	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.921s	PASSED
22	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is cleared	0.297s	PASSED

4. Customer Input Email with Invalid Format

#	Description	Elapsed	Status
23	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc 1 2 3@ac.com") Text 'abc 1 2 3@ac.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.569s	PASSED
24	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.919s	PASSED
25	clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email")) Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email' is cleared	0.291s	PASSED
26	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "abc@getnda.com") Text ' abc@getnda.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.355s	PASSED
27	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email is not valid' is visible	0.934s	PASSED

5. Customer Input Phone Number with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/5. Customer Input Phone Number with Invalid Format		
Description			
Tag			
Start	2020-04-09 12:07:06	End	2020-04-09 12:07:37
Elapsed	30.718s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	13.263s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	3.569s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.838s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.404s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.596s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	3.835s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is visible	0.322s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "abcdefghij")</code> Text 'abcdefghij' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.353s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible	0.939s	PASSED
10	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is cleared	0.299s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "12345abcde")</code> Text '12345abcde' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.345s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible	1.078s	PASSED
13	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is cleared	0.338s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
14	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456 7890") Text '08123456 7890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.367s	PASSED
15	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible	1.070s	PASSED
16	clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number")) Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is cleared	0.298s	PASSED
17	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "!@#\$\$%^&*()") Text '!@#\$\$%^&*()' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.350s	PASSED
18	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible	0.896s	PASSED
19	clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number")) Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number' is cleared	0.295s	PASSED
20	setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "08123456789012") Text '08123456789012' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.333s	PASSED

5. Customer Input Phone Number with Invalid Format

#	Description	Elapsed	Status
21	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number"), 30, STOP_ON_FAILURE) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Phone Number contains an invalid number' is visible	0.924s	PASSED

6. Customer Input Password with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/6. Customer Input Password with Invalid Format		
Description			
Tag			
Start	2020-04-09 12:07:37	End	2020-04-09 12:08:06
Elapsed	28.997s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	11.772s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.902s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.558s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.547s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.597s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	3.884s	PASSED

6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is visible	0.309s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "abc")</code> Text 'abc' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.348s	PASSED
9	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Minimum Password Required is 6 Characters"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Minimum Password Required is 6 Characters' is visible	1.237s	PASSED
10	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is cleared	0.288s	PASSED
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "123")</code> Text '123' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.318s	PASSED
12	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Minimum Password Required is 6 Characters"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Minimum Password Required is 6 Characters' is visible	1.292s	PASSED
13	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is cleared	0.273s	PASSED
14	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "!@#")</code> Text '!@#' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.329s	PASSED

6. Customer Input Password with Invalid Format

#	Description	Elapsed	Status
15	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Minimum Password Required is 6 Characters"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Minimum Password Required is 6 Characters' is visible	0.939s	PASSED
16	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is cleared	0.291s	PASSED
17	<code>sendKeys(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), " ")</code> Keys ' ' sent to object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.344s	PASSED
18	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Cant use Space for Password"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Cant use Space for Password' is visible	0.523s	PASSED
19	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is cleared	0.492s	PASSED
20	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "abcde1234512345")</code> Text 'abcde1234512345' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.352s	PASSED
21	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Limit Password Characters has Reached"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Limit Password Characters has Reached' is visible	1.276s	PASSED

7. Customer Input Confirm Password with Invalid Format

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/7. Customer Input Confirm Password with Invalid Format		
Description			
Tag			
Start	2020-04-09 12:08:06	End	2020-04-09 12:10:00
Elapsed	1m - 53.966s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	10.326s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	3.215s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.794s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.416s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.689s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	3.927s	PASSED

7. Customer Input Confirm Password with Invalid Format

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password' is visible	0.313s	PASSED
8	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), 30, STOP_ON_FAILURE)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password' is visible	0.308s	PASSED
9	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "123456")</code> Text '123456' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.340s	PASSED
10	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "abcdef")</code> Text 'abcdef' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.571s	PASSED
11	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Password didnt match"), 0)</code> Web element with id: 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Password didnt match' located by 'By.xpath: //*[(contains(text(), concat('password didn', '', 't match')) or contains(., concat('password didn', '', 't match')))]' not found	1m - 32.617s	PASSED
12	<code>clearText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"))</code> Text of object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password' is cleared	0.332s	PASSED

8. Sign Up with Already Registered Email

Information

ID	Test Cases/Web RoomMe.id/2. Sign Up/8. Sign Up with Already Registered Email		
Description			
Tag			
Start	2020-04-09 12:10:00	End	2020-04-09 12:10:25
Elapsed	25.097s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' successfully	11.915s	PASSED
2	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/2. Verify Header RoomMe.id' successfully	2.782s	PASSED
3	click(findTestObject("Web RoomMe.id/RoomMe.id Header/Button Sign In")) Object: 'Object Repository/Web RoomMe.id/RoomMe.id Header/Button Sign In' is clicked on	0.555s	PASSED
4	waitForElementVisible(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up"), 0) Object 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is visible	0.464s	PASSED
5	click(findTestObject("Web RoomMe.id/Sign In Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign In Menu/Button Sign Up' is clicked on	0.603s	PASSED
6	callTestCase(findTestCase("Web RoomMe.id/2. Sign Up/Verify Sign Up Menu"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Web RoomMe.id/2. Sign Up/Verify Sign Up Menu' successfully	4.031s	PASSED

8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
7	<code>waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), 0)</code> Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield' is visible	0.318s	PASSED
8	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "Faldi Test AT")</code> Text 'Faldi Test AT' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Name Textfield'	0.370s	PASSED
9	<code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code> NOT_RUN: <code>getAttribute(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"), "tag")</code>	0.001s	NOT_RUN
10	<code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code> NOT_RUN: <code>namauser = concatenate(findTestObject("Web RoomMe.id/Sign Up Menu/Name Textfield"))</code>	0.000s	NOT_RUN
11	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Email"), "hurujy@getnada.com")</code> Text 'hurujy@getnada.com' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Email'	0.955s	PASSED
12	<code>setText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Phone Number"), "081234567890")</code> Text '081234567890' is set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Phone Number'	0.535s	PASSED
13	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Password"), "aeHFOx8jV/A=")</code> Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Password'	0.521s	PASSED
14	<code>setEncryptedText(findTestObject("Web RoomMe.id/Sign Up Menu/Textfield Confirm Password"), "aeHFOx8jV/A=")</code> Text ***** has been set on object 'Object Repository/Web RoomMe.id/Sign Up Menu/Textfield Confirm Password'	0.550s	PASSED

8. Sign Up with Already Registered Email

#	Description	Elapsed	Status
15	click(findTestObject("Web RoomMe.id/Sign Up Menu/Button Sign Up")) Object: 'Object Repository/Web RoomMe.id/Sign Up Menu/Button Sign Up' is clicked on	0.737s	PASSED
16	waitForElementVisible(findTestObject("Web RoomMe.id/Sign Up Menu/Error Message/Text Email already registered"), 30) Object 'Object Repository/Web RoomMe.id/Sign Up Menu/Error Message/Text Email already registered' is visible	0.637s	PASSED