Customer Login with Google

Execution Environment

Host name Win 10 - LENNONOVO
OS Windows 10 64bit

Katalon version 7.0.0.1

Browser

Summary

ID Test Suites/Web RoomMe.id/Customer Login with Google

Description

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Start 2020-04-28 05:42:40 End 2020-04-28 05:42:47

Elapsed 6.931s

#	ID	Description	Status
1	Test Cases/Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail		FAILED
2	Test Cases/Web RoomMe.id/19. Sign In with Google/2. Customer Login with Already Login Google Account		FAILED

Information

ID Test Cases/Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail

Description

Tag

Start 2020-04-28 05:42:40 End 2020-04-28 05:42:45

Elapsed 4.571s
Status FAILED

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page"), [:], STOP_ON_FAILURE)	4.068s	FAILED
	Unable to call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at 1. Customer Login with Registered Gmail.run(1. Customer Login with Registered Gmail:18)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1588027319754.run(TempTestSuite1588027319754.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://web.roomme.id/'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)		

(OpenBrowserKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

Elapsed

Status

```
Description
executeKeywordForPlatform(KeywordExecutor.groovy:60)
                  at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser
(WebUiBuiltInKeywords.groovy:60)
                  at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
(Unknown Source)
                 at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
18)
                  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                 at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:307)
                 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
                 at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
java:233)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                  at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                  ... 20 more
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This
version of ChromeDriver only supports Chrome version 77
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'LENNONOVO', ip: '192.168.1.2', os.name: 'Windows 10', os.arch:
 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
                  Ordinal0 [0x003EEB13+1501971]
                  Ordinal0 [0x0036F6D1+980689]
                  Ordinal0 [0x002F765F+489055]
                  Ordinal0 [0x0028F2F4+62196]
                  Ordinal0 [0x0028BCDA+48346]
                  Ordinal0 [0x002A9800+169984]
                  Ordinal0 [0x002A942D+169005]
                  Ordinal0 [0x002A78EB+162027]
                  Ordinal0 [0x00290AC7+68295]
                  Ordinal0 [0x00291B40+72512]
                  Ordinal0 [0x00291AD9+72409]
                  Ordinal0 [0x00388F37+1085239]
                  GetHandleVerifier [0x0048D7ED+503293]
                  GetHandleVerifier [0x0048D580+502672]
                  GetHandleVerifier [0x004946AC+531644]
                  GetHandleVerifier [0x0048DFFA+505354]
                  Ordinal0 [0x00380606+1050118]
                  Ordinal0 [0x0038047F+1049727]
                  Ordinal0 [0x0038AF9B+1093531]
                  Ordinal0 [0x0038B103+1093891]
                  Ordinal0 [0x0038A095+1089685]
                  BaseThreadInitThunk [0x760B6359+25]
                  RtlGetAppContainerNamedObjectPath [0x77AC7C14+228]
                  RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180]
```

at org.openqa.selenium.remote.W3CHandshakeResponse.

Elapsed

Status

```
Description
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
         at\ org. open qa. selenium. remote. Remote Web Driver. start Session
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.iava:181)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.iava:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:347)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:308)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:206)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 35 more
```

Information

ID Test Cases/Web RoomMe.id/19. Sign In with Google/2. Customer Login with Already Login Google Account

Description

Tag

Start 2020-04-28 05:42:45 End 2020-04-28 05:42:47

Elapsed 1.979s Status FAILED

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail"), [:], STOP_ON_FAILURE)	1.649s	FAILED
	Unable to call Test Case 'Test Cases/Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail' (Root cause: com.kms.katalon.core.exception. StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/19. Sign In with Google/1. Customer Login with Registered Gmail' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
	at 2. Customer Login with Already Login Google Account.run(2. Customer Login with Already Login Google Account:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1588027319754.run(TempTestSuite1588027319754.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Web RoomMe.id/1. Homepage/1. Customer Access RoomMe Page' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		

(CallTestCaseKeyword.groovy:81)

 $at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. execute$

```
Description
                                                                                                                                                                                                                                                                                                      Elapsed
                                                                                                                                                                                                                                                                                                                                                              Status
 (CallTestCaseKeyword.groovy:44)
                                at com.kms.katalon.core.keyword.internal.KeywordExecutor.
  executeKeywordForPlatform(KeywordExecutor.groovy:60)
                               at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords.
  groovy:334)
                                at 1. Customer Login with Registered Gmail.run(1. Customer Login with
  Registered Gmail:18)
                                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:337)
                                at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
 java:328)
                               at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
  (TestCaseExecutor.java:307)
                               at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
  (TestCaseExecutor.java:299)
                               at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
 java:233)
                               at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
  114)
                               at com.kms.katalon.core.kevword.builtin.
  CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                                ... 20 more
  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser
 with url: 'https://web.roomme.id/'
                                at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
  (WebUIKeywordMain.groovy:64)
                               at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword Main. run Keyw
  (WebUIKeywordMain.groovy:26)
                               at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
  openBrowser(OpenBrowserKeyword.groovy:81)
                               at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
  (OpenBrowserKeyword.groovy:67)
                               at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
  executeKeywordForPlatform(KeywordExecutor.groovy:60)
                                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
  (WebUiBuiltInKeywords.groovy:60)
                               at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
  (Unknown Source)
                                at 1. Customer Access RoomMe Page.run(1. Customer Access RoomMe Page:
  18)
                                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:337)
                                at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
 java:328)
                               at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
  (TestCaseExecutor.java:307)
                               at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
  (TestCaseExecutor.java:299)
                               at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
 iava:233)
```

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:

114)

```
Description
                                                                                         Elapsed
                                                                                                          Status
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
         ... 36 more
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This
version of ChromeDriver only supports Chrome version 77
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LENNONOVO', ip: '192.168.1.2', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
         Ordinal0 [0x003EEB13+1501971]
         Ordinal0 [0x0036F6D1+980689]
         Ordinal0 [0x002F765F+489055]
         Ordinal0 [0x0028F2F4+62196]
         Ordinal0 [0x0028BCDA+48346]
         Ordinal0 [0x002A9800+169984]
         Ordinal0 [0x002A942D+169005]
         Ordinal0 [0x002A78EB+162027]
         Ordinal0 [0x00290AC7+68295]
         Ordinal0 [0x00291B40+72512]
         Ordinal0 [0x00291AD9+72409]
         Ordinal0 [0x00388F37+1085239]
         GetHandleVerifier [0x0048D7ED+503293]
         GetHandleVerifier [0x0048D580+502672]
         GetHandleVerifier [0x004946AC+531644]
         GetHandleVerifier [0x0048DFFA+505354]
         Ordinal0 [0x00380606+1050118]
         Ordinal0 [0x0038047F+1049727]
         Ordinal0 [0x0038AF9B+1093531]
         Ordinal0 [0x0038B103+1093891]
         Ordinal0 [0x0038A095+1089685]
         BaseThreadInitThunk [0x760B6359+25]
         RtlGetAppContainerNamedObjectPath [0x77AC7C14+228]
         RtlGetAppContainerNamedObjectPath [0x77AC7BE4+180]
         at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
```

at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)

131)

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
          at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:347)
         at\ com. kms. katalon. core. we bui. driver. Driver Factory. start New Browser
(DriverFactory.java:308)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:206)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         ... 51 more
```