



# FStrike Deployment Document

---

|                                     |   |
|-------------------------------------|---|
| Abstract.....                       | 2 |
| 1. Introduction .....               | 2 |
| 2. Prerequisites.....               | 2 |
| 3. DNS Configuration .....          | 2 |
| 4. Environment Setup .....          | 2 |
| 5. Backend Deployment.....          | 3 |
| 6. Application Configuration.....   | 3 |
| 7. Launching Email Campaigns.....   | 3 |
| 8. Email Templates.....             | 3 |
| 9. Landing Page Editor.....         | 3 |
| 10. Data Capture.....               | 4 |
| 11. Maintenance and Monitoring..... | 4 |
| 12. Troubleshooting .....           | 4 |

## Abstract

This document details the deployment process for FStrike, an offensive email campaign tool designed to target specific user groups, manage email templates, build and host landing pages, and capture form submissions. The backend runs on an Ubuntu VPS, managed via pm2, with DNS handled by No-IP.

## 1. Introduction

FStrike is designed for controlled offensive security assessments. It allows administrators to launch targeted email campaigns, manage email templates, create landing pages in a built-in editor, and capture user-submitted data for analysis.

## 2. Prerequisites

- Ubuntu 20.04 LTS VPS with static IP
- Node.js (v14+)
- pm2 process manager
- No-IP account for dynamic DNS
- Python 3 (for auxiliary scripts)
- Git

## 3. DNS Configuration

1. Sign up for a No-IP account.
2. Create a hostname (e.g., fstrike.no-ip.org) pointing to your VPS static IP.
3. Install and configure the No-IP DUC client on the server:

```
```bash
sudo apt install noip2
sudo noip2 -C # configure with credentials and hostname
sudo systemctl enable noip2
```
```

## 4. Environment Setup

1. SSH into your Ubuntu VPS.
2. Update and install dependencies:

```
```bash
sudo apt update && sudo apt upgrade -y
curl -fsSL https://deb.nodesource.com/setup_14.x | sudo -E bash -
sudo apt install -y nodejs git python3 python3-pip
```
```
3. Clone the FStrike repository:

```
```bash
```

```
git clone https://github.com/your-org/FStrike.git
cd FStrike
npm install
``
```

## 5. Backend Deployment

1. Configure environment variables in `.env`:

```
``
PORT=3000
DB_HOST=localhost
DB_USER=fstrike
DB_PASS=securepassword
``
```

2. Start the server with pm2:

```
``bash
pm2 start server.js --name fstrike-backend
pm2 save
pm2 startup systemd
``
```

## 6. Application Configuration

Access the admin panel at `https://railtel.ddns.net:5000/`, log in using the administrator credentials, and configure the SMTP settings, database connections, and security options.

## 7. Launching Email Campaigns

1. From the admin dashboard, navigate to 'Campaigns'.
2. Click 'New Campaign', enter campaign details, and select the target list.
3. Schedule or send immediately.
4. Monitor delivery and open rates in the reports section.

## 8. Email Templates

1. Go to 'Templates' in the sidebar.
2. Use the built-in editor to create or import HTML email templates.
3. Save and assign templates to campaigns.

## 9. Landing Page Editor

1. Navigate to 'Landing Pages'.
2. Use the WYSIWYG editor to design pages, add forms, and scripts.
3. Publish pages; they will be available at `http://fstrike.no-ip.org/pages/<slug>`.

## 10. Data Capture

Form submissions on landing pages are stored in the PostgreSQL database. Access captured data via 'Submissions' in the admin panel or directly query the `submissions` table.

## 11. Maintenance and Monitoring

- Use `pm2 monit` to monitor processes.
- Enable server logs in `/var/log/fstrike/`.
- Regularly update via `git pull` and `npm install`.

## 12. Troubleshooting

- Check pm2 logs: `pm2 logs fstrike`.
- Verify No-IP client status: `sudo systemctl status noip2`.
- Test DNS resolution: `dig fstrike.no-ip.org`
- Confirm Node.js version: `node -v`.