## Supplementary material for: non-coding RNAs of bird genomes

Paul P. Gardner $^{*1,2}$ , Jana Hertel $^5$ , Sarah W. Burge $^3$ , Maria Ninova $^4$ , Stephanie Kehr $^5$ , Mario Fasold $^5$ , Tammy E. Steeves $^1$ , Sam Griffiths-Jones $^4$  and Peter Stadler $^{*5}$ 

Email: Paul P. Gardner\*- paul.gardner@canterbury.ac.nz; Jana Hertel\*- jana@bioinf.uni-leipzig.de; sb30@sanger.ac.uk; Maria.Ninova@postgrad.manchester.ac.uk; steffi@bierdepot.bioinf.uni-leipzig.de; mario@bierdepot.bioinf.uni-leipzig.de; tammy.steeves@canterbury.ac.nz; sam.griffiths-jones@manchester.ac.uk; Peter Stadler\*- studla@bioinf.uni-leipzig.de;

Supplementary methods

Abstract		
C		
Supplementary introduction		
Supplementary results		
In the following we explore		

<sup>&</sup>lt;sup>1</sup> School of Biological Sciences, University of Canterbury, Private Bag 4800, Christchurch, New Zealand. <sup>2</sup> Biomolecular Interaction Centre, University of Canterbury, Private Bag 4800, Christchurch, New Zealand. <sup>3</sup> European Molecular Biology Laboratory, European Bioinformatics Institute, Hinxton, Cambridge, CB10 1SD, UK. <sup>4</sup> Faculty of Life Sciences, University of Manchester, United Kingdom. <sup>5</sup> Bioinformatics Group, Department of Computer Science; and Interdisciplinary Center for Bioinformatics, University of Leipzig, Härtelstrasse 16-18, D-04107 Leipzig, Germany

<sup>\*</sup>To whom correspondence should be addressed




Figure 1: Heatmaps showing the prescence/abscence and approximate copy number of  $\mathbf{miRNA}$  families on the right and  $\mathbf{snoRNA}$  families on the left.




Figure 2: Heatmaps showing the prescence/abscence and approximate copy number of lncRNA families on the right and tRNA families on the left.




Figure 3:  $\dots$ 




Figure 4: ...




Figure 5:  $\dots$ 




Figure 6: ...