

Index

Acknowledgement 2-35
 delayed - MCF 2-35
 general - ACK 2-35
Acknowledgements
 enhanced mode 2-3
 original mode 2-2
AD 2-10
ADD 2-62
Admit a Patient Event 3-2
ADT Transaction Set 3-1
AL1 3-38

Background 1-2
Batch Processing 1-8
Batch Protocol 2-44
BHS 2-64
BLG 4-20
Break Points
 queries 2-39
BTS 2-66

CE 2-14
CF 2-18
CK 2-11
CM 2-11
CN 2-13
Coding Schemes
 Diagnostic 2-15
 Coding System
 ASTM 1238-88 Table 5 2-16
 Control/Query 2-1
 CQ 2-13
 Cyclic Placer Order Groups 4-27

Data Fields 2-5
Data types 2-8
AD 2-10
CE 2-14
CF 2-18

CK 2-11
CM 2-11
CN 2-13
CQ 2-13
DT 2-9
FT 2-8
ID 2-11
MO 2-19
NM 2-8
PN 2-10
RP 2-18
SI 2-11
ST 2-8
TM 2-9
TN 2-10
TQ 2-19
TS 2-9
TX 2-8
Delimiters 2-7
Diagnostic coding schemes 2-15
Diet Orders 4-40
Discharge Event 3-3
DSC 2-60
DSP 2-61
DT 2-9

Encoding Rules 1-7
ERR 2-52
Escape Sequences 2-19
 formatted text 2-20
 formatting codes 2-19
 hexadecimal 2-20
 highlighting 2-20
 local 2-21
 special character 2-20
EVN 3-19

FHS 2-62

- Fields 2-5
- File Transfers 1-8
- Filler Order Number 4-15
- Formatted Text 2-20
- Formatting Codes 2-19
- FT 2-8
- FTS 2-63

- Hexadecimal 2-20
- Highlighting 2-20
- History 1-5

- ID 2-11
- Introduction 1-1
- IV Solution Groups 4-61

- Leave of Absence Event
- Return 3-13
- Local Variations 1-7

- Message
 - ACK 2-35
 - construction rules 2-22
 - definition 2-4, 4-3
 - delimiters 2-7
 - MCF 2-35
 - ORM 4-53, 4-3
 - ORR 4-4
 - RAS 4-76
 - RDE 4-61
 - RDS 4-68
 - RGV 4-71
 - unsolicited display update - Q05 2-36
- Message Control Segments 2-47
- Messages 2-4
 - acknowledgement 2-35
 - display 2-35
- MO 2-19
- MSA 2-51
- MSH 2-47

- NK1 3-36
- NPU 3-40

- NM 2-8
- NTE 2-66

- OBR 4-28
- ODS 4-42

- ODT 4-44
- ORC 4-5
- Order Status
- inheritance 4-27
- ORM 4-3, 4-53
- ORR 4-4
- pharmacy 4-53

- Pharmacy Orders 4-53
- Pharmacy Queries 4-80
- PID 3-21
- Placer Order Groups
 - cyclic 4-27
- Placer Order Number 4-15
- PN 2-10
- Processing
 - batch 1-8
- Processing Rules
 - application 2-25, 2-32
 - deferred 2-32
 - enhanced 2-25
 - original 2-25
- Protocols
 - batch 2-44
 - continuation messages 2-43
 - other 1-8
 - sequence number 2-41
- PV1 3-26

- Q05 2-36
- QRD 2-53
- QRF 2-56
- Quantity/timing 4-17, 4-21

- Queries 2-3, 2-37
 - deferred response - Q02 2-40
 - deferred response - Q03 2-40
 - immediate response - Q01 2-39
 - immediate vs. deferred response 2-38
 - interactive continuation 2-38
 - logical display break points 2-39
 - message definition 2-37
- Query Response
- R0R 4-84
- RAR 4-84
- RDR 4-85
- RER 4-85
- RGR 4-86

- RAR 4-84
- RAS 4-76

Index

RDE 4-61	OM1 7-58
RDR 4-85	OM2 7-68
RDS 4-68	OM3 7-73
Reference Documents 1-10	OM4 7-74
RER 4-85	OM5 7-77
RGR 4-86	OM6 7-78
RGV 4-71	ORC 4-5
ROR 4-84	PID 3-21
RP 2-18	PR1 6-9
RQ1 4-50	PRA 8-17
RQD 4-48	PV1 3-26
RXA 4-78	QRD 2-53
RXC 4-60	QRF 2-56
RXD 4-69	RQ1 4-50
RXE 4-62	RQD 4-48
RXG 4-73	RXA 4-78
RXO 4-53	RXC 4-60
RXR 4-58	RXD 4-69
	RXE 4-62
	RXG 4-73
	RXO 4-53
	RXR 4-58
	STF 8-13
Segments 2-5	UB1 6-31
ACC 6-30	UB2 6-34
ADD 2-62	URD 2-58
AL1 3-38	URS 2-59
BHS 2-64	Sequence Number Protocol 2-41
BLG 4-20	SI 2-11
BTS 2-66	Special Character 2-20
DG1 6-7	ST 2-8
DSC 2-60	Supply Orders 4-46
DSP 2-61	
ERR 2-52	Text Fields
EVN 3-19	escape sequences 2-19
FHS 2-62	TM 2-9
FT1 6-4	TN 2-10
FTS 2-63	TQ 2-19, 4-21
GT1 6-12	Transfer Event
IN1 6-15	Transfer 3-2
IN2 6-21	Trigger Event
IN3 6-26	A01 3-2
MFA 8-8	A02 3-2
MFE 8-7	A03 3-3
MFI 8-5	A04 3-3
MSA 2-51	A05 3-4
MSH 2-47	A06 3-4
NK1 3-36	A07 3-5
NPU 3-40	A08 3-6
NTE 2-66	A09 3-6
OBR 4-28, 7-16	
OBX 7-17	
ODS 4-42	
ODT 4-44	

A10 3-7
A11 3-7
A12 3-7
A13 3-8
A14 3-8
A15 3-9
A16 3-9
A17 3-10
A18 3-10
A19 3-11
A20 3-12
A21 3-12
A22 3-13
A23 3-13
A24 3-13
A25 3-14
A26 3-14
A27 3-14
A28 3-15
A29 3-16
A30 3-16
A31 3-17
A32 3-17
A33 3-17
A34 3-18
A35 3-18
A36 3-18
A37 3-19
P01 6-2
P02 6-2
P03 6-3
P04 6-3
Q01 2-39
Q02 2-40
Q03 2-40
Q05 2-36
Trigger Events 2-1
TS 2-9
TX 2-8

URD 2-58
URS 2-59