Index

A

A19 usage notes, 3-17

ACC, 6-56

Accommodation code, 3-60

account ID, 4-23

Account status, 3-56

ACK, 6-3, 6-4, 6-5

ACK General Acknowledgment, 10-18

Acknowledgements

- enhanced mode, 2-2
- original mode, 2-2

ACKNOWLEDGMENT, 2-67, 4-5

- delayed - MCF, 2-67
- general - ACK, 2-67

action by, 4-22

action code, 12-21, 12-25

action code usage, 12-3

action date/time, 12-18, 12-21

actual dispense amount, 4-82

actual dispense units, 4-82

actual dosage form, 4-82

Actual length of inpatient stay, 3-60

actual problem resolution date/time, 12-22

actual strength, 4-83

actual strength unit, 4-84

AD, 2-13

ADD, 2-107

Add person information, 3-22

Address, 3-65

administered amount, 4-94

administered at location, 4-95

administered code, 4-94

administered dosage form, 4-94

administered per (time unit), 4-95

administered strength, 4-95

administered strength unit, 4-95

administered units, 4-94

administering provider, 4-95

administration method, 4-69

administration notes, 4-89, 4-94

administration sub-ID counter, 4-94

administrative device, 4-68

administrative site, 4-68

Admission type, 3-50

Admit / visit notification, 3-2

Admit a patient - event A01 (basic example), 3-78

Admit a patient - event A01 (complex example), 3-79, 3-80, 3-81, 3-82

Admit date/time, 3-57

Admit reason, 3-60

Admit source, 3-53

Admitting doctor, 3-53

ADT transaction set, 3-1

Health Level Seven, Version 2.3© 1997. All rights reserved.

AIG - appointment information - general resource segment, 10-43

AIG field definitions, 10-43

AIL - appointment information - location resource segment, 10-46

AIP - appointment information - personnel resource segment, 10-50

AIS - appointment information - service segment, 10-40

AL1 - patient allergy information segment, 3-70

AL1 field definitions, 3-70

Allergy code/mnemonic/description, 3-70

Allergy reaction, 3-71

Allergy severity, 3-71

Allergy type, 3-70

allow substitution, 4-64

Allow substitutions code, 10-42, 10-46, 10-49, 10-52

Alternate patient ID, 3-44

Alternate visit ID, 3-57

Ambulatory status, 3-53, 3-67

anticipated price, 4-58

anticipated problem resolution date/time, 12-22

Application roles, 10-5, 10-7, 11-3

Application roles in a messaging environment, 11-5

Appointment, 10-9

Appointment duration, 10-29, 10-35

Appointment duration units, 10-29, 10-36

Appointment reason, 10-28, 10-35

Appointment slot spacing criteria, 10-55

Appointment timing quantity, 10-36

appointment type, 10-9, 10-28, 10-35

Appointments, 10-4

APR - appointment preferences segment, 10-53

ARQ - appointment request segment, 10-25

ARQ field definitions, 10-26

Assigned patient location, 3-50

assistant result interpreter, 4-44, 7-28

Associated party identifiers, 3-69

Attending doctor, 3-51

AUT - authorization information segment, 11-22

AUT - data element definitions, 11-22

Authorization effective date, 11-22

Authorization expiration date, 11-22

Authorization identifier, 11-22

Authorized number of treatments, 11-23

Authorizing payor, company ID, 11-22

Authorizing payor, company name, 11-22

Authorizing payor, plan ID, 11-22

Auxiliary application, 10-10

auxiliary application role, 10-7, 11-4

B

Baby detained indicator, 3-63

Background, 1-2

Bad debt agency code, 3-55

Bad debt recovery amount, 3-55

Bad debt transfer amount, 3-55

BAR, 6-2, 6-3, 6-5, 6-63, 6-64

Batch Processing, 1-9

Batch protocol, 2-81

Bed location, 3-71

Bed status, 3-56, 3-71

Health Level Seven, Version 2.3© 1997. All rights reserved.

Bed status update, 3-18

bedside monitoring, 4-2

Benefits, 11-5

BHS, 2-109

Billing media code, 3-63

Birth order, 3-47

Birth place, 3-47

BLG, 4-23

Block, 10-10

Book, 10-10

Break Points

queries, 2-71

BTS, 2-110

Business phone number, 3-65

C

call back phone number, 4-21

Cancel admit / visit notification, 3-11

Cancel discharge / end visit, 3-12

Cancel patient arriving - tracking, 3-25

Cancel patient departing - tracking, 3-26

Cancel patient referral, 11-18

Cancel pending admit, 3-22

Cancel pending discharge, 3-21

Cancel pending transfer, 3-21

Cancel pre-admit, 3-28

Cancel transfer, 3-12

cancellation, 4-10

CD, 2-14

CE, 2-14

certainty of problem, 12-23

CF, 2-15

Change an inpatient to an outpatient, 3-7

Change an outpatient to an inpatient, 3-6

Charge price indicator, 3-54

charge to practice, 4-40, 7-24

charge type, 4-23

Child appointment, 10-10

Citizenship, 3-48, 3-67

CK, 2-15

Clinic organization name, 3-62

clinical

observations, 4-1, 4-2

Clinical information, 11-6

Clinical Trials, 7-59

CM, 2-17

CN, 2-17

Coding Schemes

Diagnostic, 7-10

Coding System

ASTM 1238-88 Table 5, 7-11

collection volume, 4-35, 7-19

collector’s comment, 4-45

collector identifier, 4-35, 7-20

collector's comment, 7-29

component amount, 4-70

component code, 4-70

component strength, 4-70

component strength unit, 4-71

component units, 4-70

Consulting doctor, 3-52

Contact address, 11-27

Contact identifiers, 11-27

Contact location, 11-27

Contact name, 11-26

Contact person's name, 3-68

Contact person's telephone number, 3-69

Contact person address, 3-69

Contact person social security number, 3-70

Contact phone number, 11-27

Contact reason, 3-68

Contact role, 3-65, 11-24

Contract amount, 3-55

Contract code, 3-54

Contract effective date, 3-55

Contract period, 3-55

Control/Query, 2-1

County code, 3-45

Courtesy code, 3-54

CP, 2-18

CQ, 2-20

Credit rating, 3-54

CTD - contact data segment, 11-26

CTD data element definitions, 11-26

current goal review date/time, 12-19

current goal review status, 12-19

Current patient balance, 3-57

CX, 2-20

cyclic placer order groups, 4-30

D

D/T of most recent refill or dose dispensed, 4-76

danger code, 4-36, 7-20

Data Fields, 2-5

data type

TQ, 4-2

Data types, 2-9

AD, 2-13

CD, 2-14

CE, 2-14

CF, 2-15

CK, 2-15

CM, 2-17

CN, 2-17

CP, 2-18

CQ, 2-20

CX, 2-20

DT, 2-23

ED, 2-23

EI, 2-25

FT, 2-26

HD, 2-26

ID, 2-28

MA, 2-28

MO, 2-29

NA, 2-29

NM, 2-29

PL, 2-29

Health Level Seven, Version 2.3© 1997. All rights reserved.

Final Standard.

PN, 2-32
RP, 2-37
SI, 2-41
SN, 2-42
ST, 2-42
TM, 2-43
TN, 2-43
TQ, 2-43
TS, 2-44
TX, 2-44
XAD, 2-46
XCN, 2-47
XON, 2-48
XPN, 2-49
XTN, 2-50
date needed, 4-57
Date of birth, 3-45, 3-67
date/time dispensed, 4-81
date/time end of administration, 4-94
Date/time of event, 3-41
date/time of transaction, 4-20
Date/time planned event, 3-41
date/time start of administration, 4-94
Delete a patient record, 3-19
Delete account date, 3-55
Delete account indicator, 3-55
Delete person information, 3-23
Delimiters, 2-8
deliver - to location, 4-63, 4-75
deliver to ID, 4-57
Dependent, 11-6
dept. cost center, 4-57
DFT, 6-4
DG1, 6-10, 6-64
diagnostic
imaging, 4-2
studies, 4-2
Diagnostic coding schemes, 7-10
diagnostic serv sect ID, 4-41, 7-25
Diet Orders, 4-47
Diet type, 3-56
diet, supplement, or preference code, 4-50
diets, 4-2
Discharge date/time, 3-57
Discharge disposition, 3-55
Discharge/end visit, 3-4
Discharged to location, 3-56
discontinue, 4-10
dispense amount, 4-75
dispense notes, 4-82
dispense sub-ID, 4-88
dispense sub-ID counter, 4-81
dispense units, 4-75
dispense/give code, 4-81
dispense-to location, 4-83, 4-89
dispensing provider, 4-82
DISPLAY MESSAGES, 2-67
DRG, 6-14

Driver's license number - patient, 3-47

DSC, 2-105

DSP, 2-106

DT, 2-23

duplicate fields, 4-7

Duplicate patient, 3-76

Duration, 10-42, 10-45, 10-49, 10-52

Duration units, 10-42, 10-45, 10-49, 10-52

E

Effective date, 11-20

Effective end date of role, 11-26

Effective start date of role, 11-25

EI, 2-25

electrocardiograms, 4-2

Eligibility/coverage, 11-6

embedded query laguage, 2-3

Employment illness related indicator, 3-61

Encoding Rules, 1-7

Encounter, 11-6

End account, 6-5

End date, 3-66

entered by, 4-20

Entered by location, 10-32, 10-38

Entered by person, 10-32, 10-37

Entered by phone number, 10-32, 10-38

enterer's location, 4-21

entering device, 4-22

entering organization, 4-22

episode of care, 12-18

episode of care ID, 12-22

EQL, 2-112

ERQ, 2-117

ERR, 2-97

Escape sequences, 2-52

- formatted text, 2-54
- formatting codes, 2-52
- hexidecimal, 2-54
- highlighting, 2-53
- local, 2-55
- special character, 2-53

escort required, 4-45, 7-29

Estimated length of inpatient stay, 3-60

Ethnic group, 3-47, 3-68

Event reason, 10-35

Event reason code, 3-41

event replay queries, 2-3

Event type code, 3-41

EVN field definitions, 3-41

EVN segment, 3-41

Example

- acknowledgment general, 2-119
- custom IV, 4-99
- enhanced mode, 2-121
- error return, 2-119
- master file update, 2-124
- original mode, 2-120
- query, 2-120
- response to queries, 4-106

Health Level Seven, Version 2.3© 1997. All rights reserved.

Final Standard.

sequence number

initial message, 2-119

various levels of coding in an order, 4-97

EXAMPLE TRANSACTIONS, 10-56

Expected admit date, 3-60

Expected discharge date, 3-60

Expected discharge disposition, 3-62

expected goal achievement date/time, 12-19

Expected number of insurance plans, 3-62

Expected surgery date and time, 3-63

Expiration date, 11-20

F

Family/significant other awareness of problem/prognosis, 12-24

FHS, 2-107

Fields, 2-5

Figure 10-1. An example excerpt from an appointment book, 10-2

Figure 10-2 Application role messaging relationships, 10-8

Figure 10-3. ARQ attributes, 10-26

Figure 12-2. GOL attributes, 12-17

Figure 3-1. EVN attributes, 3-41

Figure 3-2. PID attributes, 3-43

Figure 3-3. PV1 attributes, 3-49

Figure 3-4. PV2 attributes, 3-59

Figure 3-5. NK1 attributes, 3-64

Figure 3-6. AL1 attributes, 3-70

Figure 3-7. NPU attributes, 3-71

Figure 3-8. MRG attributes, 3-72

Figure 3-9. PD1 attributes, 3-74

File Transfers, 1-9

filler, 4-1, 4-3

Filler application, 10-10

filler application role, 10-6

Filler appointment ID, 10-26, 10-28, 10-34, 10-38

Filler contact address, 10-37

Filler contact location, 10-37

Filler contact person, 10-37

Filler contact phone number, 10-37

filler field #1, 4-40, 7-24

filler field #2, 4-40, 7-24

filler order number, 4-17, 4-34, 7-18

Filler override criteria, 10-55

Filler status code, 10-39, 10-42, 10-46, 10-49, 10-53

Finance, 6-1

Financial class, 3-54

First similar illness date, 3-63

food, 4-1

Formatted text, 2-54

Formatting codes, 2-52

FT, 2-26

FT1, 6-6, 6-63

FTS, 2-108

G

Generate accounts receivable statements, 6-4

Generate bills, 6-4

give amount - maximum, 4-74, 4-88

give amount - minimum, 4-74, 4-88

give code, 4-74, 4-88

give dosage form, 4-74, 4-89

give per (time unit), 4-90

give per (time unit) as encoded by the pharmacy/treatment supplier, 4-77

give rate amount, 4-78, 4-90

give rate units, 4-78, 4-90

give strength, 4-78, 4-91

give strength unit, 4-78, 4-91

give sub-ID counter, 4-87, 4-93

give units, 4-74, 4-88

Glossary

chapter 4, 4-3

goal, 12-1

goal classification, 12-19

goal established date/time, 12-18

goal evaluation, 12-19

goal evaluation comment, 12-20

goal ID, 12-18

goal instance ID, 12-18

goal life cycle status, 12-20

goal life cycle status date/time, 12-20

goal management discipline, 12-19

goal review interval, 12-19

goal target name, 12-20

goal target type, 12-20

GT1, 6-20

Guarantor, 11-6

H

Handicap, 3-69, 3-75

HD, 2-26

Health care provider, 11-6

Hexadecimal, 2-54

Highlighting, 2-53

History, 1-5

HL7 - X12 Joint Coordinating Committee, 11-34

hospital item code, 4-57

Hospital service, 3-52

I

ID, 2-28

Identification date, 3-71

IMPLEMENTATION CONSIDERATIONS, 3-82, 10-59

IN1, 6-30

IN2, 6-39

IN3, 6-51

indication, 4-67, 4-78, 4-84, 4-91, 4-96

Individual awareness of problem, 12-23

Individual awareness of prognosis, 12-24

inter-enterprise, 11-2

Interest code, 3-55

intra-enterprise, 11-2

Introduction, 1-1

Issues, 10-59

item code - external, 4-56

item code - internal, 4-56

item natural account code, 4-57

IV Solution Groups, 4-71

J

Job status, 3-69

Health Level Seven, Version 2.3© 1997. All rights reserved.

L

laboratory
tests, 4-1, 4-2
Link patient information, 3-20
Living arrangement, 3-67, 3-74
Living dependency, 3-67, 3-74
Living will, 3-75
Location group, 10-48
Location resource ID, 10-47
Location selection criteria, 10-55
Location type, 10-48
Logical relationship of resource and service segments, 10-59

M

MA, 2-28
manufacturer's catalog, 4-58
manufacturer ID, 4-58
manufacturers of vaccines, 4-117
Marital status, 3-46, 3-67
Master File Notification for Staff/Pracitioner, 8-12
Master Files, 8-1
master goal list number, 12-18
master problem list number, 12-22
Merge patient information, 3-16
Merge patient information - account number only, 3-27
Merge patient information - patient ID & account number, 3-27
Merge patient information - patient ID only, 3-26
Merge person information, 3-24
Message
ACK, 2-67, 6-3, 6-4, 6-5
ACKNOWLEDGMENT, 2-67
BAR, 6-2, 6-3, 6-5
Chapter formats for defining HL7 messages, 2-57
CONSTRUCTION RULES, 2-55
definition, 2-5
definitions - orders, 4-3
delimiters, 2-8
DFT, 6-4
display vs. record-oriented, 2-67
MCF, 2-67
NMD, C-2
ORM, 4-3, 4-60
ORR, 4-5
RAS, 4-92
RDE, 4-71
RDS, 4-79
RGV, 4-85
Sample Control And Query, 2-119
unsolicited display update - Q05, 2-68
unsolicited display update message continuation, 2-68
MESSAGE CONTROL SEGMENTS, 2-85
MESSAGE SEGMENTS, 10-25
Messages
MFD, 8-4
MFN, 8-3
ORU, 7-13
MFA, 8-8
MFD, 8-4

MFE, 8-7

MFI, 8-5

MFN, 8-3

MFQ, 8-4

Military non availability code, 3-63

Military partnership code, 3-63

Miscellaneous

HL7 tables used across all chapters, 2-119

MO, 2-29

Modes for updating via repeating segments, 2-84

Modify patient referral, 11-18

Mother’s maiden name, 3-68

Mother's identifier, 3-47

Mother's maiden name, 3-44

MRG - merge patient information segment, 3-71

MRG field definitions, 3-72

MSA, 2-96

MSH, 2-85

Multiple birth indicator, 3-47

Multiple placer applications, 10-59

N

NA, 2-29

Name, 3-65

Narrative reports, 7-5

Nationality, 3-48, 3-68

NCK, C-2

needs human review, 4-65, 4-77, 4-83, 4-89

Network Management, C-1

New diagnoses/problems, 12-5

New goals, 12-5

Newborn baby indicator, 3-63

next goal review date/time, 12-19

Next of kin / associated parties employee number, 3-66

Next of kin / associated parties job code/, 3-66

Next of kin / associated parties job title, 3-66

NK1 - next of kin / associated parties segment, 3-63

NK1 field definitions, 3-64

NM, 2-29

NMD, C-2

NMQ, C-1

Notification of addition of service/resource on appointment (event S18), 10-20

Notification of appointment cancellation (event S15), 10-19

Notification of appointment deletion (event S17), 10-19

Notification of appointment discontinuation (event S16), 10-19

Notification of appointment modification (event S14), 10-19

Notification of appointment rescheduling (event S13), 10-18

Notification of blocked schedule time slot(s) (event S23), 10-21

Notification of cancellation of service/resource on appointment (event S20), 10-20

Notification of deletion of service/resource on appointment (event S22), 10-20

Notification of discontinuation of service/resource on appointment (event S21), 10-20

Notification of modification of service/resource on appointment (event S19), 10-20

Notification of new appointment booking (event S12), 10-18

Notification of opened (“un-blocked”) schedule time slot(s) (event S24), 10-21

Health Level Seven, Version 2.3© 1997. All rights reserved.

Final Standard.

Notification that patient did not show up for scheduled appointment (event S26), 10-21

NPU - bed status update segment, 3-71

NPU field definitions, 3-71

NSC, C-5

NST, C-3

NTE, 2-111

number of refills, 4-64, 4-76

number of refills remaining, 4-76, 4-82

number of refills/doses dispensed, 4-76

number of sample containers, 4-45, 7-29

O

OBR, 4-32, **7-15**

observation date/time, 4-35, 7-19

observation end date/time, 4-35, 7-19

Observation Reporting, 7-1

observation segment, 4-3

observations-to-follow, 4-13

OBX, 7-30

Occurrence number, 10-27, 10-34

ODS, 4-49

ODT, 4-51

OM1, 8-22

OM2, 8-39

OM3, 8-43

OM4, 8-44

OM5, 8-47

OM6, 8-48

Operator ID, 3-41, 3-42

ORC, 4-6

order, 4-3

- detail segment, 4-3
- other, 4-2

order callback phone number, 4-40, 7-24

order control, 4-8

- event acknowledgment, 4-8
- event notification, 4-8
- event request, 4-8

order control code reason, 4-22

order effective date/time, 4-21

order entry

- examples of use, 4-46

order status, 4-19

- inheritance, 4-31

ordering provider, 4-21, 4-39, 7-23

ordering provider's DEA number, 4-65, 4-76

orders, 4-1

Organ donor, 3-76

Organization name, 3-66

Original mode queries - display oriented, 10-22

Original mode queries - record oriented, 10-22

ORM, 4-3, 4-60

ORR, 4-5

- pharmacy, 4-60

ORU, 7-13

P

P01, 6-2, 6-4, 6-63, 6-64

P02, 6-3

P03, 6-3, 6-63

P04, 6-4

P05, 6-2, 6-4

P06, 6-5

parent, 4-20

Parent and child appointments, 10-5

Parent appointment, 10-10

Parent filler appointment ID, 10-32

parent number, 4-43, 7-27

Parent placer appointment ID, 10-32, 10-38

parent result, 4-42, 7-26

parent/child, 4-8

Patient account number, 3-46

Patient accounts

  add, 6-2

  purge, 6-3

Patient address, 3-45

Patient alias, 3-45

Patient arriving, 3-10

Patient charge adjustment code, 3-63

Patient class, 3-50

patient class for any visit related information, 3-1

Patient death date and time, 3-48

Patient death indicator, 3-48

Patient departing - tracking, 3-9

Patient goes on a "leave of absence", 3-18

Patient ID (external ID, 3-43

Patient ID (internal ID), 3-44

Patient name, 3-44

Patient primary care provider name & ID no., 3-75

Patient primary facility, 3-74

Patient query, 3-16

Patient record links, 3-109

Patient Referral, 11-1, 11-2, 11-15, 11-17

Patient referral and responses, 11-1

Patient returns from a "leave of absence", 3-19

Patient separate bill indicator, 3-76

Patient status code, 3-62

Patient tracking, 3-10

Patient type, 3-54

Patient valuables, 3-60

Patient valuables location, 3-60

Payor, 11-6

payors, 11-1

PD1 - patient demographic segment, 3-74

Pending admit, 3-13

Pending discharge, 3-15

Pending location, 3-56

Pending transfer, 3-14

Personnel resource ID, 10-50

pharmacist/treatment provider verifier ID, 4-65

pharmacist/treatment supplier’s verifier ID, 4-76

pharmacy, 4-1

pharmacy/treatment, 4-92

  administration message, 4-92

  administration segment, 4-93

  component order segment, 4-69

  dispense message, 4-79

Health Level Seven, Version 2.3© 1997. All rights reserved.

Final Standard.

dispense segment, 4-81
encoded order, 4-71
encoded order segment, 4-72
examples of use, 4-97
give message, 4-85
give segment, 4-87
order message, 4-60
order segment, 4-61
orders, 4-60
queries, 4-97
route segment, 4-67
usage notes, 4-79
pharmacy/treatment special administration instructions, 4-90
pharmacy/treatment special dispensing instructions, 4-77
pharmacy/treatment supplier special dispensing instructions, 4-83
Phone number, 3-65
Phone number - business, 3-46
Phone number - home, 3-45
PID - patient identification segment, 3-42
PID field definitions, 3-43
PL, 2-29
placer, 4-1, 4-3
Placer application, 10-11
placer application role, 10-6
Placer appointment ID, 10-26, 10-28, 10-33
Placer contact address, 10-31, 10-36
Placer contact location, 10-31, 10-36
Placer contact person, 10-31, 10-36
Placer contact phone number, 10-31, 10-36
placer field #1, 4-40, 7-24
placer field #2, 4-40, 7-24
placer group number, 4-18, 10-27, 10-34
placer order group, 4-3, 4-7
placer order groups
cyclic, 4-30
placer order number, 4-17, 4-34, 7-17
planned patient transport comment, 4-46, 7-30
PN, 2-32
Point of Care system, 12-4
Post detail financial transactions, 6-3
PR1, 6-16
PRA, 8-17
PRD - provider data segment, 11-23
PRD data element definitions, 11-24
Pre-admit a patient, 3-6
Pre-admit number, 3-51
Pre-admit test indicator, 3-52
Pre-authorization, **11-6**
Preferred method of contact, 11-25, 11-27
prescription number, 4-76, 4-82
previous goal review date/time, 12-19
Previous service date, 3-61
Previous treatment date, 3-62
Primary care provider, 11-6
primary care provider (PCP), 11-1
primary care providers, 11-1
Primary language, 3-46, 3-67

principal result interpreter, 4-44, 7-28
Prior alternate patient ID, 3-72
Prior patient account number, 3-72
Prior patient ID - external, 3-73
Prior patient ID - internal, 3-72
Prior patient location, 3-51
Prior pending location, 3-59
Prior temporary location, 3-57
priority, 4-35, 7-19, 10-30
Probability of problem, 12-23
problem, 12-2
problem classification, 12-22
problem confirmation status, 12-23
problem date of onset, 12-23
problem detail segment -, 12-20
problem established date/time, 12-22
problem ID, 12-21
problem instance ID, 12-22
problem life cycle status, 12-23
problem life cycle status date-time, 12-23
problem list, 12-4
problem management discipline, 12-22
problem onset text, 12-23
problem persistence, 12-22
Problem prognosis, 12-24
problem ranking, 12-23
Process date, 11-21, 11-23
Processing
  batch, 1-9
PROCESSING RULES
  APPLICATION, 2-59, 2-62, 2-64, 2-67, 2-97
  deferred, 2-62, 2-64, 2-67, 2-97
  enhanced, 2-59
  original, 2-59
Protection indicator, 3-68
Protocols
  acknowledging batches, 2-83
  batch, 2-81
  batch message as a query response, 2-83
  continuation messages, 2-79
  HL7 batch file structure, 2-81
  HL7 special, 2-77
  modes for updating via repeating segments, 2-84
  other, 1-9
  related segments and data usage, 2-82
  segements, 2-79
  sequence number, 2-77
provider's administration instructions, 4-63, 4-75
provider's pharmacy/treatment instructions, 4-63
Provider address, 11-25
Provider identifiers, 11-25
Provider location, 11-25
Provider name, 11-24
Provider phone number, 11-25
Publicity indicator, 3-67
Purge status code, 3-61
Purge status date, 3-61
PV1 - patient visit segment, 3-48

Health Level Seven, Version 2.3© 1997. All rights reserved.

PV1 field definitions, 3-50

PV1 usage notes, 3-58

PV2 - patient visit - additional information segment, 3-58

PV2 field definitions, 3-59

PV2 segment, 3-58

Q

Q05, 2-68

QAK, 2-118

QRD, 2-97

QRF, 2-101

Quantity/timing, 4-19, 4-24, 4-42, 4-73, 4-88, 7-26

Quantity/timing component

- condition, 4-27
- conjunction, 4-28
- duration, 4-26
- end date/time, 4-26
- interval, 4-24
- order sequencing, 4-28
- priority, 4-27
- quantity, 4-24
- start date/time, 4-26
- text, 4-28

Queries, 2-3, 2-69

- deferred - Q02, 2-73
- deferred response - Q03, 2-74
- display vs. record oriented, 2-69
- error response, 2-77
- immediate response - Q01, 2-72
- immediate vs. deferred response, 2-70
- interactive continuation or cancellation of response messages, 2-70
- logical display break points, 2-71
- message definition, 2-69
- MESSAGE DEFINITIONS, 2-72
- message implementation considerations, 2-76
- TRIGGER EVENTS, 2-72

queries for immunization records, 4-111

Query

- MFQ, 8-4
- NMQ, C-1
- results observation, 7-15

query acknowledgement with no records found, 4-120

query for vaccination record, 4-112, 4-118

Query Response

- RAR, 4-106
- RDR, 4-106
- RER, 4-107
- RGR, 4-107

Query transactions, 10-21

Querying application, 10-11

querying application role, 10-6, 11-4

R

Race, 3-45, 3-69

RAR, 4-106

RAS, 4-92

RDE, 4-71

RDF, 2-115

RDR, 4-106

RDS, 4-79

RDT, 2-116

Re-admission indicator, 3-52

reason for study, 4-43, 7-27

reasons used with transactions, 10-9

Recurring service code, 3-63

REF - patient referral message, 11-15

REF deferred example, 11-31

REF immediate example, 11-30

Reference Documents, 1-16

Referral, 11-6

Referral category, 11-20

Referral disposition, 11-19

Referral identifier, 11-20, 11-21

Referral priority, 11-19

Referral source, 3-61

Referral status, 11-18

Referral type, 11-19

referred-by provider, 11-3

referred-to provider, 11-3

referred-to provider application role, 11-3

Referred-to-provider, 11-6

Referring doctor, 3-51, 3-58

Referring provider, 11-6

referring provider application role, 11-3

Register a patient, 3-5

Reimbursement limit, 11-23

Relationship, 3-65

relevant clinical information, 4-36, 7-20

Religion, 3-46, 3-68

Repeating interval, 2-12, 2-37, 10-30

Repeating interval duration, 10-31

replace request, 4-11

replacement, 4-10

Reporting units, 7-37

Request addition of service/resource on appointment (event S07), 10-16

Request and receive new appointment - event S01, 10-56

Request and receive new appointment with repeating interval - event S01, 10-58

Request appointment cancellation (event S04), 10-15

Request appointment deletion (event S06), 10-15

Request appointment discontinuation (event S05), 10-15

Request appointment modification (event S03), 10-15

Request appointment rescheduling (event S02), 10-14

Request cancellation of service/resource on appointment (event S09), 10-16

Request deletion of service/resource on appointment (event S11), 10-17

Request discontinuation of service/resource on appointment (event S10), 10-17

Request event reason, 10-28

Request for cancellation of an authorization, 11-14, 11-15

Request for insurance information, 11-7

Request for modification to an authorization, 11-15

Request for patient clinical information, 11-10

Request for patient demographic data, 11-9

Request for resubmission of an authorization, 11-15

Request for treatment authorization information, 11-14

Request modification of service/resource on appointment (event S08), 10-16

Health Level Seven, Version 2.3© 1997. All rights reserved.

Final Standard.

Request new appointment booking (event S01), 10-14
Request patient referral status, 11-15, 11-18
Request/receipt of clinical data listing, 11-11
Request/receipt of patient selection display list, 11-7
Request/receipt of patient selection list, 11-8
requested date/time, 4-35, 7-19
requested dispense amount, 4-64
requested dispense code, 4-64
requested dispense units, 4-64
requested dosage form, 4-63
requested give amount - maximum, 4-63
requested give amount - minimum, 4-62
requested give code, 4-62
requested give per (time unit), 4-66
requested give units, 4-63
Requested number of treatments, 11-23
Requested start date/time range, 2-12, 2-22, 10-29
requested strength, 4-66
requested strength unit, 4-67
requisition line number, 4-56
requisition quantity, 4-57
requisition unit of measure, 4-57
RER, 4-107
Resource, 10-11
Resource group, 10-44, 10-51
Resource group ID, 10-40
Resource ID, 10-43
Resource quantity, 10-44
Resource quantity units, 10-44
Resource role, 10-51
Resource selection criteria, 10-54
Resource type, 10-44
resources, 10-3
Responding to a patient referral, 11-2
response flag, 4-19
response to vaccination query, 4-113, 4-118
result copies to, 4-43, 7-27
result status, 4-41, 7-25
results rpt/status chng, 4-40, 7-24
Retention indicator, 3-62
RF1 - data element definitions, 11-18
RF1 - referral information segment, 11-18
RGR, 4-107
RGS - resource group segment, 10-39
RGV, 4-85
Role, 11-26, 12-2, 12-25
Role assumption reason, 12-25
Role begin date/time, 12-25
Role duration, 12-25
Role end date/time, 12-25
Role person, 12-25
role segment - ROL, 12-24
route, 4-67
RP, 2-37
RQ1, 4-58
RQA - request for patient treatment authorization, 11-12
RQA deferred example, 11-29
RQA immediate example, 11-28

RQC immediate example, 11-32

RQD, 4-56

RQI immediate example, 11-28

RX component type, 4-69

RXA, 4-93

RXC, 4-69

RXD, 4-81

RXE, 4-72

RXG, 4-87

RXO, 4-61

RXR, 4-67

S

Sample Control And Query Messages, 2-119

Scenarios, 12-2

  clinical repository loading, 12-2

  consultation, 12-2

SCH - schedule activity information segment, 10-33

SCH field definitions, 10-33

Schedule, 10-11

Schedule ID, 10-27, 10-35

scheduled - date/time, 4-44, 7-28

Schedules, 10-2

Security/sensitivity, 12-24

Segment

  ACC, 6-56

  BLG, 4-23

  DG1, 6-10

  DRG, 6-14

  FT1, 6-6

  GT1, 6-20

  IN1, 6-30

  IN2, 6-39

  IN3, 6-51

  MFA, 8-8

  MFE, 8-7

  OBR, 4-32

  ODS, 4-49

  ODT, 4-51

  OM2, 8-39

  ORC, 4-6

  PR1, 6-16

  RQ1, 4-58

  RQD, 4-56

  RXA, 4-93

  RXC, 4-69

  RXD, 4-81

  RXE, 4-72

  RXG, 4-87

  RXO, 4-61

  RXR, 4-67

  UB1, 6-57

  UB2, 6-60

Segment notes

  MRG merge patient information, 3-73

Segments, 2-5

  ADD, 2-107

  BHS, 2-109

  BTS, 2-110

Health Level Seven, Version 2.3© 1997. All rights reserved.

Final Standard.

DSC, 2-105
DSP, 2-106
EQL, 2-112
ERQ, 2-117
ERR, 2-97
FHS, 2-107
FTS, 2-108
MFI, 8-5
MSA, 2-96
MSH, 2-85
NCK, C-2
NSC, C-5
NST, C-3
NTE, 2-111
OBR, 7-15
OBX, 7-30
OM1, 8-22
OM3, 8-43
OM4, 8-44
OM5, 8-47
OM6, 8-48
PRA, 8-17
QAK, 2-118
QRD, 2-97
QRF, 2-101
RDF, 2-115
RDT, 2-116
ROL, 12-24
SPR, 2-116
STF, 8-12
URD, 2-103
URS, 2-104
VTQ, 2-113
Senarios
patient pre-admission or patient admission, 12-2
Sequence number protocol, 2-77
Service, 10-11
service period, 4-50, 4-51
Services, 10-3
Servicing facility, 3-56
Set ID - AIG, 10-43
Set ID - AIL, 10-47
Set ID - AIP, 10-50
Set ID - AIS, 10-40
Set ID - allergy, 3-70
Set ID - next of kin / associated parties, 3-64
set ID - observation request, 4-34, 7-17
Set ID - patient ID, 3-43
Set ID - patient visit, 3-50
Set ID - RGS, 10-40
Sex, 3-45
Sex code, 3-67
SI, 2-41
Signature on file date, 3-63
SIU Schedule Information Unsolicited, 10-18
Slot, 10-11
SN, 2-42
Special character, 2-53

Special program code, 3-61

Specialist, 11-6

specialists, 11-1

specimen, 4-36, 7-21

specimen action code, 4-36, 7-20

specimen received date/time, 4-36, 7-21

SPR, 2-116

SQM Schedule Query Message, 10-23

SQR Schedule Query Response, 10-24

SRM Schedule Request Message, 10-13

SRR Scheduled Request Response, 10-14

SSN number - patient, 3-47

ST, 2-42

Start date, 3-66

Start date/time, 10-41, 10-44, 10-48, 10-51

Start date/time offset, 10-41, 10-45, 10-48, 10-51

Start date/time offset units, 10-41, 10-45, 10-48

Statuses, 10-9

STF, 8-12

stored procedure requests, 2-3

Student indicator, 3-68, 3-75

Subscriber, 11-6

substance expiration date, 4-84, 4-91, 4-96

substance lot number, 4-84, 4-91, 4-95

substance manufacturer, 4-84, 4-91, 4-96

substance refusal reason, 4-96

substitute allowed, 4-59

substitution status, 4-75, 4-83, 4-89

supplies, 4-1, 4-2

Supply Orders, 4-53

Swap patients, 3-15

Swapping a patient, 3-82

T

taxable, 4-59

technician, 4-44, 7-28

Temporary location, 3-52

Text fields

escape sequences, 2-52

text instruction, 4-51, 4-52

Time selection criteria, 2-12, 2-40, **10-53**, 10-55, 10-56

TM, 2-43

TN, 2-43

Total adjustments, 3-57

Total charges, 3-57

total daily dose, 4-77, 4-83

Total payments, 3-57

TQ, 2-43, 4-24

transaction flow diagram, 4-109

transcriptionist, 4-44, 7-28

Transfer a patient, 3-3

Transfer reason, 3-60

Transfer to bad debt code, 3-55

Transfer to bad debt date, 3-55

transport arranged, 4-45, 7-29

transport arrangement responsibility, 4-45, 7-29

transport logistics of collected sample, 4-45, 7-29

transportation mode, 4-43, 7-27

tray type, 4-51

Health Level Seven, Version 2.3© 1997. All rights reserved.

treatments, 4-2

Trigger event, 4-3

Q01, 2-72

P02, 6-3

P03, 6-3

P04, 6-4

P05, 6-4

P06, 6-5

Q02, 2-73

Q03, 2-74

Q05, 2-68

Trigger events, 2-1, 10-8

TRIGGER EVENTS AND MESSAGE DEFINITIONS, 11-6

TS, 2-44

tube feeding, 4-53

TX, 2-44

type, 4-50

U

UB1, 6-57

UB2, 6-60

unable-to-cancel, 4-10

universal service ID, 4-34, 7-19

Universal service identifier, 10-41

Unlink patient information, 3-28

Unsolicited insurance information, 11-12

Unsolicited notification of rescheduled appointment - event S13, 10-57

unsolicited replacement, 4-11

unsolicited vaccination record update, 4-114, 4-119

Update account, 6-4

Update patient information, 3-8

Update person information, 3-24

URD, 2-103

URS, 2-104

Usage notes: PID patient identification, 3-48

User -defined Table 0001 - Sex, 3-45

User-defined Table 0002 - Marital status, 3-46

User-defined Table 0004 - Patient class, 3-50

User-defined Table 0007 - Admission type, 3-50

User-defined Table 0009 - Ambulatory status, 3-53

User-defined Table 0062-Event reason, 3-41

User-defined Table 0116 - Bed status, 3-56

User-defined Table 0127 Allergy type, 3-70

User-defined Table 0128 - Allergy severity, 3-71

User-defined table 0213 - Purge status, 3-61

V

vaccination record response, 4-113, 4-119

Vaccine code tables, 4-115

vaccine manufacturer, 4-117

vaccines administered, 4-115

vendor catalog, 4-59

vendor ID, 4-58

verified by, 4-20

Veterans military status, 3-48

VIP indicator, 3-53

virtual table request, 2-3

Visit description, 3-61

Visit number, 3-54

Visit priority code, 3-62

Visit protection indicator, 3-62, 3-76

Visit publicity code, 3-62, 3-76

Visit user code, 3-60

vital signs, 4-2

VTQ, 2-113

W

when to charge, 4-23

X

XAD, 2-46

XCN, 2-47

XON, 2-48

XPN, 2-49

XTN, 2-50

Health Level Seven, Version 2.3© 1997. All rights reserved.

Final Standard.