ACME

Tools that work the first time.

Brand guidelines, edition 1

A sample brand for testing. Acme is not a real company.

Color

Five colors. Use them in these proportions across a page.

Acme Red

#D7263D 10% of a page

Primary actions and the wordmark

Ink

#1B1B1E 25% of a page

Text and dark surfaces

Paper

#F7F4EF 50% of a page

Page background

Steel

#5C6B73 10% of a page

Secondary text and borders

Sun

#F4B942 5% of a page

Highlights, used sparingly

Typography

Typeface: Helvetica Neue. Fallbacks: Helvetica, Arial, sans-serif.

Bold for display and headings, Regular for body and captions.

ROLE	WEIGHT	SIZE / LINE HEIGHT
Display	Bold	48 px / 52 px
Heading 1	Bold	32 px / 38 px
Heading 2	Bold	24 px / 30 px
Body	Regular	16 px / 24 px
Caption	Regular	12 px / 16 px

Display sample

Heading 1 sample

Heading 2 sample

Body sample

Caption text, 12 px

Body text sets at 16 px on 24 px, left aligned, 60 to 75 characters a line.

Buttons and logo

Corner radius 6 px. Padding 12 px top and bottom, 24 px left and right. Label 16 px Bold.

Get started Read more

Primary: Acme Red fill, Paper label. One per screen.

Secondary: no fill, 1.5 px Ink border, Ink label.

Logo

ACME

Clear space: the height of the A in the wordmark, on every side.

Minimum width: 96 px on screen, 24 mm in print.

Misuse

1. Do not stretch, slant or rotate the wordmark.
2. Do not place the wordmark on Acme Red or on a busy photo.