title: "Sunflower Rhythms 2020 Post-COSOPT Analysis" output: pdf_document: default html_notebook: default html_document: df_print: paged —

Setup the R environment

```r
library(circular)
```

```
##
## Attaching package: 'circular'
## The following objects are masked from 'package:stats':
##
##      sd, var
```

```r
library(clockplot)
library(ggplot2)
library(reshape2)
library(plyr)
library(stringr)
library(tools)
library(VennDiagram)
```

```
## Loading required package: grid

## Loading required package: futile.logger
```

```r
knitr::opts_knit$set(root.dir='.')
```

Set thresholds and colors

```r
min.p.mmc.beta <- 0.05
min.meanexplev <- 0.2
per.buffer <- 2
exp.min <- 10
amp.min <- 0.2
east.color <- 'orange'
west.color <- 'forestgreen'
```

Import and pre-process time course data

```r
if (!file.exists('counts/east-counts.tsv')
    | !file.exists('counts/west-counts.tsv')
    | !file.exists('r-data/timecourse.rds')) {

  if (!dir.exists('r-data')) dir.create('r-data')

  counts <- read.table('counts/reanalysis_HA2015_HanXRQr1.0_mRNA_normalized_arranged.csv', sep=',', row
  # Remove bad replicates
  counts <- counts[, ! colnames(counts) %in% c('X4ea2', 'X10ea3', 'X16ea3', 'X10w3', 'X15w2')]


  # Extract sample side from column names
  west.samples <- grepl('w', colnames(counts))
  east.samples <- grepl('e', colnames(counts))
```

```r
  side <- rep('', length(colnames(counts)))
  side[west.samples] <- 'West'
  side[east.samples] <- 'East'

  saveRDS(side, 'r-data/side.rds')


  # Extract Zeitgeber Time from column names
  time.idx <- as.integer(sub("X([0-9]+)[ew][ae]?[1-3]{1}", "\\1", colnames(counts)))
  times <- seq(0, 46, 2)
  hour <- times[time.idx]
  saveRDS(hour, 'r-data/hour.rds')

  # Prepare timecourse for plotting
  timecourse <- data.frame(hour, side, t(counts))
  timecourse <- melt(timecourse, id.vars=c('hour', 'side'), variable.name='gene', value.name='counts', r
  timecourse <- ddply(timecourse, .(hour, side, gene), summarize, mean=mean(counts), stderr=sqrt(var(cou
  saveRDS(timecourse, 'r-data/timecourse.rds')

  # Output East and West counts files
  saveRDS(counts, 'r-data/counts.rds')

  counts[] <- lapply(counts, as.character)
  counts <- rbind(hour, counts)
  rownames(counts)[1] <- 'Gene'

  west.counts <- counts[, west.samples]
  east.counts <- counts[, east.samples]

  write.table(east.counts, 'counts/east-counts.tsv', sep='\t', quote=F, col.names=F)
  write.table(west.counts, 'counts/west-counts.tsv', sep='\t', quote=F, col.names=F)

  saveRDS(east.counts, 'r-data/east.counts.rds')
  saveRDS(west.counts, 'r-data/west.counts.rds')
}

if(!exists("timecourse")) timecourse <- readRDS('r-data/timecourse.rds')

timecourse.summary.mean <- dcast(timecourse, gene ~ side + hour, value.var = "mean")
timecourse.summary.stderr <- dcast(timecourse, gene ~ side + hour, value.var = "stderr")
timecourse.summary <- merge(timecourse.summary.mean, timecourse.summary.stderr, by = 'gene', all = TRUE
names(timecourse.summary)[names(timecourse.summary) == 'gene'] <- 'GeneID'
```

Function to plot timecourse data and demo

```r
if (!dir.exists('plots')) dir.create('plots')

plot.timecourse <- function(gene.list, east.color='orange', west.color='forestgreen',
                            double.plot=FALSE, side.by.side=FALSE, backlit=TRUE, theme.bw=TRUE,
                            lights.off=NULL, custom.daynight=NULL, night.alpha=0.7,
                            print.plot=TRUE, return.plot=FALSE) {
  library(ggplot2)
  timecourse.subset <- timecourse[timecourse$gene %in% gene.list, ]
```

```r
timecourse.subset$gene <- as.character(timecourse.subset$gene)

if (double.plot) {
  timecourse.subset.copy <- timecourse.subset
  timecourse.subset.copy$hour <- timecourse.subset.copy$hour + 48
  timecourse.subset <- rbind(timecourse.subset, timecourse.subset.copy)
  x.breaks <- seq(0, 96, 12)
} else {
  x.breaks <- seq(0, 48, 12)
}

p <- ggplot()

daynight <- NULL
if(!is.null(custom.daynight)) {
  # Example of custom.daynight:
  # data.frame(dawn=c(0, 24, 48, 72, 96), dusk=c(13.25 - 24, 13.25, 13.25 + 24, 13.25 + 48, 13.25 + 7
  daynight <- custom.daynight
} else if (!is.null(lights.off)) {
  lights.on <- seq(floor(min(timecourse.subset$hour) / 24), 24 * ceiling(max(timecourse.subset$hour)
  daynight <- data.frame(dawn=lights.on, dusk=lights.on + lights.off %% 24 - 24)
}

if (!is.null(daynight)) {
  p <- p + geom_rect(data=daynight, aes(xmin=dawn, xmax=dusk), fill="black", ymin=-10000, ymax=10000,
}

if (backlit) {
    p <- p +
      geom_line(data=subset(timecourse.subset, side=='West'), aes(x=hour, y=mean), color='white', size=
      geom_line(data=subset(timecourse.subset, side=='East'), aes(x=hour, y=mean), color='white', size=
      geom_errorbar(data=subset(timecourse.subset, side=='West'), aes(x=hour, ymin=mean-stderr, ymax=me
      geom_errorbar(data=subset(timecourse.subset, side=='East'), aes(x=hour, ymin=mean-stderr, ymax=me
}

p <- p +
    geom_line(data=timecourse.subset, aes(x=hour, y=mean, color=side), size=1) +
    geom_line(data=timecourse.subset, aes(x=hour, y=mean, color=side), size=1) +
    geom_errorbar(data=timecourse.subset, aes(x=hour, color=side, ymin=mean-stderr, ymax=mean+stderr]
    labs(x = 'Time (hours)', y = 'Mean Normalized Counts') +
    scale_x_continuous(breaks=x.breaks) +
    scale_color_manual(name='Side',values=c(east.color, west.color))

if (double.plot) {
  p <- p + coord_cartesian(xlim=c(0, 96), expand=T)
} else {
  p <- p + coord_cartesian(xlim=c(0, 48), expand=T)
}

if (side.by.side) {
  p <- p + facet_grid(gene ~ side, scales='free_y')
} else {
  p <- p + facet_wrap(~ gene, ncol=1, scales='free_y')
```

```
  }

  if (theme.bw) {
    p <- p + theme_bw() + theme(strip.background = element_rect(fill='white'))
  }

  if (print.plot) print(p)
  if (return.plot) p
}

demo.gene.list <- c('HanXRQChr09g0264401', 'HanXRQChr15g0489581', 'HanXRQChr04g0118841', 'HanXRQChr01g0(

# Plot single gene
plot.timecourse(demo.gene.list[1], lights.off=13.25)
```



```
# Plot gene list
plot.timecourse(demo.gene.list, lights.off=13.25)
```

```
plot.timecourse(demo.gene.list, double.plot=TRUE, lights.off=13.25)
```

```
# Plot side-by-side
plot.timecourse(demo.gene.list[1], lights.off=13.25, side.by.side=TRUE)
```

```
plot.timecourse(demo.gene.list, lights.off=13.25, side.by.side=TRUE)
```

```
plot.timecourse(demo.gene.list, double.plot=TRUE, lights.off=13.25, side.by.side=TRUE)
```

Import COSOPT results and calculate additional metrics

We start with the COSOPT results files. They should have the folowing MD5 checksums:

```
4529c38ab3f52eb790416515f92774c3    cosopt/output-files/HA2015_HanXRQr1.0-East.cosopt-results.tsv
756c59834b09b678d05d4758bc995673    cosopt/output-files/HA2015_HanXRQr1.0-Merged.cosopt-results.tsv
f39d7991e9e917238172fd96d99bc38a    cosopt/output-files/HA2015_HanXRQr1.0-West.cosopt-results.tsv
```

```r
md5sum(list.files('cosopt/output-files', pattern='.tsv', full.names=TRUE))
```

```
##    cosopt/output-files/HA2015_HanXRQr1.0-East.cosopt-results.tsv
##                             "4529c38ab3f52eb790416515f92774c3"
## cosopt/output-files/HA2015_HanXRQr1.0-Merged.cosopt-results.tsv
##                             "756c59834b09b678d05d4758bc995673"
##    cosopt/output-files/HA2015_HanXRQr1.0-West.cosopt-results.tsv
##                             "f39d7991e9e917238172fd96d99bc38a"
```

```r
if (!dir.exists('cosopt-processed')) dir.create('cosopt-processed')
```

```r
cosopt.east <- read.table('cosopt/output-files/HA2015_HanXRQr1.0-East.cosopt-results.tsv', h=T)
cosopt.merged <- read.table('cosopt/output-files/HA2015_HanXRQr1.0-Merged.cosopt-results.tsv', h=T)
cosopt.west <- read.table('cosopt/output-files/HA2015_HanXRQr1.0-West.cosopt-results.tsv', h=T)

cosopt.east$RelAmp <- cosopt.east$Beta / cosopt.east$MeanExpLev
cosopt.west$RelAmp <- cosopt.west$Beta / cosopt.west$MeanExpLev
cosopt.merged$RelAmp <- cosopt.merged$Beta / cosopt.merged$MeanExpLev
```

```r
cosopt.east$PeakPhase <- ifelse(cosopt.east$Phase <= 0, -cosopt.east$Phase, cosopt.east$Period - cosopt
cosopt.west$PeakPhase <- ifelse(cosopt.west$Phase <= 0, -cosopt.west$Phase, cosopt.west$Period - cosopt
cosopt.merged$PeakPhase <- ifelse(cosopt.merged$Phase <= 0, -cosopt.merged$Phase, cosopt.merged$Period

cosopt.east$PeakPhase[cosopt.east$PeakPhase >= 24] <- cosopt.east$PeakPhase[cosopt.east$PeakPhase >= 24]
cosopt.west$PeakPhase[cosopt.west$PeakPhase >= 24] <- cosopt.west$PeakPhase[cosopt.west$PeakPhase >= 24]
cosopt.merged$PeakPhase[cosopt.merged$PeakPhase >= 24] <- cosopt.merged$PeakPhase[cosopt.merged$PeakPha


cosopt <- merge(cosopt.west, cosopt.east, by = 'GeneID', all = TRUE, suffixes = c('.W', '.E'))
cosopt <- merge(cosopt, cosopt.merged, by = 'GeneID', all = TRUE)


cosopt <- cosopt[, order(names(cosopt))]
rownames(cosopt) <- cosopt$GeneID

cosopt$phase.diff <- ifelse(
  abs(cosopt$PeakPhase.W - cosopt$PeakPhase.E) <= 12,
  cosopt$PeakPhase.W - cosopt$PeakPhase.E,
  ifelse(
    cosopt$PeakPhase.W - cosopt$PeakPhase.E < 0,
    cosopt$PeakPhase.W - cosopt$PeakPhase.E + 24,
    cosopt$PeakPhase.W - cosopt$PeakPhase.E - 24))

cosopt$amp.diff <- cosopt$RelAmp.W - cosopt$RelAmp.E

cosopt$exp.diff.log2 <- log(cosopt$MeanExpLev.W / cosopt$MeanExpLev.E, 2)

cosopt.processed.file <- 'cosopt-processed/cosopt-processed.txt'
write.table(cosopt, cosopt.processed.file, sep = "\t", quote = FALSE, col.names=NA)


# Expressed Genes
#Expressed in East or West: 33,188
nrow(subset(cosopt, MeanExpLev.E >= min.meanexplev | MeanExpLev.W >= min.meanexplev))
```

```
## [1] 33188
```

```r
#Expressed in East and West: 26,928
nrow(subset(cosopt, MeanExpLev.E >= min.meanexplev & MeanExpLev.W >= min.meanexplev))
```

```
## [1] 26928
```

```r
#Expressed in East: 30,166
nrow(subset(cosopt, MeanExpLev.E >= min.meanexplev))
```

```
## [1] 30166
```

```r
#Expressed in West: 29,950
nrow(subset(cosopt, MeanExpLev.W >= min.meanexplev))
```

```
## [1] 29950
```

```r
#Expressed in Merged: 30,844
nrow(subset(cosopt, MeanExpLev >= min.meanexplev))
```

```
## [1] 30844
```

```r
# Get rhythmic genes
rhythmic.east <- as.character(cosopt.east$GeneID[cosopt.east$pMMC.Beta < min.p.mmc.beta & cosopt.east$M
rhythmic.west <- as.character(cosopt.west$GeneID[cosopt.west$pMMC.Beta < min.p.mmc.beta & cosopt.west$M
rhythmic.both <- intersect(rhythmic.east, rhythmic.west)
rhythmic.merged <- as.character(cosopt.merged$GeneID[cosopt.merged$pMMC.Beta < min.p.mmc.beta & cosopt.r
rhythmic.all <- intersect(rhythmic.both, rhythmic.merged)

length(intersect(rhythmic.merged, rhythmic.east))
```

```
## [1] 21391
```

```r
# [1] 21605
length(intersect(rhythmic.merged, rhythmic.west))
```

```
## [1] 21366
```

```r
# [1] 21585


rhythmic.east.only <- setdiff(rhythmic.east, rhythmic.both)
rhythmic.west.only <- setdiff(rhythmic.west, rhythmic.both)

length(rhythmic.east)
```

```
## [1] 22328
```

```r
# [1] 22559
length(rhythmic.west)
```

```
## [1] 22374
```

```r
# [1] 22623
length(rhythmic.merged)
```

```
## [1] 24574
```

```r
# [1] 24914

length(rhythmic.both)
```

```
## [1] 19095
```

```r
# [1] 19235
length(rhythmic.all)
```

```
## [1] 19062
```

```r
# [1] 19201

length(rhythmic.east.only)
```

```
## [1] 3233
```

```r
# [1] 3324
length(rhythmic.west.only)
```

```
## [1] 3279
```

```r
# [1] 3388
```

```r
if (!dir.exists('rhythmic-genes')) dir.create('rhythmic-genes')
write.table(sort(rhythmic.east), "rhythmic-genes/rhythmic-east.txt", sep = "\t", quote = FALSE, col.name
write.table(sort(rhythmic.west), "rhythmic-genes/rhythmic-west.txt", sep = "\t", quote = FALSE, col.name
write.table(sort(rhythmic.merged), "rhythmic-genes/rhythmic-merged.txt", sep = "\t", quote = FALSE, col
```

Rhythmic Counts Summary:

```
Total # of Genes: 49,262
Total # of Genes with at least one set of COSOPT results: 44,477
Total # of Expressed Genes:

    East: 30,166
    West: 29,950
    East or West: 33,188
    East and West: 26,928
    Merged: 30,844

Rhythmic Genes in East and West time courses: 25,607

    East only: 3,233 (12.6%)
    West only: 3,279 (12.8%)
    Both East and West: 19,095 (74.6%)

Rhythmic Genes in Merged time course: 24,574
Rhythmic Genes in all three time courses (East, West, and Merged): 19,062
```

Venn Diagram of Rhythmic Genes

```r
threeway.Venn <- function(A, B, C, cat.names = c("A", "B", "C")){
  area1 <- length(A)
  area2 <- length(B)
  area3 <- length(C)
  n12 <- length(intersect(A,B))
  n23 <- length(intersect(B,C))
  n13 <- length(intersect(A,C))
  n123 <- length(intersect(intersect(A, B), intersect(B,C )))
  venn.plot <- draw.triple.venn(
    area1 = area1,
    area2 = area2,
    area3 = area3,
    n12 = n12,
    n23 = n23,
    n13 = n13,
    n123 = n123,
    category = cat.names,
    fill = c("orange", "forestgreen", "lightgray"),
    alpha = .6,
    cex = 2,
    cat.cex = 2,
  )

  # Add comma separators for larger numbers (https://stackoverflow.com/a/37240111/996114)
  idx <- sapply(venn.plot, function(i) grepl("text", i$name))
  for(i in 1:7){
    venn.plot[idx][[i]]$label <- format(as.numeric(venn.plot[idx][[i]]$label), big.mark=",", scientific
```

```
  }
  venn.plot
}

png('plots/venn-rhythmic.png', w=7, h=7, u='in', res=150)
venn.rhythms <- threeway.Venn(rhythmic.east, rhythmic.west, rhythmic.merged, cat.names = c('East', 'West
grid.newpage()
grid.draw(venn.rhythms)
dev.off()

## pdf
##   2
pdf('plots/venn-rhythmic.pdf', w=7, h=7)
grid.draw(venn.rhythms)
dev.off()

## pdf
##   2
grid.newpage()
grid.draw(venn.rhythms)
```


West vs East Phase

```
cor(subset(cosopt.east, GeneID %in% rhythmic.both)$PeakPhase, subset(cosopt.west, GeneID %in% rhythmic.
```

[1] -0.004739706

```
cosopt.both <- subset(cosopt, GeneID %in% rhythmic.both)
ggplot(cosopt.both) +
  geom_point(aes(x = PeakPhase.E, y = PeakPhase.W), alpha=0.05) +
  scale_x_continuous(breaks=seq(0, 24, 6)) +
  scale_y_continuous(breaks=seq(0, 24, 6)) +
  xlab('Phase (East Side)') +
  ylab('Phase (West Side)') +
  theme_bw()
```



```
ggsave('plots/phases.west-vs-east.png', w=6, h=6)
ggsave('plots/phases.west-vs-east.pdf', w=6, h=6)
```

Process Data for Phase Histograms

```
cosopt.east$side <- 'East'
cosopt.west$side <- 'West'
cosopt.east.west <- rbind(cosopt.east, cosopt.west)

histogram.data <- cosopt.east.west[cosopt.east.west$GeneID %in% rhythmic.both, c('GeneID', 'PeakPhase',
histogram.data <- subset(histogram.data, GeneID %in% rhythmic.both)
histogram.data$window <- 1
histogram.data.pre <- histogram.data
histogram.data.pre$PeakPhase <- histogram.data.pre$PeakPhase - 24
histogram.data.pre$window <- 0
histogram.data.post <- histogram.data
histogram.data.post$PeakPhase <- histogram.data.post$PeakPhase + 24
histogram.data.post$window <- 2
```

```r
histogram.data.combined <- rbind(histogram.data.pre, histogram.data, histogram.data.post)

daynight <- data.frame(dawn=c(0, 24, 48, 72, 96), dusk=c(13.25 - 24, 13.25, 13.25 + 24, 13.25 + 48, 13.

temperatures <- read.table('environmental-data/temp-data-table.txt', sep="\t", header=TRUE)
temperatures$ScaledTempC <- ((temperatures$TempC - min(temperatures$TempC))* 1500) / (max(temperatures$

temperature.stats <- ddply(temperatures, .(Time), summarize, mean=mean(TempC), stderr=sqrt(var(TempC,na
```

```
##
  |
  |                                                              |   0%
  |
  |==                                                            |   4%
  |
  |=====                                                         |   8%
  |
  |========                                                      |  12%
  |
  |=========                                                     |  15%
  |
  |============                                                  |  19%
  |
  |==============                                                |  23%
  |
  |=================                                             |  27%
  |
  |====================                                          |  31%
  |
  |======================                                        |  35%
  |
  |=========================                                     |  38%
  |
  |============================                                  |  42%
  |
  |===============================                               |  46%
  |
  |================================                              |  50%
  |
  |===================================                           |  54%
  |
  |======================================                        |  58%
  |
  |=========================================                     |  62%
  |
  |===========================================                   |  65%
  |
  |==============================================                |  69%
  |
  |=================================================             |  73%
  |
  |====================================================          |  77%
  |
```

```
|================================================| | 81%
|
|===================================================| | 85%
|
|======================================================| | 88%
|
|=========================================================| | 92%
|
|============================================================| | 96%
|
|===============================================================| 100%
```

```r
temperature.stats.scaled <- ddply(temperatures, .(Time), summarize, mean=mean(ScaledTempC), stderr=sqrt
```

```
##
  |
  |                                                                      |   0%
  |
  |==                                                                    |   4%
  |
  |=====                                                                 |   8%
  |
  |========                                                              |  12%
  |
  |==========                                                            |  15%
  |
  |===========                                                           |  19%
  |
  |==============                                                        |  23%
  |
  |=================                                                     |  27%
  |
  |===================                                                   |  31%
  |
  |======================                                                |  35%
  |
  |=========================                                             |  38%
  |
  |============================                                          |  42%
  |
  |==============================                                        |  46%
  |
  |=================================                                     |  50%
  |
  |====================================                                  |  54%
  |
  |=======================================                               |  58%
  |
  |=========================================                             |  62%
  |
  |============================================                          |  65%
  |
  |===============================================                       |  69%
  |
  |==================================================                    |  73%
```

```
|
|=================================================     | 77%
|
|==================================================    | 81%
|
|===================================================   | 85%
|
|====================================================  | 88%
|
|===================================================== | 92%
|
|======================================================| 96%
|
|======================================================| 100%
```
temperatures

```
##             Time TempC ScaledTempC
## 1  -0.6333333    17    157.8947
## 2  -0.6333333    17    157.8947
## 3   0.3666667    15      0.0000
## 4   0.3666667    17    157.8947
## 5   1.3666667    17    157.8947
## 6   1.3666667    18    236.8421
## 7   2.3666667    18    236.8421
## 8   2.3666667    19    315.7895
## 9   3.3666667    20    394.7368
## 10  3.3666667    22    552.6316
## 11  4.3666667    23    631.5789
## 12  4.3666667    24    710.5263
## 13  5.3666667    25    789.4737
## 14  5.3666667    26    868.4211
## 15  6.3666667    28   1026.3158
## 16  6.3666667    29   1105.2632
## 17  7.3666667    29   1105.2632
## 18  7.3666667    31   1263.1579
## 19  8.3666667    31   1263.1579
## 20  8.3666667    33   1421.0526
## 21  9.3666667    32   1342.1053
## 22  9.3666667    34   1500.0000
## 23 10.3666667    32   1342.1053
## 24 10.3666667    34   1500.0000
## 25 11.3666667    32   1342.1053
## 26 11.3666667    34   1500.0000
## 27 12.3666667    29   1105.2632
## 28 12.3666667    33   1421.0526
## 29 13.3666667    27    947.3684
## 30 13.3666667    30   1184.2105
## 31 14.3666667    24    710.5263
## 32 14.3666667    26    868.4211
## 33 15.3666667    22    552.6316
## 34 15.3666667    23    631.5789
## 35 16.3666667    21    473.6842
## 36 16.3666667    21    473.6842
## 37 17.3666667    20    394.7368
```

```
## 38 17.3666667    21    473.6842
## 39 18.3666667    20    394.7368
## 40 18.3666667    20    394.7368
## 41 19.3666667    19    315.7895
## 42 19.3666667    19    315.7895
## 43 20.3666667    19    315.7895
## 44 20.3666667    19    315.7895
## 45 21.3666667    19    315.7895
## 46 21.3666667    18    236.8421
## 47 22.3666667    18    236.8421
## 48 22.3666667    18    236.8421
## 49 23.3666667    17    157.8947
## 50 23.3666667    17    157.8947
## 51 24.3666667    15      0.0000
## 52 24.3666667    17    157.8947
```

```
temperature.stats
```

```
##            Time mean stderr
## 1   -0.6333333 17.0    0.0
## 2    0.3666667 16.0    1.0
## 3    1.3666667 17.5    0.5
## 4    2.3666667 18.5    0.5
## 5    3.3666667 21.0    1.0
## 6    4.3666667 23.5    0.5
## 7    5.3666667 25.5    0.5
## 8    6.3666667 28.5    0.5
## 9    7.3666667 30.0    1.0
## 10   8.3666667 32.0    1.0
## 11   9.3666667 33.0    1.0
## 12  10.3666667 33.0    1.0
## 13  11.3666667 33.0    1.0
## 14  12.3666667 31.0    2.0
## 15  13.3666667 28.5    1.5
## 16  14.3666667 25.0    1.0
## 17  15.3666667 22.5    0.5
## 18  16.3666667 21.0    0.0
## 19  17.3666667 20.5    0.5
## 20  18.3666667 20.0    0.0
## 21  19.3666667 19.0    0.0
## 22  20.3666667 19.0    0.0
## 23  21.3666667 18.5    0.5
## 24  22.3666667 18.0    0.0
## 25  23.3666667 17.0    0.0
## 26  24.3666667 16.0    1.0
```

Plot Phase Histograms

```
p <- ggplot() +
  geom_rect(data=daynight, aes(xmin=dawn, xmax=dusk), fill='black', ymin=-10000, ymax=10000, alpha=0.7)
  geom_histogram(data=subset(histogram.data.combined, side=='West'), aes(x=PeakPhase, y=..count..), colo
  geom_histogram(data=subset(histogram.data.combined, side=='East'), aes(x=PeakPhase, y=..count..), colo
  geom_histogram(data=histogram.data.combined, aes(x=PeakPhase, color=side, fill=side, y=..count..), alp
  geom_ribbon(data=temperature.stats.scaled, aes(x=Time, ymin=min, ymax=max), fill='red', alpha=0.2) +
  geom_line(data=temperature.stats.scaled, aes(x=Time, y=mean), color='red') +
  labs(x = 'Peak Phase (hours)', y = 'Density') +
```

```
  scale_color_manual(name = 'Side',values = c(east.color, west.color)) +
  scale_fill_manual(name = 'Side',values = c(east.color, west.color)) +
  scale_x_continuous(breaks=seq(0, 24, 6)) +
  coord_cartesian(xlim=c(0, 24), ylim=c(0, 2500), expand=F) +
  theme_bw()
p
```



```
ggsave('plots/phase-histogram.temperature.png', w=6, h=5)
ggsave('plots/phase-histogram.temperature.pdf', w=6, h=5)


scale_m <- (max(temperatures$TempC) - min(temperatures$TempC)) / (1500 - p$coordinates$limits$y[1])
scale_b <- min(temperatures$TempC)
scale_temp_max <- p$coordinates$limits$y[2] * scale_m + scale_b
scale_temp_min <- min(temperatures$TempC)
p + scale_y_continuous(sec.axis = sec_axis(~.*scale_m + scale_b, name = "Temperature (ºC)", breaks=seq(
```

```
ggsave('plots/phase-histogram.temperature-axis.png', w=6, h=5)
ggsave('plots/phase-histogram.temperature-axis.pdf', w=6, h=5)


p + scale_y_continuous(sec.axis = sec_axis(~.*scale_m + scale_b, name = "Temperature (ºC)", breaks=seq(s
  theme(
    axis.title.y.right = element_text(color = "red"),
    axis.text.y.right = element_text(color = "red"),
    axis.ticks.y.right = element_line(color = "red"),
  )
```

```
ggsave('plots/phase-histogram.temperature-axis-red.png', w=6, h=5)
ggsave('plots/phase-histogram.temperature-axis-red.pdf', w=6, h=5)
```

```
p + scale_y_continuous(sec.axis = sec_axis(~.*scale_m + scale_b, name = "Temperature (ºC)", breaks=seq(
  theme(
    axis.title.y.right = element_text(color = alpha("red", 0.6)),
    axis.text.y.right = element_text(color = alpha("red", 0.6)),
    axis.ticks.y.right = element_line(color = alpha("red", 0.6)),
  )
```

```
ggsave('plots/phase-histogram.temperature-axis-lightred.png', w=6, h=5)
ggsave('plots/phase-histogram.temperature-axis-lightred.pdf', w=6, h=5)
```

The `cosopt-processed.txt` file that we just generated should have an MD5 checksum of `2fda73974466f805a22b1941b3f958fe`.

```
md5sum(cosopt.processed.file)
```

```
## cosopt-processed/cosopt-processed.txt
##     "2fda73974466f805a22b1941b3f958fe"
```

Plot Amplitude Differences Summary

```
plot.ampdiff.summary <- function() {
  timecourse.w <- subset(timecourse, gene %in% west.high)
  timecourse.e <- subset(timecourse, gene %in% east.high)

  timecourse.w <- merge(timecourse.w, cosopt[, c('GeneID', 'MeanExpLev')], by.x='gene', by.y='GeneID')
  timecourse.e <- merge(timecourse.e, cosopt[, c('GeneID', 'MeanExpLev')], by.x='gene', by.y='GeneID')

  timecourse.w$mean.norm <- timecourse.w$mean / timecourse.w$MeanExpLev
  timecourse.e$mean.norm <- timecourse.e$mean / timecourse.e$MeanExpLev

  timecourse.w <- dcast(timecourse.w, hour ~ side, mean, value.var='mean.norm')
  timecourse.e <- dcast(timecourse.e, hour ~ side, mean, value.var='mean.norm')

  timecourse.w <- melt(timecourse.w, id.vars='hour', variable.name='side', value.name='mean.norm', na.r
  timecourse.e <- melt(timecourse.e, id.vars='hour', variable.name='side', value.name='mean.norm', na.r
```

```
    timecourse.w$high.side <- paste0('West Higher (n=', length(west.high), ")")
    timecourse.e$high.side <- paste0('East Higher (n=', length(east.high), ")")
    timecourse.we <- rbind(timecourse.w, timecourse.e)

    p <- ggplot(timecourse.we, aes(x=hour, y=mean.norm, color=side)) +
        geom_line(size=1) +
        labs(x = 'Time (hours)', y = 'Mean of (Mean Normalized Counts / Mean Expression Level)') +
        scale_x_continuous(breaks=seq(0, 48, 12)) +
        scale_color_manual(name = 'Orientation',values = c(east.color, west.color)) +
        facet_wrap(~ high.side, ncol=1, scales='free_y')
    print(p)
    p
}

expdiff <- subset(cosopt, GeneID %in% rhythmic.both & abs(exp.diff.log2) > 0.6 & (MeanExpLev.W > 0.5 | 
plot.timecourse(expdiff$GeneID, lights.off = 13.25)
```



```
ggsave(paste0('plots/exp-diff.png'), w=6, h=25)
ggsave(paste0('plots/exp-diff.pdf'), w=6, h=25)
write.table(expdiff, 'cosopt-processed/cosopt-processed.exp-diff.txt', sep = "\t", quote = FALSE, col.na

exp <- rownames(expdiff)
exp.e <- subset(cosopt, GeneID %in% exp & exp.diff.log2 < 0)$GeneID
exp.w <- subset(cosopt, GeneID %in% exp & exp.diff.log2 > 0)$GeneID
```

```
ampdiff <- subset(cosopt, GeneID %in% rhythmic.both & abs(amp.diff) > 0.25 & (MeanExpLev.E > 10 | MeanEx
amp <- rownames(ampdiff)

amp.e <- subset(cosopt, GeneID %in% amp & amp.diff < 0)$GeneID
amp.w <- subset(cosopt, GeneID %in% amp & amp.diff > 0)$GeneID

plot.timecourse(amp, lights.off = 13.25)
```



```
ggsave(paste0('plots/amp-diff.png'), w=6, h=23)
ggsave(paste0('plots/amp-diff.pdf'), w=6, h=23)
write.table(ampdiff, 'cosopt-processed/cosopt-processed.amp-diff.txt', sep = "\t", quote = FALSE, col.na

west.high <- union(exp.w, amp.w)
east.high <- union(exp.e, amp.e)

plot.timecourse(west.high, lights.off = 13.25)
```

The y-axis is labeled "Mean Normalized Counts". The panels, from top to bottom, are labeled:

- HanXRQChr01g0027741
- HanXRQChr02g0048821
- HanXRQChr02g0056551
- HanXRQChr03g0075911
- HanXRQChr07g0203691
- HanXRQChr09g0257601
- HanXRQChr10g0299611
- HanXRQChr11g0343881
- HanXRQChr13g0398901
- HanXRQChr13g0414311
- HanXRQChr14g0439261
- HanXRQChr15g0489551
- HanXRQChr16g0498401
- HanXRQChr16g0526641

Legend — Side: East (orange), West (green)

```
ggsave('plots/amp-exp-diff.west-high.png', w=6, h=30)
ggsave('plots/amp-exp-diff.west-high.pdf', w=6, h=30)
plot.timecourse(east.high, lights.off = 13.25)
```

The plot shows panels labeled top to bottom:
HanXRQChr02g0037741
HanXRQChr03g0083901
HanXRQChr03g0084631
HanXRQChr03g0085421
HanXRQChr08g0221991
HanXRQChr10g0305591
HanXRQChr12g0362581
HanXRQChr14g0455351
HanXRQChr15g0476671
HanXRQChr16g0499491
HanXRQChr16g0531331
HanXRQChr17g0554081
HanXRQChr17g0555401

Y-axis: Mean Normalized Counts
X-axis: Time (hours), ticks at 0, 12, 24, 36, 48

Legend: Side — East, West

```
ggsave('plots/amp-exp-diff.east-high.png', w=6, h=21)
ggsave('plots/amp-exp-diff.east-high.pdf', w=6, h=21)

plot.ampdiff.summary()
```

```r
# ggsave("plots/amp-exp-diff-summary.png", w=5, h=7)
write.table(subset(cosopt, GeneID %in% west.high), 'cosopt-processed/cosopt-processed.amp-exp-diff.west-
write.table(subset(cosopt, GeneID %in% east.high), 'cosopt-processed/cosopt-processed.amp-exp-diff.east-

# Polar
east.high.phase <- subset(cosopt, GeneID %in% east.high)$PeakPhase.E
west.high.phase <- subset(cosopt, GeneID %in% west.high)$PeakPhase.W

radius <- rep(1, length(east.high.phase) + length(west.high.phase))
phases <- c(east.high.phase, west.high.phase)
groups <- factor(c(rep('east', length(east.high.phase)), rep('west', length(west.high.phase))))
set.seed(1949); noise <- rnorm(length(radius), 0, 0.05)

polar.plot(radius + noise - max(noise), phases, pch=21, grp=groups, col=c(east.color, west.color), hours
```

```
png('plots/amp-exp-diff.png', w=7, h=7, u='in', res=150)
polar.plot(radius + noise - max(noise), phases, pch=21, grp=groups, col=c(east.color, west.color), hours
dev.off()
```

```
## pdf
##   2
```

```
pdf('plots/amp-exp-diff.pdf', w=7, h=7)
polar.plot(radius + noise - max(noise), phases, pch=21, grp=groups, col=c(east.color, west.color), hours
dev.off()
```

```
## pdf
##   2
```

Asymmetric Rhythm Polar Plot

```
asym.rhythm <- function(side, p1=0.01, p2=0.1, .cosopt=cosopt, amp.min=0, exp.min=0, per.buffer=0, per.
  if (side == 'east') {
    return(subset(.cosopt, pMMC.Beta.E < p1 & (is.na(pMMC.Beta.W) | pMMC.Beta.W >= p2) & RelAmp.E >= am
  } else if (side == 'west') {
    return(subset(.cosopt, pMMC.Beta.W < p1 & (is.na(pMMC.Beta.E) | pMMC.Beta.E >= p2) & RelAmp.W >= am
  } else {
    print("Need to provide a valid value for side: 'east' or 'west'.")
  }
}


east.rhythmic <- rownames(asym.rhythm(s='east', p1=0.001, p2=0.1, amp.min=amp.min, exp.min=exp.min, per
west.rhythmic <- rownames(asym.rhythm(s='west', p1=0.001, p2=0.1, amp.min=amp.min, exp.min=exp.min, per
```

```
east.phase <- subset(cosopt, GeneID %in% east.rhythmic)$PeakPhase.E
west.phase <- subset(cosopt, GeneID %in% west.rhythmic)$PeakPhase.W

write.table(subset(cosopt, GeneID %in% east.rhythmic), 'cosopt-processed/cosopt-processed.asymmetric-rhy
write.table(subset(cosopt, GeneID %in% west.rhythmic), 'cosopt-processed/cosopt-processed.asymmetric-rhy


radius <- rep(1, length(east.phase) + length(west.phase))
phases <- c(east.phase, west.phase)
groups <- factor(c(rep('east', length(east.phase)), rep('west', length(west.phase))))
set.seed(0709); noise <- rnorm(length(radius), 0, 0.05)

polar.plot(radius + noise - max(noise), phases, pch=21, grp=groups, col=c(east.color, west.color), hours
```



```
png('plots/asymmetric-rhythms.png', w=7, h=7, u='in', res=150)
polar.plot(radius + noise - max(noise), phases, pch=21, grp=groups, col=c(east.color, west.color), hours
dev.off()

## pdf
##    2

pdf('plots/asymmetric-rhythms.pdf', w=7, h=7)
polar.plot(radius + noise - max(noise), phases, pch=21, grp=groups, col=c(east.color, west.color), hours
dev.off()

## pdf
```

Plotting GWAS Candidates

```
onset.time <- c('HanXRQChr10g0319381', 'HanXRQChr16g0516091', 'HanXRQChr16g0531331', 'HanXRQChr11g03461
nocturnal.reorientation <- c('HanXRQChr02g0056811', 'HanXRQChr16g0500601', 'HanXRQChr12g0363901', 'HanXI
shoot.movement.pc1 <- c('HanXRQChr08g0210081', 'HanXRQChr03g0091141', 'HanXRQChr10g0308851')
```

```
plot.timecourse(onset.time, lights.off=13.25)
```



```
ggsave('plots/gwas.onset-time.png', w=4, h=6)
ggsave('plots/gwas.onset-time.pdf', w=4, h=6)

plot.timecourse(nocturnal.reorientation, lights.off=13.25)
```

```
ggsave('plots/gwas.nocturnal-reorientation.png', w=4, h=6)
ggsave('plots/gwas.nocturnal-reorientation.pdf', w=4, h=6)

plot.timecourse(shoot.movement.pc1, lights.off=13.25)
```

```
ggsave('plots/gwas.shoot-movement-pc1.png', w=4, h=4.7)
ggsave('plots/gwas.shoot-movement-pc1.pdf', w=4, h=4.7)

# Three genes implicated in Auxin- and Gibberillin-mediated growth are phase shifted between East and W
# HanXRQChr01g0021731 AT2G01420 PIN4 Auxin efflux carrier family protein
# HanXRQChr02g0056351 AT3G28857 PRE5: PACLOBUTRAZOL RESISTANCE 5 basic helix-loop-helix (bHLH) DNA-bind
# HanXRQChr16g0500721    AT3G04730    IAA16    indoleacetic acid-induced protein 16

# This one has a pMMC-Beta value of 0.05225100 for the East side and just misses the cutoff of 0.05.
# HanXRQChr13g0402621 AT4G38840 SAUR-like auxin-responsive protein family (According to https://academi

phase.shifted.genes <- c('HanXRQChr01g0021731', 'HanXRQChr02g0056351', 'HanXRQChr16g0500721')

plot.timecourse(phase.shifted.genes, lights.off = 13.25)
```

```
ggsave('plots/phase-shifted.png', w=4, h=4.7)
ggsave('plots/phase-shifted.pdf', w=4, h=4.7)

plot.timecourse(phase.shifted.genes, lights.off = 13.25, double.plot = TRUE)
```

```
ggsave('plots/phase-shifted.double-plotted.png', w=6.5, h=4.7)
ggsave('plots/phase-shifted.double-plotted.pdf', w=6.5, h=4.7)

plot.timecourse(c(phase.shifted.genes, 'HanXRQChr13g0402621'), lights.off = 13.25)
```

```
ggsave('plots/phase-shifted.with-SAUR14.png', w=4, h=6)
ggsave('plots/phase-shifted.with-SAUR14.pdf', w=4, h=6)

plot.timecourse(c(phase.shifted.genes, 'HanXRQChr13g0402621'), lights.off = 13.25, double.plot = TRUE)
```

```
ggsave('plots/phase-shifted.double-plotted.with-SAUR14.png', w=6.5, h=6)
ggsave('plots/phase-shifted.double-plotted.with-SAUR14.pdf', w=6.5, h=6)
```

```
phase.shifted.color <- 'orange'

cosopt.both.phaseshifted <- subset(cosopt.both, GeneID %in% phase.shifted.genes)
ggplot(cosopt.both) +
  geom_point(aes(x = PeakPhase.E, y = PeakPhase.W), alpha=0.05) +
  geom_point(data = subset(cosopt, GeneID %in% phase.shifted.genes), aes(x = PeakPhase.E, y = PeakPhase
  scale_x_continuous(breaks=seq(0, 24, 6)) +
  scale_y_continuous(breaks=seq(0, 24, 6)) +
  xlab('Phase (East Side)') +
  ylab('Phase (West Side)') +
  theme_bw()
```

```
ggsave('plots/phases.west-vs-east.highlight-shifted.png', w=6, h=6)
ggsave('plots/phases.west-vs-east.highlight-shifted.pdf', w=6, h=6)

cosopt.both.phaseshifted <- subset(cosopt.both, GeneID %in% phase.shifted.genes)
ggplot(cosopt.both) +
  geom_point(aes(x = PeakPhase.E, y = PeakPhase.W), alpha=0.05) +
  geom_point(data = subset(cosopt, GeneID %in% phase.shifted.genes), aes(x = PeakPhase.E, y = PeakPhase
  geom_point(data = subset(cosopt, GeneID == 'HanXRQChr13g0402621'), aes(x = PeakPhase.E, y = PeakPhase
  scale_x_continuous(breaks=seq(0, 24, 6)) +
  scale_y_continuous(breaks=seq(0, 24, 6)) +
  xlab('Phase (East Side)') +
  ylab('Phase (West Side)') +
  theme_bw()
```

```
ggsave('plots/phases.west-vs-east.highlight-shifted.with-SAUR14.png', w=6, h=6)
ggsave('plots/phases.west-vs-east.highlight-shifted.with-SAUR14.pdf', w=6, h=6)
```

Create Summary Table with Time Course Data, COSOPT results, etc.

```
# Merge time course data with COSOPT results
timecourse.cosopt.summary <- merge(timecourse.summary, cosopt, by = 'GeneID', all = TRUE)

# Mark rhythmic genes
timecourse.cosopt.summary$RhythmicEast[timecourse.cosopt.summary$GeneID %in% cosopt$GeneID] <- 0
timecourse.cosopt.summary$RhythmicWest[timecourse.cosopt.summary$GeneID %in% cosopt$GeneID] <- 0
timecourse.cosopt.summary$RhythmicBoth[timecourse.cosopt.summary$GeneID %in% cosopt$GeneID] <- 0
timecourse.cosopt.summary$RhythmicMerged[timecourse.cosopt.summary$GeneID %in% cosopt$GeneID] <- 0

timecourse.cosopt.summary$RhythmicEast[timecourse.cosopt.summary$GeneID %in% rhythmic.east] <- 1
timecourse.cosopt.summary$RhythmicWest[timecourse.cosopt.summary$GeneID %in% rhythmic.west] <- 1
timecourse.cosopt.summary$RhythmicBoth[timecourse.cosopt.summary$GeneID %in% rhythmic.both] <- 1
timecourse.cosopt.summary$RhythmicMerged[timecourse.cosopt.summary$GeneID %in% rhythmic.merged] <- 1


# Mark genes with higher amplitude or expression on one side
timecourse.cosopt.summary$AmpHigherEast[timecourse.cosopt.summary$GeneID %in% rhythmic.both] <- 0
timecourse.cosopt.summary$AmpHigherWest[timecourse.cosopt.summary$GeneID %in% rhythmic.both] <- 0
timecourse.cosopt.summary$AmpHigherEast[timecourse.cosopt.summary$GeneID %in% amp.e] <- 1
timecourse.cosopt.summary$AmpHigherWest[timecourse.cosopt.summary$GeneID %in% amp.w] <- 1

timecourse.cosopt.summary$ExpHigherEast[timecourse.cosopt.summary$GeneID %in% rhythmic.both] <- 0
```

```
timecourse.cosopt.summary$ExpHigherWest[timecourse.cosopt.summary$GeneID %in% rhythmic.both] <- 0
timecourse.cosopt.summary$ExpHigherEast[timecourse.cosopt.summary$GeneID %in% exp.e] <- 1
timecourse.cosopt.summary$ExpHigherWest[timecourse.cosopt.summary$GeneID %in% exp.w] <- 1

timecourse.cosopt.summary$AmpExpHigherEast[timecourse.cosopt.summary$GeneID %in% rhythmic.both] <- 0
timecourse.cosopt.summary$AmpExpHigherWest[timecourse.cosopt.summary$GeneID %in% rhythmic.both] <- 0
timecourse.cosopt.summary$AmpExpHigherEast[timecourse.cosopt.summary$GeneID %in% amp.e | timecourse.cos
timecourse.cosopt.summary$AmpExpHigherWest[timecourse.cosopt.summary$GeneID %in% amp.w | timecourse.cos


# Mark asymmetric cyclers (rhythmic on one side, but not the other)
timecourse.cosopt.summary$AsymmetricEast[timecourse.cosopt.summary$GeneID %in% union(rhythmic.east, rhy
timecourse.cosopt.summary$AsymmetricWest[timecourse.cosopt.summary$GeneID %in% union(rhythmic.east, rhy
timecourse.cosopt.summary$AsymmetricEast[timecourse.cosopt.summary$GeneID %in% east.rhythmic] <- 1
timecourse.cosopt.summary$AsymmetricWest[timecourse.cosopt.summary$GeneID %in% west.rhythmic] <- 1

head(timecourse.cosopt.summary, n=5)
```

```
##                      GeneID East_0h_mean East_2h_mean East_4h_mean
## 1 HanXRQChr00c0001g0570931    0.9117024   0.45926241    0.4204598
## 2 HanXRQChr00c0003g0570971    0.1091173   0.07930041    0.3039131
## 3 HanXRQChr00c0003g0570981    0.4958849   0.40353149    0.5952826
## 4 HanXRQChr00c0004g0571001    5.6060333   4.89470893    5.5596748
## 5 HanXRQChr00c0004g0571011   11.1588551  15.52162866   22.0319606
##   East_6h_mean East_8h_mean East_10h_mean East_12h_mean East_14h_mean
## 1    0.2750039    0.4139209    0.50698195     0.4002296     0.2570277
## 2    0.2753755    0.2208127    0.06060066     0.2565281     0.1935906
## 3    0.4400805    0.6646679    0.49844351     0.5141270     0.6486378
## 4    5.6166944    6.2860724    6.26084198     6.9709343     8.8690336
## 5   21.7999671   25.3388315   24.38435423    19.6879723    14.2924269
##   East_16h_mean East_18h_mean East_20h_mean East_22h_mean East_24h_mean
## 1     0.7064449     0.3617501     0.7431298     0.1996955     0.2785472
## 2     0.2107729     0.2019911     0.1330436     0.2708863     0.1692589
## 3     0.7907490     0.6243119     0.7146057     0.5725981     0.8922424
## 4     9.9291800     9.0086614     9.7163352     6.6995663     5.6517962
## 5    15.3190341    16.0487244    13.5879497    17.5509128    15.1843145
##   East_26h_mean East_28h_mean East_30h_mean East_32h_mean East_34h_mean
## 1     0.5099242    0.48712893     0.9174001     0.2645752     0.8335053
## 2     0.1748185    0.09308733     0.0000000     0.2154461     0.2072242
## 3     0.9126925    0.86688849     0.4394522     0.6139451     0.4468905
## 4     6.6900929    5.69252070     5.4994014     4.5567243     6.7729709
## 5    20.3450989   20.83399118    21.1593221    22.4029475    23.3398537
##   East_36h_mean East_38h_mean East_40h_mean East_44h_mean East_46h_mean
## 1     0.9937369     0.8400430     0.5541328     0.7968898     0.2715544
## 2     0.1931378     0.2188712     0.3322028     0.2797127     0.2697980
## 3     0.5744472     0.8110953     0.8199693     1.1033019     0.7370958
## 4     6.2324946     9.4830179     8.6101784     9.9691223     7.5724658
## 5    25.2356634    19.2084475    13.3859965    18.6636127    18.1540090
##   West_0h_mean West_2h_mean West_4h_mean West_6h_mean West_8h_mean
## 1    0.3665759    0.6298716    0.8387638    0.4982465    0.2973809
## 2    0.1250066    0.2634719    0.1444436    0.1171651    0.2218034
## 3    0.8347580    0.4992268    0.6271347    0.2662168    0.8311336
## 4    6.2948094    4.3186672    6.6888407    6.0930987    7.6502346
## 5   13.2852110   16.6503097   20.2912081   21.7928923   25.9886879
```

```
##   West_10h_mean West_12h_mean West_14h_mean West_16h_mean West_18h_mean
## 1     0.8182397     0.4823134     0.2376923     0.6255419     0.3134011
## 2     0.1849692     0.1826446     0.2446365     0.3756466     0.1239564
## 3     0.7441114     0.7605737     0.5450553     0.7953738     1.3144125
## 4     7.2728022     7.0846240     9.6736792     7.2989631    10.1913688
## 5    26.6099122    22.0590107    17.2634986    14.8060528    17.9994852
##   West_20h_mean West_22h_mean West_24h_mean West_26h_mean West_28h_mean
## 1     0.3483086     0.2108630     0.3306077     0.4570837    0.42106947
## 2     0.1172849     0.3484867     0.3027098     0.2019638    0.06640825
## 3     0.3707426     0.7571385     0.7021352     0.7008402    0.69472634
## 4    10.5880762     6.7669680     5.7124289     5.7156136    6.09052839
## 5    15.9893356    18.3584199    13.6407907    18.3070608   16.35965598
##   West_30h_mean West_32h_mean West_34h_mean West_36h_mean West_38h_mean
## 1     1.0346923     0.3775487     0.3780953     1.0153553     0.8798077
## 2     0.1999967     0.2497154     0.4450860     0.4744737     0.2564431
## 3     0.9354931     0.6391529     0.5094483     1.0940143     0.9581114
## 4     7.3195046     5.8505074     6.6773925     7.7865504    10.0947371
## 5    25.2782878    23.1909166    24.4258443    23.4340058    17.5779978
##   West_40h_mean West_44h_mean West_46h_mean East_0h_stderr East_2h_stderr
## 1     0.4434399     0.6449330     0.6250404     0.51888536     0.22023767
## 2     0.2429383     0.2163135     0.3600761     0.05774153     0.04006672
## 3     0.8936439     0.9005424     0.9208543     0.24316950     0.09346886
## 4     8.6545831     7.7586798     7.0282456     0.48788290     0.53699144
## 5    12.8039267    18.0462215    17.5121522     0.80726177     0.89031010
##   East_4h_stderr East_6h_stderr East_8h_stderr East_10h_stderr
## 1     0.21982503     0.16470500     0.12585793      0.15267188
## 2     0.05232181     0.05552109     0.01906768      0.03056394
## 3     0.10617768     0.21948279     0.22158508      0.20177774
## 4     0.85571722     0.56004232     0.69126780      0.61560685
## 5     4.51695765     1.39467615     2.51144988      5.71976722
##   East_12h_stderr East_14h_stderr East_16h_stderr East_18h_stderr
## 1       0.2368528      0.07466866       0.2883887       0.2772860
## 2       0.1017951      0.04669649       0.1064282       0.1175269
## 3       0.2032670      0.19091907       0.2982260       0.3047939
## 4       0.3291396      2.04777763       1.9125293       1.3224221
## 5       1.4670510      2.29847573       1.3051259       1.3508942
##   East_20h_stderr East_22h_stderr East_24h_stderr East_26h_stderr
## 1      0.28226508      0.04679541      0.03368115      0.07229755
## 2      0.02559927      0.15879990      0.06782794      0.12021884
## 3      0.28249898      0.15378347      0.10616874      0.20294814
## 4      1.52700349      1.63673522      1.14270815      0.66714847
## 5      1.26038922      2.30431472      1.96015747      1.63198142
##   East_28h_stderr East_30h_stderr East_32h_stderr East_34h_stderr
## 1      0.07052773      0.18747917      0.14128371      0.28242765
## 2      0.09308733      0.00000000      0.07403526      0.02366426
## 3      0.13311444      0.10798845      0.09532817      0.03075830
## 4      0.80959695      0.02499476      0.47049483      0.17526696
## 5      0.74515121      0.82954440      2.13929396      1.06118683
##   East_36h_stderr East_38h_stderr East_40h_stderr East_44h_stderr
## 1     0.348733261       0.2335623      0.16804911      0.14710853
## 2     0.008979767       0.1682888      0.05006363      0.07065581
## 3     0.146235088       0.3244117      0.12791362      0.16605026
## 4     0.210853406       1.9511321      0.66780981      0.90504328
## 5     1.651712156       1.2445824      0.52425397      1.03267652
```

```
##    East_46h_stderr West_0h_stderr West_2h_stderr West_4h_stderr
## 1       0.13578561     0.11027881     0.26599001     0.51539951
## 2       0.01375465     0.06446473     0.01948796     0.09509699
## 3       0.07207517     0.14939189     0.05378165     0.21479357
## 4       0.79362952     1.14111653     0.60346719     1.17659033
## 5       0.61229346     1.78600746     1.21480736     3.07656292
##    West_6h_stderr West_8h_stderr West_10h_stderr West_12h_stderr
## 1     0.02756896      0.1062568      0.16451441     0.089218243
## 2     0.06434489      0.1689268      0.05049299     0.007963469
## 3     0.20332459      0.1362975      0.24059398     0.152134104
## 4     1.83433471      0.7469721      0.53287244     0.457263046
## 5     1.12658237      2.7555534      3.40316164     2.746555302
##    West_14h_stderr West_16h_stderr West_18h_stderr West_20h_stderr
## 1       0.04326365      0.24734057      0.06548834      0.13310020
## 2       0.13605317      0.06425125      0.12395638      0.05925089
## 3       0.29140678      0.10704522      0.07484874      0.02234413
## 4       0.93571941      1.91132827      0.59283627      0.96947280
## 5       1.36102900      0.89988803      1.83353566      0.66165505
##    West_22h_stderr West_24h_stderr West_26h_stderr West_28h_stderr
## 1       0.05254025       0.1837088      0.07718986      0.11019653
## 2       0.07142887       0.1305290      0.12963690      0.06640825
## 3       0.08988316       0.1371072      0.16461992      0.03064384
## 4       0.90857071       0.5796440      0.87324153      0.64505189
## 5       0.78459800       1.8709014      1.70151966      1.43775503
##    West_30h_stderr West_32h_stderr West_34h_stderr West_36h_stderr
## 1       0.67585358      0.11119440      0.05840804       0.2947063
## 2       0.05952557      0.02244022      0.23083118       0.2877115
## 3       0.16754889      0.05208067      0.08103739       0.2479449
## 4       2.00420819      0.53808176      0.20871195       1.0072399
## 5       4.62596875      0.92747972      1.28114344       2.0530750
##    West_38h_stderr West_40h_stderr West_44h_stderr West_46h_stderr      Beta
## 1        0.2493757       0.1668322      0.43922303       0.1954358        NA
## 2        0.1057607       0.1458297      0.07043235       0.1873304  0.034317
## 3        0.1087722       0.4669611      0.09315458       0.2203679  0.088299
## 4        1.2132324       2.7557216      0.79567345       1.0232390  1.758000
## 5        0.9943625       0.5712625      0.80053181       1.1232488  4.366200
##     Beta.E  Beta.W MeanExpLev MeanExpLev.E MeanExpLev.W PeakPhase
## 1      NA      NA        NA           NA           NA        NA
## 2      NA      NA   0.21501           NA           NA    12.375
## 3 0.087048 0.09939   0.70022      0.66195       0.7528    18.486
## 4 1.816700 1.60300   7.14470      7.08820       7.2759    16.281
## 5 4.612000 4.64770  18.86900     18.85300      19.0860     9.000
##    PeakPhase.E PeakPhase.W Period Period.E Period.W   Phase Phase.E Phase.W
## 1          NA          NA     NA       NA       NA      NA      NA      NA
## 2          NA          NA   27.5       NA       NA -12.375      NA      NA
## 3       20.436      16.872   23.7     26.2     22.2   5.214   5.764   5.328
## 4       16.683      15.844   24.3     24.9     23.3   8.019   8.217   7.456
## 5        8.550       9.503   22.5     22.5     22.1  -9.000  -8.550  -9.503
##    pMMC.Beta pMMC.Beta.E pMMC.Beta.W    RelAmp  RelAmp.E  RelAmp.W
## 1         NA          NA          NA        NA        NA        NA
## 2 0.87212000          NA          NA 0.1596065        NA        NA
## 3 0.53278000  0.51955000   0.8765800 0.1261018 0.1315024 0.1320271
## 4 0.00080078  0.00083223   0.0066876 0.2460565 0.2562992 0.2203164
## 5 0.00056347  0.00048054   0.0017195 0.2313954 0.2446295 0.2435136
```

```
##   phase.diff        amp.diff exp.diff.log2 RhythmicEast RhythmicWest
## 1         NA              NA            NA           NA           NA
## 2         NA              NA            NA            0            0
## 3     -3.564   0.0005247195    0.18554438            0            0
## 4     -0.839  -0.0359828145    0.03770640            1            1
## 5      0.953  -0.0011159318    0.01772067            1            1
##   RhythmicBoth RhythmicMerged AmpHigherEast AmpHigherWest ExpHigherEast
## 1           NA             NA            NA            NA            NA
## 2            0              0            NA            NA            NA
## 3            0              0            NA            NA            NA
## 4            1              1             0             0             0
## 5            1              1             0             0             0
##   ExpHigherWest AmpExpHigherEast AmpExpHigherWest AsymmetricEast
## 1            NA               NA               NA             NA
## 2            NA               NA               NA             NA
## 3            NA               NA               NA             NA
## 4             0                0                0              0
## 5             0                0                0              0
##   AsymmetricWest
## 1             NA
## 2             NA
## 3             NA
## 4              0
## 5              0
```

```r
write.table(timecourse.cosopt.summary, "Expression-and-COSOPT-Summary.txt", sep = "\t", quote = FALSE,
```