

Universidad Rafael Landívar
Facultad de Ingeniería
Licenciatura en Ingeniería en Informática y Sistemas
Manejo e Implementación de Archivos Sección: 1
Docente: Ing. Luis Rojas

LABORATORIO 11


“SERVIDOR FTP”



Estudiantes: Marco Fabrizzio Donadio
Castellanos, Edwin David Santisteban
Grajeda

Carné: 1076925, 1047425

Guatemala 16 de septiembre de 2026

CONFIGURACION DEL SERVER





Date/Time	Sessio...	Protocol	Host	Userna...	Transfer
-----------	-----------	----------	------	-----------	----------

Connected to 127.0.0.1

```
Administrator: Command Prompt
Microsoft Windows [Version 10.0.26200.9457]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>ipconfig

Windows IP Configuration

Wireless LAN adapter Local Area Connection* 13:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Local Area Connection* 14:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :


Wireless LAN adapter Wi-Fi:

    Connection-specific DNS Suffix  . :
    Link-local IPv6 Address . . . . . : fe80::b5a7:63c3:8de9:625e%17
    IPv4 Address. . . . . : 10.202.145.233
    Subnet Mask . . . . . : 255.255.248.0
    Default Gateway . . . . . : 10.202.151.254

Ethernet adapter Bluetooth Network Connection 3:
```

The screenshot displays a Windows desktop environment with three overlapping windows. In the background, a WhatsApp chat window is visible, showing a conversation with 'Chichones' and a list of contacts including 'Isaca El proyecto', 'TUTORIAS', 'Voluntariado TECH - Sede Central', and 'Salvador'. Overlaid on the WhatsApp window is the 'Windows Firewall' configuration window, which shows a rule named 'Filezilla FTP Passive' with the following settings: Action: Allow, Direction: Outbound, Platform: Any, and Scope: All. In the foreground, the 'Windows IP Configuration' window is open, displaying the network configuration for the 'Wi-Fi' adapter, including the Link-local IPv6 Address (fe80::b5a7:63c3:8de9:625e%17), IPv4 Address (10.202.145.233), Subnet Mask (255.255.248.0), and Default Gateway (10.202.151.254).

MUESTRA DEL CLIENTE



EVIDENCIA DEL PROCESO EN EL SERVIDOR

