

Anomaly Detection Using Machine Learning Techniques for Beam Injections from the SPS to the LHC at CERN

MARC FERRIGGI

Supervised by Dr. Gianluca Valentino

Department of Computer Science
Faculty of ICT
University of Malta

May, 2019

A FYP submitted in partial fulfilment of the requirements for the degree of B.Sc. (Hons.) Computing Science AND Statistics and Operations Research.

Statement of Originality

I,	, the undersigned,	declare th	nat this is	my own	work ur	less where	otherwise
		ackno	wledged	and refe	renced.		

Candidate	Marc Ferriggi			
Signed				
Date	February 15, 2019			

Acknowledgements

Abstract

Contents

1	Intr	oduction	1
2 Background and Literature Review			
	2.1	Introduction	2
	2.2	Understanding the Problem Domain	2

List of Figures

List of Tables

List of Abbreviations

CERN European Organization for Nuclear Research	
IQC Injection Quality Check	2
LHC Large Hadron Collider	
LS Logging Service	2
SPS Super Proton Synchrotron	

Introduction

Background and Literature Review

2.1 Introduction

2.2 Understanding the Problem Domain

The LHC is filled to the required maximum intensity by injecting electron bunch trains from the SPS through a transfer line using kicker magnets [CITE HERE]. This is a challenging task given the high energy of the beam, the very small apertures and the delivery precision's tight tolerances, thus multiple sensors are installed around the CERN particle accelerator complex [CITE HERE] which gather readings and data that can be used to check the quality of the injected beam. For this particular study, the sensors around the injection from the SPS to the LHC will be of particular interest. This data is stored using CERN's Logging Service (LS) [CITE HERE]. While many studies have been made using this logged data and lots of statistical tests have been done with regards to injection quality checks for the LHC (such as [CITE HERE] and [CITE HERE]), no literature was uncovered where researchers used unsupervised machine learning methods to analyse this data.

The Injection Quality Check (IQC) software currently installed has a set of hard-coded rules for detecting anomalies in the SPS-LHC injection [CITE HERE], however there are documented cases in the past where situations occurred which were outside the originally foreseen rules and were therefore not caught as anomalies.