

PACKET - Fernanda Espinosa - Week 8

CLARA: small-clinic incident coordination

Author: Fernanda Espinosa | MONEY lens | Prepared before application code.

Problem in my words

A small clinic facing a suspected compromise of its appointment account must keep decisions and patient communication reliable while its IT provider investigates. Staff may confuse reports with facts or publish reassurance without approval. The buyer is the owner or administrator, not the patient.

Exact user

Fictional clinic administrator Elena, 46, in Mexico City, uses appointment software and WhatsApp, has no forensic training, and must coordinate reception and the external IT provider under time pressure. Only fictional data are used.

Success before the module closes

A working URL loads a fictional incident, preserves confirmed/unverified/unknown distinctions, creates a SHA-256 integrity receipt, stops export without an available approver and a verified fallback channel, invalidates approval after any revision, and exports an approved rehearsal message. A cost calculator makes full-cost assumptions visible; no paid demand is claimed.

Image-generated mockup

Generated concept mockup - not an application screenshot

CLARA
Clínica en respuesta

Coordinar el incidente

Situación actual

Tareas3

Comunicaciones

Recursos

Registro de decisiones

Simulacro y guía

Configuración

Cerrar sesión

ENSAYO · DATOS FICTICIOS · IA SIMULADA

Este es un ejercicio de coordinación ante un incidente cibernético. No refleja datos reales de pacientes.

Lunes, 14 de abril de 2025 09:12

Clinica San Martin

Modo de ensayo

Coordinar el incidente

Revisa la información disponible, evalúa su nivel de certeza y decide los próximos pasos.

Evidencias recibidas

Información recopilada hasta el momento. Haz clic en cada tarjeta para ver más detalles.

Confirmado08:10

Sin verificar08:25

Desconocido—

Línea de tiempo del incidente

Mostrar: Todo

08:10

Sistema de citas no disponible

El personal informa de que el sistema no responde.

Confirmado

08:25

Correo de restablecimiento de contraseña

Se detecta un mensaje sospechoso. Remitente por verificar.

Sin verificar

08:47

Investigación en curso

Se está analizando si ha habido acceso a historiales clínicos.

Desconocido

09:12

Coordinación activa

Revisión de evidencias y preparación de comunicación.

En curso

Comprobación de integridad (SHA-256)

Este recibo confirma que la información de este ensayo no ha sido modificada.

3f4e8c7a9d2b6e1f0c8a4d7e2b9c1a6f5e8d3c7b4a9e1fd2c8b7a4e9d1c3f0

Generado: 14 abr 2025, 09:12 | SHA-256 | Datos del ejercicio

Escalado a persona (humano)

Si la situación se agrava o hay impacto en la atención, escala a la dirección de la clínica según el plan de respuesta.

Escalar ahora

Aprobación de comunicación

Revisa y aprueba el mensaje para su envío a pacientes y personal. Utiliza un canal verificado.

Responsable principal

LM Laura Méndez

Directora de la clínica

Responsable principal

Responsable suplente

CR Carlos Rivera

Subdirector / Responsable de operaciones

Responsable suplente

Canal de envío verificado

Correo institucional de la clínica

clínica@clínicasanmartin.es

Canal verificado

Mensaje propuesto

Vista previa

Asunto: Información importante sobre nuestros servicios

Estimados pacientes y estimados pacientes:

Actualmente estamos experimentando una interrupción en nuestro sistema de citas. Nuestros equipos están trabajando para restablecer el servicio lo antes posible.

Les mantendremos informados por este mismo canal. Gracias por su comprensión.

Clinica San Martin

342 caracteres

Descargar mensaje aprobado

El mensaje debe ser aprobado por el responsable principal o suplente antes de poder descargarse.

Concept only; application implementation may differ. Generation requested before code.

Flowchart

flowchart TD

A[Load fictional incident] --> B[Review evidence and unknowns]

B --> C[Generate simulated draft]

C --> D[Hash evidence with SHA-256]

D --> E{Approver and verified channel available?}

E -- No --> F[Evidence mode and human escalation]

E -- Yes --> G[Human reviews exact draft]

G --> H[Approve current revision]

H --> I[Download rehearsal message]

B --> J[Correction]

J --> C

Swimlane

flowchart TD

subgraph Staff

A[Choose fictional scenario]

B[Correct evidence]

end

subgraph System

C[Validate structured fields]

D[Simulated classification and draft]

E[Hash and invalidate old approval]

end

subgraph Administrator

F[Check fallback channel]

G[Approve exact revision]

end

subgraph Specialist

H[Investigate unknown access and cause]

end

A --> C --> D --> E --> F --> G

B --> C

D --> H

Benchmark line

There is no proven universal best solution; the strongest relevant precedent in this research is IDCARE's Small Business Cyber Resilience Service, providing expert support for Australian small businesses. CLARA localizes a much narrower rehearsal to Spanish-speaking Mexican clinic administrators, with evidence separation, fallback-channel checks, explicit approval and visible delivery costs; it does not replicate IDCARE's expert service.

ACSC incident-response planning guidance is the operational benchmark for roles and communications.

Sources checked 30 September 2026: <https://www.idcare.org/smallbusiness> ; <https://www.cyber.gov.au/business-government/detecting-responding-to-threats/cyber-security-incident-response/cyber-security-incident-response-planning-executive-guidance>

Long view - three sentences

In three years this could become a practiced coordination service distributed through qualified clinic IT partners. Each clinic would maintain verified fallback contacts and rehearse decision boundaries before incidents occur. Expansion would depend on paid commitments, full-cost margins, fewer communication errors and lower specialist workload, rather than a security score or promised recovery.

Scope cut

No antivirus, password manager, live threat detection, patient records, remote control, attack-back, ransom actions, automatic publication, legal notification decisions or forensic conclusions. The demo stores no server data, has no free-text personal-data intake and accepts only fictional scenario choices. Approval is a single-session rehearsal control, not production identity verification.

Architecture and Dragon Stack

Layer	Implementation	Truth label
LLM	Curated outputs derived from the fictional brief exercise, deterministic scenario-specific drafts	IA SIMULADA, no live model call
Security API/tooling	Browser Web Crypto SHA-256 over canonical incident JSON	Real cryptographic operation, not evidence admissibility or breach detection
Additional layer	Structured fictional breach data, revision approval state machine and escalation automation	Local browser workflow
Interface	Static HTML, CSS, JavaScript; Spanish, responsive, keyboard controls	Working slice
Persistence	In-memory session only; reset on reload	No database or personal-data storage
Hosting	Sites with versioned git source	Two deployments planned

Blueprint conditions honored

1. Separate confirmed, unverified, unknown and human escalation; never declare secure.
2. Shadow clause: no attack-back, accusation, secrets, remote control or ransom action; no autonomous authority.
3. Explicit named rehearsal approver plus verified channel before export; approval tied to revision.
4. Unknown access stays unknown; specialist investigates; hashing never upgrades evidence.
5. Plain Spanish, clear primary/backup roles and fallback guidance.
6. Cost calculator includes staff, support and overhead; five-clinic paid pilot remains future work. Kill if fewer than 3/5 pay full cost, every case is heavily customized, or coordination is unsafe.

Security Floor before build

No credentials or API keys. No personal data intake or server persistence, so Supabase Auth and row-level security are not applicable to this rehearsal. Select values and numeric ranges validated; output rendered as text; fixed seeds fictional and labeled. Production use requires verified authentication, role authorization and protected storage before any personal data is introduced.

Test plan

Mechanical: scenario labels; unavailable primary routes to backup; both unavailable blocks export; unverified fallback blocks approval; revision invalidates approval; SHA-256 length/determinism/change; invalid price inputs rejected; full-cost margin; mobile overflow; no network submissions; no secrets. Record one genuine failing assertion, fix and rerun, then redeploy.

Persona: synthetic Elena, 46, clinic administrator, hurried and nontechnical. In a fresh synthetic-user session, review sequential screenshots, narrate hesitation, log confusions and fix the worst. This is simulated usability evidence, not a real-user study.

Implementation prompt

Build CLARA as a static responsive Spanish rehearsal. Use fixed fictional scenarios only. Implement evidence cards, simulated draft, SHA-256 receipt, primary/backup availability, verified fallback channel, current-revision approval and export; changes must revoke approval. Add a full-cost calculator. Never send messages externally or accept records. Commit packet before code, then UI, workflow/security, first-release verification, bug fix/persona improvement, and Session Close. Deploy the first usable version and the corrected version. Log actual tests and limitations, not invented results.