Ruta Clara | Current delivery status

1 November 2026 | Fernanda Espinosa | Week 12. This page supersedes earlier infrastructure and access-status statements in the attached historical build documents.

Current live prototype

https://ruta-clara-pied.vercel.app
Vercel production deployment: dpl_H5M8An5n4GG8nuV2Yx8M7Fimk6Ck. State: READY. React / Next.js / Tailwind. The former Sites URL is historical; use the Vercel URL for the current app and video.

Authentication and persistence

Supabase project ruta-clara is active. The app supports email-link sign-in, saving a fictional tracking copy, loading the latest copy and signing out. The owner-restricted referral_sessions table has RLS enabled; anonymous access is revoked. Security advisors returned no findings at the last check. The report text is not stored. Saved fields are responsible person, deadline, step evidence, route attestation and closure state.

Evidence actually available

The user reported successful email sign-in, saving and recovering the owner/date/progress after reload. A separate database aggregate query returned 3 saved copies; no row contents or account identifiers were read. This supports that records exist, not an independent end-to-end browser or cross-account isolation test. The eight earlier user screenshots show the fictional handoff workflow, protected closure and reopening. The synthetic persona review and its resulting source correction are documented separately; post-fix visual retest remains uncompleted.

Google requirement: unmet

Google OAuth remains disabled because Google Cloud access was blocked by the account MFA prerequisite. Email-link authentication is a working alternative reported by the user; it does not fulfill the assignment requirement for Sign in with Google. No security control was bypassed.

Remaining submission gates

Purchased and connected real domain: pending. Current vercel.app address is a subdomain and does not meet the course URL-of-record rule. Venture-owned identities and GitHub repository/transfer: pending. Existing Sites source history is preserved, but no verified Week 12 GitHub URL exists. Exact Week 12 Crystal Ball/Blueprint shadow-clause compliance: unverified because the brief was not supplied. Full verbatim development transcript: must accompany the technical BUILDCHAT record. Demo video: must be recorded by the student (3 minutes demonstration + 30 seconds mind-change).

Video instructions update

Use the current Vercel URL. Show fictional data only. If demonstrating persistence, sign in through the email link, save the fictional case, reload and load the latest copy. Do not record the email login link or any credential. Describe email access as the current fallback and do not claim Google is working. The previous timed script is an outline; adapt it to the app labels. Do not claim measured 10:1 improvement, real clinical capacity or completed real-user testing.

Submission integrity

These documents preserve completed work and identify incomplete requirements. The presence of all PDF filenames does not make the assignment complete. The real-domain requirement remains especially consequential under the supplied rubric.

BUILDCHAT | Ruta Clara

Week 12 development record. Scope: this session only. This document contains a faithful development summary, actual commit patches and test evidence. It is not a verbatim export of the full chat. The course requests the full back-and-forth: attach the platform chat export alongside this record when available. Credentials, authentication responses and internal reasoning are excluded.

1. User directions and development exchange

The user supplied the Week 12 assignment and Method/Verdict PDFs. The assistant confirmed the selected venture: the existing Week 5 human-verified referral workflow. The user said the Crystal Ball Brief was unavailable and authorized continuing with “vas”, then “sigue”. The assistant committed to writing the charter and packet before modifying the existing Site.

Source inspection found two specific defects: overdue status ignored the deadline, and extraction always returned the same seeded facts. The assistant reported these findings and implemented date comparison and extraction limited to explicitly stated report fields. Missing values remain Unknown. Owner, deadline and evidence became required before advancing.

The first regression run passed 1 of 3 tests. Two tests exposed a timezone error: local end-of-day converted to UTC changed the calendar date. Calendar validation was changed to explicit UTC noon. All three tests then passed. The tests are reproduced with the actual patches below.

The first Week 12 version was deployed. Subsequent source review found a route-verification checkbox could verify Unknown route data without a source. A bounded source statement and explicit human attestation were added. Changing that source clears route verification and closure. The second build passed and was deployed.

2. Actual commits

```
7822fef docs: define Week 12 charter and packet before core changes
7a2b006 feat: add bounded extraction and handoff validation rules
6e48fe3 fix: validate calendar dates and require owned evidenced handoffs
a9651db docs: add generated mockup and actual mechanical failure log
92e2e27 fix: require sourced route attestation after deployment review
```

3. Actual deployments

First: appgdep_6ae7eb7421508191a5a7ee9fe0fcfcaf | source a9651db6f5c8a27bdfb861a5f1369bbc786c2ed0 | succeeded.
Second: appgdep_6ae7ebe2353081919300f56c709217ef | source 92e2e2728edc2a9edad94dbdf963989d5e579128 | succeeded.
Prototype URL: https://ruta-clara-fernanda.mafer212005.chatgpt.site

4. Verification limits and next move

The managed preview timed out. A production browser review redirected to OpenAI authentication and was blocked by automatic approval review. No browser workaround was attempted. Therefore no screenshot persona pass, completed user walkthrough, mobile accessibility pass or real-user benefit is claimed. Next: supply screenshots, complete the fresh-chat persona test, and connect the venture identity, required stack and real domain. The 10:1 improvement remains a model, not a measurement.

Actual source changes

Text patches from the five Week 12 commits. Binary mockup bytes are omitted; the image appears in PACKET. The original Git history remains in the source checkout.

```
commit 7822feffd1dd5c2175d0dd28193682eb72c7ad64
Author:     Codex <codex@openai.com>
AuthorDate: Sun Nov 1 17:44:18 2026 -0800
Commit:     Codex <codex@openai.com>
CommitDate: Sun Nov 1 17:44:18 2026 -0800
    docs: define Week 12 charter and packet before core changes
diff --git a/docs/CHARTER.md b/docs/CHARTER.md
new file mode 100644
index 0000000..2439da6
--- /dev/null
+++ b/docs/CHARTER.md
@@ -0,0 +1,26 @@
+# RUTA CLARA — Product Charter
+Fernanda Espinosa · Week 12 · ADVERSARY · 1 November 2026
+
+## Purpose and exact user
+Make the next incomplete referral step visible, owned and verifiable. The primary operator is a clinic
navigator in Mexico City; the beneficiary is a person left repeatedly calling to understand an unfinished
referral. Mariana and Ana are fictional demo personas. My grandmother's repeated calls motivate the question
but do not establish its cause or a validated market.
+
+## Core promise
+A navigator can inspect a fictional referral, identify its next incomplete handoff, attach a human owner and
deadline, and record evidence before advancing. Contacted, institution accepted, appointment confirmed and
attendance verified are separate states. A sent message or booking cannot close a case.
+
+## Principles
+Unknown stays unknown. Human review precedes action. Editing a reviewed fact invalidates its review. Every
completed step needs an evidence source. Corrections reopen the affected step and dependent steps. Overdue
means a deadline passed, not that the patient failed. Do not claim that software creates receiving capacity.
+
+## Non-goals
+No diagnosis, triage, treatment, real patient enrollment, live messages, booking, payments, institution
integrations, AI benefit claim or additional product feature. The 20-minute versus 2-minute comparison is a
model, not measured savings.
+
+## Three-year direction
+Ruta Clara could support one funded navigation team and a small verified receiving network. It would preserve
consent, current route information and a visible correction history across referrals. Expansion depends on
observed usefulness, funded ownership and receiving capacity rather than simulated completion.
+
+## Inherited conditions and missing authority
+Preserve Week 5's no-stranded-result safeguard, human ownership, unknowns, verified route freshness within 72
hours, consent and evidence-based closure. These are inherited from the existing Week 5 packet, not a verified
Week 12 Blueprint. The Week 12 Crystal Ball Brief, advisory conditions and exact shadow clause have not been
supplied; compliance remains unverified.
+
+## Live-use gate
+Do not enroll anyone until a payer, funded navigator, backup, caseload limit, receiving capacity, correction
route and downstream plan are verified. Personal-data use requires Google sign-in, Supabase Auth, RLS
isolation, input validation and appropriate access review before collection.
+
+## Venture independence gate
+Required but incomplete: venture email and GitHub identity, transferred source, Vercel and Supabase projects
under that identity, and purchased connected real domain. Current Sites publication is a prototype environment
and does not satisfy this milestone.
diff --git a/docs/PROMPTS.md b/docs/PROMPTS.md
new file mode 100644
index 0000000..5ef12e5
--- /dev/null
+++ b/docs/PROMPTS.md
@@ -0,0 +1,2 @@
+# Implementation prompt — Week 12
+Read CHARTER.md and PACKET.md. Preserve the Week 5 workflow and its source history. Implement only its
accountable handoff core. Replace unconditional overdue logic with a validated date comparison. Require
nonempty owner, deadline and source for step evidence. Display the next incomplete action prominently.
Invalidate review when facts change and reopen dependent states after correction. Keep unknowns visible;
simulated extraction must not invent absent report facts. Protect closure until all four steps and attendance
evidence exist. No real data, external API calls or live messages. Use small commits following the packet;
capture actual failures before fixing, run targeted tests and deploy twice only when changes justify it.
Report platform/domain/identity gaps rather than representing Sites as Vercel or Supabase. Finish DECISIONS.md
with next move, commit and push.
commit 7a2b00699355ebe42d6c54471175291c6bbfb1e3
Author:     Codex <codex@openai.com>
AuthorDate: Sun Nov 1 17:44:36 2026 -0800
Commit:     Codex <codex@openai.com>
CommitDate: Sun Nov 1 17:44:36 2026 -0800
    feat: add bounded extraction and handoff validation rules
diff --git a/lib/handoff.mjs b/lib/handoff.mjs
new file mode 100644
index 0000000..2dd55d6
--- /dev/null
+++ b/lib/handoff.mjs
@@ -0,0 +1,8 @@
```

```
+export function validText(v){return typeof v==='string'&&v.trim().length>=3&&v.length<=300;}
+export function validDate(v){return /^\d{4}-\d{2}-\d{2}$/.test(v)&&new
Date(v+'T23:59:59').toISOString().slice(0,10)===v;}
+export function isOverdue(deadline,step,now=new Date()){return validDate(deadline)&&step<4&&new
Date(deadline+'T23:59:59')<now;}
+export function extract(report){
+ const value=(key)=>{const
line=report.split('\n').find(s=>s.toLowerCase().startsWith(key.toLowerCase()+':'));return
line?.slice(line.indexOf(':')+1).trim()||'Unknown';};
+ return ['Hallazgo','Siguiente paso','Responsable','Fecha límite','Elegibilidad','Estado de cita','Barrera de
transporte','Canal de contacto'].map((key)=>({label:key,value:value(key),reviewed:false}));
+}
+export function canAdvance(owner,deadline,evidence){return
validText(owner)&&validDate(deadline)&&validText(evidence);}
diff --git a/tests/handoff.test.mjs b/tests/handoff.test.mjs
new file mode 100644
index 0000000..57dfd0c
--- /dev/null
+++ b/tests/handoff.test.mjs
@@ -0,0 +1,6 @@
+import {test} from 'node:test';
+import assert from 'node:assert/strict';
+import {isOverdue,extract,canAdvance,validDate} from '../lib/handoff.mjs';
+test('future deadline remains pending, past deadline overdue, completed case not overdue',()=>{const now=new
Date('2026-11-02T12:00:00');assert.equal(isOverdue('2026-11-03',0,now),false);assert.equal(isOverdue('2026-11-
01',0,now),true);assert.equal(isOverdue('2026-11-01',4,now),false);});
+test('missing report values stay unknown instead of seeded facts',()=>{const result=extract('Hallazgo:
Ejemplo ficticio');assert.equal(result[0].value,'Ejemplo
ficticio');assert.equal(result[2].value,'Unknown');assert.equal(result[4].value,'Unknown');});
+test('owner, valid calendar date and evidence required',()=>{assert.equal(canAdvance('
','2026-11-02','Fuente ficticia'),false);assert.equal(validDate('2026-02-
30'),false);assert.equal(canAdvance('Mariana','2026-11-02',''),false);assert.equal(canAdvance('Mariana','2026-
11-02','Llamada ficticia verificada'),true);});
commit 6e48fe300a586d52ac2caf5d14e8beea0b4cc30c
Author:     Codex <codex@openai.com>
AuthorDate: Sun Nov 1 17:45:01 2026 -0800
Commit:     Codex <codex@openai.com>
CommitDate: Sun Nov 1 17:45:01 2026 -0800
    fix: validate calendar dates and require owned evidenced handoffs
diff --git a/app/page.tsx b/app/page.tsx
index 2c649cb..5a0f4d4 100644
--- a/app/page.tsx
+++ b/app/page.tsx
@@ -1,6 +1,8 @@
 "use client";
 import { useMemo, useState } from "react";
+// @ts-ignore — shared tested JavaScript rules
+import {extract, isOverdue, canAdvance, validDate, validText} from "../lib/handoff.mjs";
 import { AlertTriangle, Check, Clock3, FileText, HeartHandshake, RotateCcw, ShieldCheck } from "lucide-
react";
 import { Button } from "@/components/ui/button";
 import { Checkbox } from "@/components/ui/checkbox";
@@ -36,9 +38,13 @@ export default function Home() {
   const [routeVerified, setRouteVerified] = useState(false);
   const [attendanceEvidence, setAttendanceEvidence] = useState(false);
   const [closed, setClosed] = useState(false);
+  const [owner, setOwner] = useState("Mariana — navegadora ficticia");
+  const [deadline, setDeadline] = useState("2026-11-04");
+  const [evidence, setEvidence] = useState("");
+  const [history, setHistory] = useState<string[]>([]);
   const allReviewed = fields?.every((field) => field.reviewed) ?? false;
-  const canClose = currentStep === 4 && attendanceEvidence;
-  const overdue = referralCreated && currentStep < 4;
+  const canClose = currentStep === 4 && attendanceEvidence && history.length === 4;
+  const overdue = referralCreated && isOverdue(deadline, currentStep);
   const progress = useMemo(() => (currentStep / steps.length) * 100, [currentStep]);
   function runExtraction() {
@@ -46,7 +52,8 @@ export default function Home() {
     if (!clean) return setError("Pega un reporte ficticio antes de ejecutar la extracción.");
     if (clean.length > 3000) return setError("El reporte debe tener 3,000 caracteres o menos.");
     setError("");
-    setFields(initialFields.map((field) => ({ ...field })));
+    setFields(extract(clean));
+    setHistory([]); setEvidence("");
     setReferralCreated(false);
     setCurrentStep(0);
     setRouteVerified(false);
@@ -54,6 +61,7 @@ export default function Home() {
     setClosed(false);
   }
   function resetDemo() {
+    setHistory([]); setEvidence(""); setOwner("Mariana — navegadora ficticia"); setDeadline("2026-11-04");
     setReport(sampleReport); setFields(null); setReferralCreated(false); setCurrentStep(0);
     setRouteVerified(false); setAttendanceEvidence(false); setClosed(false); setError("");
   }
@@ -87,23 +95,27 @@ export default function Home() {
             {fields && <article className="surface">
               <div className="section-head"><span className="step-number">2</span><div><h2>Verifica cada dato
extraído</h2><p>Extracción simulada por IA - requiere verificación humana</p></div></div>
               <div className="divide-y divide-[#e3ebec] rounded-2xl border border-[#dce7e8] bg-white px-4">
-                {fields.map((field, index) => <div key={field.label} className="grid gap-3 py-4 sm:grid-
cols-[1fr_1.2fr_auto] sm:items-center"><label htmlFor={`field-${index}`} className="text-sm font-
semibold">{field.label}</label><input id={`field-${index}`} value={field.value} onChange={(e) =>
```

```
setFields(fields.map((item, i) => i === index ? { ...item, value: e.target.value || "Unknown" } : item))}
className={field.value === "Unknown" ? "data-input unknown" : "data-input"} /><label className="flex items-
center gap-2 text-sm font-medium"><Checkbox checked={field.reviewed} onCheckedChange={(checked) =>
setFields(fields.map((item, i) => i === index ? { ...item, reviewed: checked === true } : item))} />
Revisado</label></div>)}
+                {fields.map((field, index) => <div key={field.label} className="grid gap-3 py-4 sm:grid-
cols-[1fr_1.2fr_auto] sm:items-center"><label htmlFor={`field-${index}`} className="text-sm font-
semibold">{field.label}</label><input id={`field-${index}`} value={field.value} onChange={(e) =>
setFields(fields.map((item, i) => i === index ? { ...item, value: e.target.value || "Unknown", reviewed: false
} : item))} maxLength={300} disabled={referralCreated} className={field.value === "Unknown" ? "data-input
unknown" : "data-input"} /><label className="flex items-center gap-2 text-sm font-medium"><Checkbox
disabled={referralCreated} checked={field.reviewed} onCheckedChange={(checked) => setFields(fields.map((item,
i) => i === index ? { ...item, reviewed: checked === true } : item))} /> Revisado</label></div>)}
              </div>
              <div className="mt-4 rounded-xl bg-[#fff6d8] p-3 text-sm text-[#725710]"><strong>Verificación
humana obligatoria.</strong> La navegadora es responsable de cada corrección y confirmación.</div>
-             <Button disabled={!allReviewed} onClick={() => setReferralCreated(true)} className="mt-4 w-full
bg-[#087f7a] hover:bg-[#066b67]">Crear referencia estructurada</Button>
+             <div className="mt-4 space-y-3"><label className="block">Responsable del siguiente paso<input
className="data-input mt-2 w-full" maxLength={100} value={owner} onChange={e=>setOwner(e.target.value)}
/></label><label className="block">Fecha límite del siguiente paso<input className="data-input mt-2 w-full"
type="date" value={deadline} onChange={e=>setDeadline(e.target.value)} /></label><p className="text-sm">Los
datos no se guardan al recargar. Usa solo información ficticia.</p></div>
+             <Button disabled={!allReviewed || !validText(owner) || !validDate(deadline) || referralCreated}
onClick={() => setReferralCreated(true)} className="mt-4 w-full bg-[#087f7a] hover:bg-[#066b67]">Crear
referencia estructurada</Button>
            </article>}
          </div>
          <aside className="space-y-6"><article className="surface sticky-card">
            <div className="flex items-start justify-between gap-4"><div><p className="eyebrow">Caso
ficticio</p><h2 className="mt-1 text-2xl font-bold">Ana M., 47</h2></div><span className="rounded-full
bg-[#fff1b8] px-3 py-1 text-xs font-bold text-[#6e5100]">No es diagnóstico</span></div>
            {!referralCreated ? <div className="empty-state"><Clock3 aria-hidden="true" /><p>Crea una
referencia verificada para comenzar el seguimiento.</p></div> : <>
-             {overdue && <div role="alert" className="mt-5 flex gap-3 rounded-2xl border border-red-200 bg-
red-50 p-4 text-red-800"><AlertTriangle className="shrink-0" aria-hidden="true" /><div><strong>Seguimiento
vencido - requiere acción humana</strong><p className="mt-1 text-sm">Mariana debe verificar el siguiente paso.
Ana no recibe una etiqueta de incumplimiento.</p></div></div>}
+             {overdue && <div role="alert" className="mt-5 flex gap-3 rounded-2xl border border-red-200 bg-
red-50 p-4 text-red-800"><AlertTriangle className="shrink-0" aria-hidden="true" /><div><strong>Seguimiento
vencido - requiere acción humana</strong><p className="mt-1 text-sm">{owner} debe verificar el siguiente paso
antes de {deadline}. Ana no recibe una etiqueta de incumplimiento.</p></div></div>}
+             <div className="mt-5 rounded-xl bg-[#eaf6f5] p-4"><strong>{currentStep < 4 ? "Próxima acción: "
+ steps[currentStep] : "Asistencia verificada: revisa el cierre"}</strong><p className="mt-2 text-
sm">Responsable: {owner} · Fecha límite: {deadline}</p><p className="text-sm">{overdue ? "Vencido: requiere
seguimiento humano" : "Pendiente dentro del plazo o pasos completos"}</p></div>
              <div className="mt-5 flex items-center justify-between"><h3 className="font-bold">Avance de la
referencia</h3><span className="text-sm font-semibold">{currentStep} de 4</span></div>
              <div className="mt-3 h-2 overflow-hidden rounded-full bg-[#dfe9ea]"><div className="h-full
bg-[#087f7a] transition-all" style={{ width: `${progress}%` }} /></div>
              <ol className="mt-4 space-y-3">{steps.map((step, index) => <li key={step} className="flex
items-center gap-3"><span className={index < currentStep ? "status-dot done" : "status-dot"}>{index <
currentStep ? <Check size={16} /> : index + 1}</span><span className={index < currentStep ? "font-semibold" :
"text-[#718092]"}>{step}</span></li>)}</ol>
-             {currentStep < 4 && <Button variant="outline" className="mt-5 w-full" onClick={() =>
setCurrentStep((value) => Math.min(4, value + 1))}>Verificar siguiente estado</Button>}
+             {currentStep < 4 && <div className="mt-5"><label htmlFor="step-evidence" className="field-
label">Fuente de evidencia del siguiente paso (ficticia)</label><input id="step-evidence" maxLength={300}
className="data-input mt-2 w-full" value={evidence} onChange={e=>setEvidence(e.target.value)}
placeholder="Ej.: confirmación telefónica ficticia verificada"/><Button
disabled={!canAdvance(owner,deadline,evidence) || (currentStep===1 && !routeVerified)} variant="outline"
className="mt-3 w-full" onClick={() => {setHistory([...history,
evidence.trim()]);setCurrentStep(currentStep+1);setEvidence("");}}>Registrar evidencia y avanzar un
paso</Button></div>}
+             <ol className="mt-4 text-sm">{history.map((h,i)=><li key={i}>{steps[i]}: {h}</li>)}</ol>
+             {currentStep>0 && <Button className="mt-3" variant="outline" onClick={()=>{setCurrentStep(curre
ntStep-1);setHistory(history.slice(0,-1));setClosed(false);setAttendanceEvidence(false);}}>Corregir último
paso y reabrir</Button>}
              <p className="mt-3 text-sm text-[#657689]">La falta de respuesta se registra como <strong>No
fue posible contactar</strong>, nunca como incumplimiento.</p>
              <div className="mt-6 border-t border-[#e0e9ea] pt-5"><h3 className="font-bold">Ruta local
verificada</h3><p className="mt-1 text-sm text-[#657689]">Los datos simulados deben ser confirmados por una
persona identificada durante las últimas 72 horas.</p><p className="mt-3 rounded-xl bg-[#f5f8f8] p-3 text-
sm">Institución, disponibilidad, documentos y costo: <strong>Unknown</strong></p><label className="mt-3 flex
items-center gap-2 text-sm font-medium"><Checkbox checked={routeVerified} onCheckedChange={(v) =>
setRouteVerified(v === true)} /> Ruta verificada por Mariana</label>{!routeVerified && <p className="mt-3
rounded-xl bg-[#eef1f5] p-3 text-sm font-bold text-[#445268]">No hay ruta verificada - el caso sigue
abierto</p>}</div>
-             <div className="mt-6 border-t border-[#e0e9ea] pt-5"><h3 className="font-bold">Cierre
protegido</h3><label className="mt-3 flex items-center gap-2 text-sm font-medium"><Checkbox
disabled={currentStep < 4 || closed} checked={attendanceEvidence} onCheckedChange={(v) =>
setAttendanceEvidence(v === true)} /> Evidencia de asistencia verificada</label><Button disabled={!canClose ||
!routeVerified || closed} onClick={() => setClosed(true)} className="mt-4 w-full bg-[#12233f]
hover:bg-[#1d3559]">{closed ? "Referencia cerrada con evidencia" : "Cerrar referencia"}</Button>{closed && <p
role="status" className="mt-3 rounded-xl bg-[#e8f6ef] p-3 text-sm font-bold text-[#17603d]">Cerrada por
Mariana - evidencia de asistencia registrada.</p>}<p className="mt-3 text-xs leading-5 text-[#66778a]">Un
mensaje, una reservación o una cita confirmada nunca cierran el caso.</p></div>
+             <div className="mt-6 border-t border-[#e0e9ea] pt-5"><h3 className="font-bold">Cierre
protegido</h3><label className="mt-3 flex items-center gap-2 text-sm font-medium"><Checkbox
disabled={currentStep < 4 || closed} checked={attendanceEvidence} onCheckedChange={(v) =>
setAttendanceEvidence(v === true)} /> Evidencia de asistencia verificada</label><Button disabled={!canClose ||
!routeVerified || closed} onClick={() => setClosed(true)} className="mt-4 w-full bg-[#12233f]
hover:bg-[#1d3559]">{closed ? "Referencia cerrada con evidencia" : "Cerrar referencia"}</Button>{closed && <p
```

```
role="status" className="mt-3 rounded-xl bg-[#e8f6ef] p-3 text-sm font-bold text-[#17603d]">Cerrada por
Mariana - evidencia de asistencia registrada: {history[3]}.</p>}<p className="mt-3 text-xs leading-5
text-[#66778a]">Un mensaje, una reservación o una cita confirmada nunca cierran el caso.</p></div>
            </>}
          </article></aside>
        </section>
diff --git a/lib/handoff.mjs b/lib/handoff.mjs
index 2dd55d6..5a86cd3 100644
--- a/lib/handoff.mjs
+++ b/lib/handoff.mjs
@@ -1,5 +1,5 @@
 export function validText(v){return typeof v==='string'&&v.trim().length>=3&&v.length<=300;}
-export function validDate(v){return /^\d{4}-\d{2}-\d{2}$/.test(v)&&new
Date(v+'T23:59:59').toISOString().slice(0,10)===v;}
+export function validDate(v){return /^\d{4}-\d{2}-\d{2}$/.test(v)&&new
Date(v+'T12:00:00Z').toISOString().slice(0,10)===v;}
 export function isOverdue(deadline,step,now=new Date()){return validDate(deadline)&&step<4&&new
Date(deadline+'T23:59:59')<now;}
 export function extract(report){
  const value=(key)=>{const
line=report.split('\n').find(s=>s.toLowerCase().startsWith(key.toLowerCase()+':'));return
line?.slice(line.indexOf(':')+1).trim()||'Unknown';};
commit a9651db6f5c8a27bdfb861a5f1369bbc786c2ed0
Author:     Codex <codex@openai.com>
AuthorDate: Sun Nov 1 17:45:28 2026 -0800
Commit:     Codex <codex@openai.com>
CommitDate: Sun Nov 1 17:45:28 2026 -0800
    docs: add generated mockup and actual mechanical failure log
diff --git a/docs/TEST_LOG.md b/docs/TEST_LOG.md
new file mode 100644
index 0000000..ffb3a5f
--- /dev/null
+++ b/docs/TEST_LOG.md
@@ -0,0 +1,6 @@
+# Week 12 observed mechanical evidence
+1 November 2026. Source inspection found the previous overdue calculation was referralCreated && currentStep
< 4, independent of deadline. Simulated extraction always returned seeded facts, independent of report. Both
defects were corrected with shared rules and targeted regression tests.
+
+First targeted run: 1/3 tests passed, 2/3 failed. Calendar validation used local end-of-day followed by UTC
formatting, changing the date under the executor timezone. Fix: validate the calendar date using explicit UTC
noon; retain local end-of-day for the user's displayed deadline. Second run: all 3 tests passed. Cases cover
future/past/completed overdue logic, omitted fact preservation, blank owner, impossible date and missing
evidence.
+
+No browser or persona screenshot test completed yet. No measured administrative-time benefit or clinical
outcome. Deployment cycle still pending.
commit 92e2e2728edc2a9edad94dbdf963989d5e579128
Author:     Codex <codex@openai.com>
AuthorDate: Sun Nov 1 17:47:03 2026 -0800
Commit:     Codex <codex@openai.com>
CommitDate: Sun Nov 1 17:47:03 2026 -0800
    fix: require sourced route attestation after deployment review
diff --git a/app/page.tsx b/app/page.tsx
index 5a0f4d4..06a7712 100644
--- a/app/page.tsx
+++ b/app/page.tsx
@@ -17,16 +17,6 @@ Elegibilidad: IMSS
 Estado de cita: No confirmada
 Barrera de transporte: Vive a dos horas de la institución receptora
 Canal de contacto: No indicado`;
-const initialFields: Field[] = [
-  { label: "Hallazgo", value: "Mastografía anormal", reviewed: false },
-  { label: "Siguiente paso", value: "Evaluación adicional", reviewed: false },
-  { label: "Responsable", value: "Mariana - Navegadora", reviewed: false },
-  { label: "Fecha límite", value: "2026-09-12", reviewed: false },
-  { label: "Elegibilidad institucional", value: "IMSS", reviewed: false },
-  { label: "Estado de cita", value: "No confirmada", reviewed: false },
-  { label: "Barrera de transporte", value: "Vive a dos horas", reviewed: false },
-  { label: "Consentimiento / canal", value: "Unknown", reviewed: false },
-];
 const steps = ["Paciente contactada", "Institución aceptó", "Cita confirmada", "Asistencia verificada"];
 export default function Home() {
@@ -36,6 +26,7 @@ export default function Home() {
   const [referralCreated, setReferralCreated] = useState(false);
   const [currentStep, setCurrentStep] = useState(0);
   const [routeVerified, setRouteVerified] = useState(false);
+  const [routeEvidence, setRouteEvidence] = useState("");
   const [attendanceEvidence, setAttendanceEvidence] = useState(false);
   const [closed, setClosed] = useState(false);
   const [owner, setOwner] = useState("Mariana — navegadora ficticia");
@@ -56,14 +47,14 @@ export default function Home() {
     setHistory([]); setEvidence("");
     setReferralCreated(false);
     setCurrentStep(0);
-    setRouteVerified(false);
+    setRouteVerified(false); setRouteEvidence("");
     setAttendanceEvidence(false);
     setClosed(false);
   }
   function resetDemo() {
     setHistory([]); setEvidence(""); setOwner("Mariana — navegadora ficticia"); setDeadline("2026-11-04");
     setReport(sampleReport); setFields(null); setReferralCreated(false); setCurrentStep(0);
```

```
-    setRouteVerified(false); setAttendanceEvidence(false); setClosed(false); setError("");
+    setRouteVerified(false); setRouteEvidence(""); setAttendanceEvidence(false); setClosed(false);
setError("");
   }
   return (
@@ -114,7 +105,7 @@ export default function Home() {
               <ol className="mt-4 text-sm">{history.map((h,i)=><li key={i}>{steps[i]}: {h}</li>)}</ol>
               {currentStep>0 && <Button className="mt-3" variant="outline" onClick={()=>{setCurrentStep(curre
ntStep-1);setHistory(history.slice(0,-1));setClosed(false);setAttendanceEvidence(false);}}>Corregir último
paso y reabrir</Button>}
               <p className="mt-3 text-sm text-[#657689]">La falta de respuesta se registra como <strong>No
fue posible contactar</strong>, nunca como incumplimiento.</p>
-              <div className="mt-6 border-t border-[#e0e9ea] pt-5"><h3 className="font-bold">Ruta local
verificada</h3><p className="mt-1 text-sm text-[#657689]">Los datos simulados deben ser confirmados por una
persona identificada durante las últimas 72 horas.</p><p className="mt-3 rounded-xl bg-[#f5f8f8] p-3 text-
sm">Institución, disponibilidad, documentos y costo: <strong>Unknown</strong></p><label className="mt-3 flex
items-center gap-2 text-sm font-medium"><Checkbox checked={routeVerified} onCheckedChange={(v) =>
setRouteVerified(v === true)} /> Ruta verificada por Mariana</label>{!routeVerified && <p className="mt-3
rounded-xl bg-[#eef1f5] p-3 text-sm font-bold text-[#445268]">No hay ruta verificada - el caso sigue
abierto</p>}</div>
+              <div className="mt-6 border-t border-[#e0e9ea] pt-5"><h3 className="font-bold">Ruta local
verificada</h3><p className="mt-1 text-sm text-[#657689]">Los datos simulados deben ser confirmados por una
persona identificada durante las últimas 72 horas.</p><p className="mt-3 rounded-xl bg-[#f5f8f8] p-3 text-
sm">Institución, disponibilidad, documentos y costo: <strong>{routeVerified ? "Confirmación simulada
registrada por la navegadora" : "Unknown / pendientes de verificación"}</strong></p><label htmlFor="route-
evidence" className="mt-3 block text-sm">Fuente ficticia para institución, capacidad, documentos y costo;
verificada en las últimas 72 horas</label><input id="route-evidence" className="data-input mt-2 w-full"
maxLength={300} value={routeEvidence}
onChange={e=>{setRouteEvidence(e.target.value);setRouteVerified(false);setClosed(false);}} /><label
className="mt-3 flex items-center gap-2 text-sm font-medium"><Checkbox disabled={!validText(routeEvidence)}
checked={routeVerified} onCheckedChange={(v) => setRouteVerified(v === true)} /> Confirmo revisión ficticia de
los cuatro datos hace menos de 72 horas</label>{!routeVerified && <p className="mt-3 rounded-xl bg-[#eef1f5]
p-3 text-sm font-bold text-[#445268]">No hay ruta verificada - el caso sigue abierto</p>}</div>
               <div className="mt-6 border-t border-[#e0e9ea] pt-5"><h3 className="font-bold">Cierre
protegido</h3><label className="mt-3 flex items-center gap-2 text-sm font-medium"><Checkbox
disabled={currentStep < 4 || closed} checked={attendanceEvidence} onCheckedChange={(v) =>
setAttendanceEvidence(v === true)} /> Evidencia de asistencia verificada</label><Button disabled={!canClose ||
!routeVerified || closed} onClick={() => setClosed(true)} className="mt-4 w-full bg-[#12233f]
hover:bg-[#1d3559]">{closed ? "Referencia cerrada con evidencia" : "Cerrar referencia"}</Button>{closed && <p
role="status" className="mt-3 rounded-xl bg-[#e8f6ef] p-3 text-sm font-bold text-[#17603d]">Cerrada por
Mariana - evidencia de asistencia registrada: {history[3]}.</p>}<p className="mt-3 text-xs leading-5
text-[#66778a]">Un mensaje, una reservación o una cita confirmada nunca cierran el caso.</p></div>
             </>}
           </article></aside>
diff --git a/docs/TEST_LOG.md b/docs/TEST_LOG.md
index ffb3a5f..a6156f3 100644
--- a/docs/TEST_LOG.md
+++ b/docs/TEST_LOG.md
@@ -4,3 +4,6 @@
 First targeted run: 1/3 tests passed, 2/3 failed. Calendar validation used local end-of-day followed by UTC
formatting, changing the date under the executor timezone. Fix: validate the calendar date using explicit UTC
noon; retain local end-of-day for the user's displayed deadline. Second run: all 3 tests passed. Cases cover
future/past/completed overdue logic, omitted fact preservation, blank owner, impossible date and missing
evidence.
 No browser or persona screenshot test completed yet. No measured administrative-time benefit or clinical
outcome. Deployment cycle still pending.
+
+Post-deploy source review found a further misleading control: the route-verification checkbox could mark an
all-Unknown route as verified without a source. It now requires a bounded source statement and explicit human
attestation of all four route facts and 72-hour freshness. Changing that source clears verification and
closure. This remains a simulated human attestation, not a live capacity or timestamp verification service.
+First Week 12 deployment succeeded: appgdep_6ae7eb7421508191a5a7ee9fe0fcfcaf. Preview daemon timed out before
healthy status; no browser screenshots or fresh-chat persona pass are claimed.
```

Screenshot and persona addendum

This addendum records subsequent work after the earlier development record. The complete platform conversation export remains separate and is not replaced by this summary.

Guided functional screenshot sequence

The user supplied screenshots at 19:52:37 (entry), 19:53:14 (unreviewed extracted fields), 19:54:00 (created referral, absent evidence, protected closure), 19:55:39 (contact evidence and route attestation), 19:56:42 (3 of 4 steps), 19:57:33 (closure blocked before attendance), 19:58:16 (attendance evidence and closed confirmation), and 19:58:53 (reopened to 3 of 4 with attendance evidence removed). All examples are fictional. These support displayed states; they do not prove unseen interactions or real-world effectiveness.

Fresh-context synthetic review

The course requested a synthetic persona. A separate fresh-context reviewer inspected these screenshots as Mariana, a fictional 52-year-old navigator. The reviewer identified competing source/current appointment labels and unexplained reopening as the worst confusion. The main agent then clarified report versus current tracker, missing information, review meaning, action verbs and reopening explanation in commit a7f22b9. A second visual pass remains pending.

Requirements still open

Venture-owned real domain, GitHub transfer/account, Vercel and Supabase projects under the venture identity, missing Week 12 Blueprint/shadow clause verification, post-fix screenshot retest and the user-recorded 3:30 demo. The prior source checkout is versioned in Sites Git; no Week 12 venture GitHub URL has been established. The Week 7 repository found in search is a different project and is not submitted as this venture.

Integrity of this record

This PDF is a development evidence record with actual patches and an addendum. It is not the complete verbatim chat transcript required by the assignment. Export or print the full user-assistant development conversation and include it with this record. No dialogue, user interview or measured benefit has been invented.