

# Anatomy of a HTML document





# Layout med `<division>`

## The div element

**This is a heading in a div element**

This is some text in a div element.

This is some text outside the div element.



# The div element

## This is a heading in a div element

This is some text in a div element.

This is some text outside the div element.

Source

```
<!DOCTYPE html>
<html>
<head>
<style>
.myDiv {
  border: 5px outset red;
  background-color: lightblue;
  text-align: center;
}
</style>
</head>
<body>

<h1>The div element</h1>

<div class="myDiv">
  <h2>This is a heading in a div element</h2>
  <p>This is some text in a div element.</p>
</div>

<p>This is some text outside the div element.</p>

</body>
</html>
```

Rendered page

# The div element

## This is a heading in a div element

This is some text in a div element.

This is some text outside the div element.

Source

```
<!DOCTYPE html>
<html>
<head>
<style>
.myDiv {
  border: 5px outset red;
  background-color: lightblue;
  text-align: center;
}
</style>
</head>
<body>

<h1>The div element</h1>

<div class="myDiv">
  <h2>This is a heading in a div element</h2>
  <p>This is some text in a div element.</p>
</div>

<p>This is some text outside the div element.</p>

</body>
</html>
```

Rendered page

# The div element

## This is a heading in a div element

This is some text in a div element.

This is some text outside the div element.

Source

```
<!DOCTYPE html>
<html>
<head>
<style>
.myDiv {
  border: 5px outset red;
  background-color: lightblue;
  text-align: center;
}
</style>
</head>
<body>

<h1>The div element</h1>

<div class="myDiv">
  <h2>This is a heading in a div element</h2>
  <p>This is some text in a div element.</p>
</div>

<p>This is some text outside the div element.</p>

</body>
</html>
```

Rendered page



Attribute

**<div class="main"> content </div>**

name value  
attribute attribute

# Links med <anchor>

```
<!DOCTYPE html>
<html>
<body>

<h1>The a element</h1>

<a href="https://www.w3schools.com">Visit W3Schools.com!</a>

</body>
</html>
```

## The a element

[Visit W3Schools.com!](https://www.w3schools.com)

[https://www.w3schools.com/tags/tag\\_a.asp](https://www.w3schools.com/tags/tag_a.asp)



# Billeder med <image>

```
<!DOCTYPE html>
<html>
<body>

<h1>The img element</h1>



</body>
</html>
```

## The img element



# id: 1-1 relationship

```
<!DOCTYPE html>
<html>
<head>
<style>
#firstname {
  background-color: yellow;
}
</style>
</head>
<body>

<h1>Welcome to My Homepage</h1>

<div class="intro">
  <p id="firstname">My name is Donald.</p>
  <p id="hometown">I live in Duckburg.</p>
</div>

<p>My best friend is Mickey.</p>

</body>
</html>
```

## Welcome to My Homepage

My name is Donald.

I live in Duckburg.

My best friend is Mickey.


# class

- Several tags can have the same class attribute
- The class can be referenced in the css document
- A class is referenced by .class-name in the css

Attribute


**<div class="main"> content </div>**

name value  
attribute attribute

A diagram illustrating the structure of the HTML class attribute. The text "<div class='main'> content </div>" is shown in green. Above the "class=" part, a red bracket spans the entire "class='main'" and is labeled "Attribute" in red. Below the "class=" part, a red bracket spans "class" and is labeled "name attribute" in red. Below the "'main'" part, a red bracket spans the quotes and the text "main" and is labeled "value attribute" in red.



# class: 1-many relationship



```
<!DOCTYPE html>
<html>
<head>
<style>
.intro {
  background-color: yellow;
}
</style>
</head>
<body>

<h1>Welcome to My Homepage</h1>

<div class="intro">
  <p>My name is Donald.</p>
  <p>I live in Duckburg.</p>
</div>

<p>My best friend is Mickey.</p>

<p class="intro">My best friend is Mickey.</p>

</body>
</html>
```

## Welcome to My Homepage

My name is Donald.

I live in Duckburg.

My best friend is Mickey.

My best friend is Mickey.