New	Old	Colour	Mater.	Part name	
A010	10	4	zn	Fishplate	
A010	12	5		Angle Bracket, 1/2" x 1/2"	
		5	zn		
A013	13		zn	Axle Rod, 11 1/2""	spares
A014	14		zn	Axle Rod, 6 1/2"	
A015	15		zn	Axle Rod, 5"	
A016	16 b		zn	Axle Rod, 3"	
A017	17		zn	Axle Rod, 2"	
A018	18 b		zn	Axle Rod, 1"	
A025	25 b3p	6	pl	Pinion, 9mm diam., triang. hole, 12 teeth	
A027	J3127	bk	pl	Grid	
A030	J3130	or	pl	Motor Bracket	
A032	26 a		br	Pinion, 1/2" diam., 1/2" face, 19 teeth	spares
A033	J3133	gys	pl	Lower Cabin	
A041	41 b	3	pl	Ship's Propeller Plastic	
A042	J3142	ср	pl	Double Pulley	
A043	43	bk		Tension Spring, 2" long	
A044	J44	bk	rb	Tyre for B451, 44 mm Diam.	
A045	J45	bk	pl	Tyre for 187c, large	
A047	J47	bk	rb	Crawler Track, for Sets 4600 & 6515	
A048	J48	bk	rb	Crawler Track, for Sets 4000 & 0515	
A068	0-70	or	pl	Mask	
A069	26 n	Oi	dc	Pinion, 8mm diam., 1/4" face, 11 teeth	enarca
		hlı			spares
A070	26 _p	bk	pl	Pinion, 1/2" diam., 1/4" face, 19 teeth	
A075	J75	2	pl	MJ Rim	
A090	1400	gys	pl	Screwdriver Tip	
A100	J100	3	pl	Headlight	
A101	J101	2	pl	Headlight glass	
A102	J102	bk	pl	Plug	
A105	5	14	zn	Perforated Strips, 2 1/2"	
A107	28 _p	2	pl	Contrate Wheel, 1 1/2" diam., 50 teeth	
A109	9 f	3	zn	Angle Girder, 1 1/2"	
A115	115		zn	Threaded Pin 19mm without nut	
A116	16		zn	Axle Rod, 3 1/2"	
A117	16 a		zn	Axle Rod, 2 1/2"	
A119	19 h		zn	Crank Handle, 5" shaft	
A120	120 e	9	pl	Mini Shock Absorber Pin	
A123	J3123	gys	pl	Base Plate	
	J3125	yl	pl	Top Small Chest	
A126	126	12	zn	Trunnion	
A127	126 a	18	zn	Flat Trunnion	
A128	28 p3p	6	pl	Cont. Wheel, 1 1/2" d., 50 t, triang. hole	
A133	133 a	6	zn	Corner Bracket, 1 "	
A134	34	bk	zn	Spanner for square nuts	
A136	36 c	bk	st	Allen Key, 3mm	
A138	38	~.`	zn	Washer	
	J3141	3	pl	Flash Lamp	
A142	142 r	bk	rb	Tyre for 187c	
	J3144	-	pl	Handrail	
A144	46 a	gys		Double Angle Strip, 1 1/2" x 1"	
	46 a J3148	2	zn		
		2	pl	Propeller	
	J3151	2	pl	Handrail Support	
A157	57 c	bk	dc	Hook, loaded	
A160	160 g	5	-4	Gearbox casing, 1 1/2" x 1 1/2" x 1 1/2"	
A161	36 d	bk	st	Allen Key, 2mm	
A163	163	3	zn	Sleeve Piece, 1 1/2" long x 11/16" diam.	
A164	44		zn	Bent Strip, Stepped	spares
A165	45 a	2		Double Angle Channel Strip	spares

New	Old	Colour	Mater.	Part name	
A170	48 c	grd	zn	Double Angle Strip, 4 1/2" x 1/2"	
A173	73 a	16	zn	Obtuse Flanged Plate, 2" x 1 1/2"	
A174	74	12	zn	Flat Plate, 1 1/2" x 1 1/2"	
A175	7	grd	zn	Angle Girder, 24 1/2"	spares
A176	64 a	5	br	Threaded Boss, long	
A177	177 a	bk	rb	Flexible Seat Plastic	
A184	184 g	12	pl	Translucent Pin	
A185	54	2	•	Flanged Sector Plate, 4 1/2"	
A186	186 a	bk	rb	Driving Band, 6" Light	
A187	187 c	12	pl	Wide Wheel Geared, plastic, 46 mm diam.	
A188	55		zn	Perforated Strip, Slotted, 5 1/2"	spares
A189	89	14	zn	Curved Strip, 5 1/2", 10" radius	
A190	55 a		zn	Perforated Strip, Slotted, 2"	
A191	191	6		Flexible Plate, 4 1/2" x 2 1/2 "	
A192	192	3		Flexible Plate, 5 1/2" x 2 1/2 "	
A194	194	4	pl	Plastic Plate, 2 1/2" x 1 1/2"	spares
A195	57 b	bk	dc	Hook	
A199	199	6		Curv. Plt, U sec., 2 1/2" x 2 1/2" x 9/32"	
A200	200	6		Curved Plate, 2 1/2" x 2 1/2" x 1 11/16"	
A201	201	9		Flexible Gusset Plate, 2 1/2 x 2 1/2"	
A202	2	10	zn	Perforated Strips, 5 1/2"	
A203	3	7	zn	Perforated Strips, 3 1/2"	
A204	204 c	5	pl	Cockpit Canopy	
A206	27 dp	yl	pl	Gear Wheel, 1 5/8" diam., 60 teeth	spares
A209	9 a	2	zn	Angle Girder, 4 1/2"	
A211	211 a		br	Helical Gear, 1/2"	spares
A212	212	kh	zn	Rod and Strip Connector	
A213	213	wt	pl	Rod Connector	
A214	214	4		Semi-Circular Plate, 2 1/2"	
A215	215	6	zn	Formed Slot Strip, 3"	
A221	221	23		Triangular Flexible Plate, 2 1/2" x 1 1/2"	
A223	223	2		Triangular Flexible Plate, 2 1/2" x 2 1/2"	
A224	224	10		Triangular Flexible Plate, 3 1/2" x 1 1/2"	
A225	225	9		Triangular Flexible Plate, 3 1/2" x 2"	
A226	226	5		Triangular Flexible Plate, 3 1/2" x 2 1/2"	
A227	27 f	bk	pl	Universal Gear Wheel, 1" diam., 14 teeth	spares
A229	58 I	bk	rb	Flexible Hose, 12.5 cm	
A233	133 c	9	zn	Obtuse Corner Bracket, 1 " x 1 1/2"	
A235	235	8	zn	Narrow Strip, 2 1/2" x 11/32"	
A238	38 a	12	pl	Plastic Washer, 1/4" thickness	
A242	142 I	bk	rb	Aero Tyre diam. 9mm, ext.15mm W. 8mm	
A247	147 d		zn	Pivot Bolt, 9/16", hex socket head	
A248	48	10	zn	Double Angle Strip, 1 1/2" x 1/2"	
A249	59		br	Collar	
A251	51 f	11	zn	Flanged Plate, 1 1/2" x 2 1/2"	
A252	51 a	9	zn	Flanged Plate, 1" x 1 1/2"	
A255	63		br	Coupling	
A256	63 b		br	Strip Coupling	spares
A258	63 d		br	Short Coupling	'
A259	59 c	wt	pl	Plastic Grip, for triangular shafts	
A260	260 j	8	pl	Obtuse Corner Bracket Pl. 1" x 1 1/2"	
A261	64		br	Threaded Boss	spares
A263	65		zn	Center Fork	spares
A265	69 a		zn	Grub Screw, 4mm, Hex Socket Head	
A269	72	3		Flat Plate, 2 1/2" x 2 1/2"	
	90 a	6	zn	Curved Strip, Step., 2 1/2", 1 3/8" radius	
A271	30 a				

CONVERSION TABLE NEW - OLD PART NUMBERS

 Part Number

 New
 Old
 Colour
 Mater.
 Part name

New	Old	Coloui	Mater.	Tarthamo	
A277	77	12	zn	Triangular Plate, 1"	1
A281	80 a	12	br	Screwed Rod, 3 1/2"	
A285	89 b	bkf	Di	Curved Strip, Stepped, 4", 4 1/2" radius	
A286	90	9	zn	Curved Strip, 2 1/2", 2 3/8" radius	
A287	187 m	bk	rb	Wheel Square Tread, 25 mm diam., W. 14	spares
A289	89 a	DK	zn	Curved Strip, Stepped, 3", 1 3/4" radius	Spares
A292	99	rdE	211	Braced Girder, 12 1/2" (open ends)	
A293	100	ylF		Braced Girder, 12 1/2 (open ends)	spares
A294	100	wt	zn	Single Bent Strip	spares
A297	102 103 c	3	zn	Flat Girder, 4 1/2"	Spares
A298	103 d	5	zn	Flat Girder, 3 1/2"	
A299	103 d	3	zn	Flat Girder, 3"	
A300	103 E	4	zn	Flat Girder, 2 1/2"	
A301	1	2	zn	Perforated Strips, 12 1/2"	
A302	2 a	10	zn	Perforated Strips, 4 1/2"	
A303	103	3	zn	Flat Girder, 5 1/2"	
A304	4	7	zn	Perforated Strips, 3"	
A305	103 g	6	zn	Flat Girder, 2"	
A307	103 h	12	zn	Flat Girder, 1 1/2"	
A309	9		zn	Angle Girder, 1"	
A313	213 d3p	3	pl	Triang. Rod Connector, with Pinion	
A315	315		zn	Axle Rod Triangular Section 125mm	
A316	316		zn	Axle Rod Triangular Section 90mm	
A317	317		zn	Axle Rod Triangular Section 50mm	
A318	318 a		zn	Axle Rod Triangular Section 38mm	
A321	321	2	pl	Steering Wheel, Small	
A322	22 c3p	5	pl	Pulley, 1" diam., triangular hole	
A324	324 a	7	pl	Capot	
A326	26 p3p	5	pl	Pinion, 1/2" d., 1/4" face, 19 t, triang. h	
A327	27 a3p	3	pl	Gear Wheel, 1 1/2" d., 57 t., triang. hole	
A328	109	blF	-	Face Plate, 2 1/2" diam.	
A331	331 n	bk	rb	Road Wheel, Rubber, 46 mm diam.	
A334	110 c	4	pl	Rack Strip, Plastic	
A335	35	bk	pl	Spring Clip	
A336	114		zn	Hinge	
A337	37 a		zn	Nut, square	
A338	38 b	10	pl	Plastic Washer, 5 mm thickness	
A339	115 a		zn	Threaded Pin, long, 1 3/8"	
A342	142 k	2	rb	Bike Tyre diam. 25mm, ext.35mm W.13 mm	
A345	45	2	zn	Double Bent Strip	
A346	46		zn	Double Angle Strip, 2 1/2" x 1"	
A347	147 g	_	zn	Pivot Bolt, 29/32", hex socket head	
A348	48 b	grd	zn	Double Angle Strip, 3 1/2" x 1/2"	
A351	51	12		Flanged Plate, 2 1/2" x 1 1/2"	
A352	120 b		st	Compression Spring, 14 mm long	spares
A353	120 c		st	Compression Spring, 19.5 mm long	
A355	120 df		dc	Female Half Shock Absorber	
A356	120 dm	_	dc	Male Half Shock Absorber	
A357	120 dr	2	st	Shock Absorber Spring	
A358	124	hl-	zn	Reversed Angle Bracket, 1"	spares
A359	59 a	bk	rb	End Cap	
A360	160 d	4	75	Deep Flanged plate 5 1/2" x 1 1/2" x 1"	
A361	125	3	zn	Reversed Angle Bracket, 1/2"	
A366	133	3	zn	Corner Bracket, 1 1/2"	
A367	133 b	5	zn	Corner Bracket, 1 " x 1 1/2"	
A368	134	4	zn	Crankshaft, 1" stroke	
A371	137	4	zn	Wheel Flange	

Pai	rt Number				
New	Old	Colour	Mater.	Part name	
	=	1	Т.		
A378	142 c	bk	rb	Motor Tyre to fit 1" diam. rim	
A381	142 f	bk	rb	Tractor Tyre diam. 25 mm, ext. 36 mm	
A382	142 g	bk	rb	Tractor Tyre diam. 12 mm, ext. 28 mm	
A383	142 h	bk	rb	Motor Cycle Tyre diam. 38mm, ext.54mm W.11mm	spares
A384	142 j	bk	rb	Aero Tyre diam. 15mm, ext. 22mm W.10mm	
A385	142 m	bk	rb	Kart Tyre diam. 9mm, ext.17mm W.14 mm	
A386	142 n	bk	rb	Kart Tyre diam. 9mm, ext.16mm W.11 mm	
A387	187 h	bk	rb	Wheel 3 Spoke, 25 mm diam., W. 14	
A388	142 p	bk	rb	Tyre for 187b	
A391	145	blF		Circular Strip, 7 1/2" diam., overall	spares
A394	147 a		zn	Pawl	spares
A396	147 c		zn	Pawl, without boss	spares
A399	154 a	kh	zn	Corner Angle Bracket, 1/2", right hand	орагоо
A400	193 e	IXII	pl	Transparent Plastic Plate, 5 1/2" x 2 1/2"	spares
A401	193 e	4	pl	Plastic Plate, 2 1/2" x 2 1/2"	spares
A401	194 a	bl		1	-
		4	pl	Plastic Plate, 4 1/2" x 2 1/2"	spares
A403	194 d	4	pl	Plastic Plate, 5 1/2" x 1 1/2"	spares
A406	211 b		br	Helical Gear, 1 1/2"	spares
A407	212 a	bk	zn	Rod and Strip Connector, right angle	spares
A409	213 c	2	rb	Flexible Rod Connector	
A410	213 d		zn	Short Rod Connector	
A411	111 a		zn	Bolt, 1/2", hex. socket head	
A412	216 a	8		Cylinder, 2 1/2 " long, 1 1/4 " diam.	
A413	235 a	7	zn	Narrow Strip, 3" x 11/32"	
A414	235 b	6	zn	Narrow Strip, 3 1/2" x 11/32"	
A415	235 d	7	zn	Narrow Strip, 4 1/2" x 11/32"	
A416	235 g	11	zn	Narrow Strip, 1 1/2" x 11/32"	
A417	235 h	6	zn	Narrow Strip, 2" x 11/32"	
A418	260 a	4	pl	Suspension Mounting Bracket Plastic	
A419	260 b	5	pl	Suspension Outer Bracket Plastic	
A420	260 c	14	pl	Mini Strip 1 1/2" Plastic	
A421	260 d	bk	pl	Track Rod End Pin Plastic	
A422	260 e	2	pl	Stub Axle Mount	
A423	260 f	10	pl	Steering Arm Plastic	
A424	260 g	4	pl	Track Rod Fork Plastic	
A425	260 h	3	pl	Steering Wheel Mountig Bracket Plastic	
A426	260 i	3	pl	Track Rod End Plastic	
A427	315 a		zn	Axle Rod Triangular Section 115mm	
A428	315 b		zn	Axle Rod Triangular Section 100mm	
A429	316 b		zn	Axle Rod Triangular Section 75mm	
A430	318 c		zn	Axle Rod Triangular Section 32mm	
A431	154 b	kh	zn	Corner Angle Bracket, 1/2", left hand	
A434	321 a	bk	pl	Rally Steering Wheel Triang. Hole Plast.	
A434 A436	811 a	wt	zn	Narrow Double Bracket, 1" x 1/2"	
A430 A437	812 d	ωι 5		Narrow Obtuse Angle Bracket 1" x 1/2"	
A438		3	zn	I =	
	825 a		zn rb	Narrow Reversed Angle Bracket, 1/2"	
A443	155	bk	rb	Rubber Ring for 1" Pulley	
A444	144 c	6	pl	Driving Dog Triangular Hole	
A446	160	grod	zn	Channel Bearing, 1 1/2" x 1" x 1/2"	
A447	147 f		zn	Pivot Bolt, 3/4", hex socket head	
A448	48 a	8	zn	Double Angle Strip, 2 1/2" x 1/2"	
A455	161	ylF	zn	Girder Bracket, 2" x 1" x 1/2"	
A468		wt	pl	Helmet	
A474	162 c	3		Boiler without Ends (open)	
A475		rd	pl	Сар	
A481	167 c		sb	Pinion for 167a	spares
A487	187 g	bk	rb	Wheel 3 Spoke, 25 mm diam., W. 17	

New	Old Old	Colour	Mater.	Part name	
A 404	100 h	ble	ماء	Driving Dand 40" Links	1
A494	186 b	bk	rb	Driving Band, 10" Light	
A500	187 f	3	pl	Road Wheel, plastic, 25 mm diam.	
A501	1 b	3	zn	Perforated Strips, 7 1/2"	
A502	187 k	bk	rb	Wheel Diam. Tread, 25 mm diam., W. 14	
A503	103 I	5	zn	Flat Girder, 1"	
A504	40 d	bk	la	Hank of Cord, short (50 cm)	
A505	187 I	bk	rb	Wheel Square Tread, 28 mm diam., W. 16	spares
A506	6 a	9	zn	Perforated Strips, 1 1/2"	
A507	9	3	zn	Angle Girder, 5 1/2"	
A508	8	2	zn	Angle Girder, 12 1/2"	spares
A509	8 b	3	zn	Angle Girder, 7 1/2"	
A510	58 b			Hook for Spring Cord	spares
A511	111 c	0	zn	Bolt, 3/8", hex. socket head	
A512	12 b	8	zn	Angle Bracket, 1" x 1/2"	
A516	316 a		zn	Axle Rod Triangular Section 63mm	
A517	187 q		cr	Conical Disc 23 mm diam.	
A518	18 c	,	zn	Axle Rod, 1 1/4"	
A519	19 b	4		Pulley, 3" diam. with boss	
A520	188	22		Flexible Plate, 2 1/2" x 1 1/2 "	
A521	400	gy	pl	Seat	
A522	189	6		Flexible Plate, 5 1/2" x 1 1/2 "	
A523	23 b3p	6	pl	Pulley, 1/2" diam. triangular hole	
A524	23 bp	7	pl	Pulley, 1/2" diam. without boss	
A525	24	rd		Bush Wheel, 1 3/8" diam., 8 holes	
A527	24 b		br	Bush Wheel, 1 3/8" diam., 6 holes	spares
A528	24 c	gro	zn	Wheel Disc, 1 3/8" d., w/o boss, 6 holes	
A529	25		br	Pinion, 3/4" diam., 1/4" face, 25 teeth	spares
A530	25 a		br	Pinion, 3/4" diam., 1/2" face, 25 teeth	spares
A533	190	11		Flexible Plate, 2 1/2" x 2 1/2 "	
A534	190 a	7		Flexible Plate, 3 1/2" x 2 1/2 "	
A535	193		pl	Transparent Plastic Plate, 2 1/2" x 1 1/2"	
A536	193 a		pl	Transparent Plastic Plate, 2 1/2" x 2 1/2"	spares
A538	38 d	4	zn	Washer, 3/4" diam.	
A539	193 c		pl	Transparent Plastic Plate, 4 1/2" x 2 1/2"	spares
A541	41	3	pl	Plastic wire, 1mm diam. x 8 cm	
A541	41	3	pl	Plastic wire, 1mm diam. x 11 cm	
A541	41	orl	pl	Plastic wire, 1mm diam. x 10 cm	
A541	41	2	pl	Plastic wire, 1mm diam. x 12 cm	
A545	J3153	3	pl	Sleeve	
A547	47	gru	zn	Double Angle Strip, 2 1/2" x 1 1/2"	
A548	48 e		zn	Double Angle Strip, 1" x 1/2"	
A551	51 b	16	zn	Flanged Plate, 1 1/2" x 1 1/2"	
A552	32 _p	2	pl	Worm, 1/2" diam.	
A557	187 p	bk	rb	Wheel 5 Spoke, 25 mm diam. W. 12	spares
A587	187 b	5	pl	Wheel, plastic, 38 mm diam.	
A601	9 b	3	zn	Angle Girder, 3 1/2"	
A602	9 d	5	zn	Angle Girder, 2 1/2"	
A603	9 e	grd	zn	Angle Girder, 2"	
A604	9 c	grd	zn	Angle Girder, 3"	
A611	111 d		zn	Bolt, 1 1/8", hex. socket head	
A612	12 a		zn	Angle Bracket, 1" x 1"	
A619	27 ap	2	pl	Gear Wheel, 1 1/2" diam., 57 teeth	
A621	21 p3p	4	pl	Pulley, 1 1/2" diam. triangular hole	
A623	23 c3p	bk	rb	Rubber pulley, 8.5 mm d., for triang. shafts	
A624	22	~	br	Pulley, 1" diam., with boss	spares
A624	22 _p	yl	pl	Pulley, 1" diam., with boss	550.00
A625	22 _p 22 ap	4	pl	Pulley, 1" diam. without boss	
71020	LL ap	7	יא	promoter and the microal bodd	

A900

A911

A912

A913

A918

A919

A920

A921

A924

A925

A940

A940

A940

A940

A940

A940

40

111 e

18 a

19 s

20 a

21 _p

20

21

940

940

940

940

940

940 d

111

913

bk

2

bIF

bIF

yΙ

3

gd

gd

gr

rd

orl

zn

zn

zn

zn

br

br

рl

pl

pΙ

pΙ

рl

pΙ

рl

Hank of Cord 4.5m

Axle Rod, 1 1/2"

Bolt, 3/4", hex. socket head

Plastic wire diam. 1 mm, 80 mm length

Plastic Rod, 4mm diam., 120 mm length

Plastic Rod, 4mm diam., 175 mm length

Plastic Rod, 4mm diam., 530 mm length

Plastic Rod, 4mm diam., 130 mm length

Plastic Rod, 4mm diam., 75 mm length

Plastic Rod, 4mm diam., 75 mm length

Bolt, 1", hex. socket head

Crank Handle, 3 1/2" shaft

Pulley, 2" diam. with boss

Flanged Wheel, 1 1/8" diam.

Pulley, 1 1/2" diam. with boss

Pulley, 1 1/2" diam. with boss

spares

spares

spares

Pa	rt Number				
New	Old	Colour	Mater.	Part name	
A626	22 hn	1	nl	Dulloy 1" diam without hose	
A626 A627	22 bp	4	pl	Pulley, 1" diam. without boss	
	22 b3p	2	pl	Pulley, 1" diam. triangular hole	
A628	22 cp	yl	pl	Pulley, 1" diam., with boss	spare
A629	23 a		br	Pulley, 1/2" diam. with boss	spare
A630	25 c		dc	Pinion, 3/4" diam., 2 mm face, 25 teeth	
A631	25 d3p	2	pl	Pinion, 19mm diam., triang. hole, 24 teeth	
A637	37 b	bk	zn	Bolt, 15/64", hex. socket head	
A650		kh		Motor, 6V, tri-flat shaft	
A651	770	4		Motor, 3V, 3 flat shaft w. Bat. Holder (see A651+B114)	
A651		3		Motor, 3-6 V, 3 flat shaft, with Switch +Trap 3V	
A652		kh		Batteries Holder, 6V	
4662		4		Batteries Holder Centre + Trap 6V	
A687	187 a	5		Conical Disc 1 7/8" diam.	
4689	40 c	bk		Hank of Cord, short	
4695	186 g	2	rb	Driving Band, 65mm, light	
4696	186 h	yl	rb	Driving Band, 150mm, light	
4712	12 c	6	zn	Obtuse Angle Bracket 1/2" x 1/2"	
4713	12 d	3	zn	Obtuse Angle Bracket 1" x 1/2"	
4715	15 a		zn	Axle Rod, 4 1/2"	
A717		wt	rb	Hose, length 100 mm	
4720	11	7	zn	Double Bracket, 1/2" x 1/2"	
4721	11 a	4	zn	Double Bracket, 1" x 1/2"	
A737	37 h		zn	Lock Nut, square	
4751	51 e	8	zn	Semi-Flanged Plate, 1 1/2" x 2 1/2"	
4760	760	3		Gearbox 19:1	
4770	770	6		Motor, 6V, 3 flat shaft w. Bat. Holder (see A651+A662+B114)	
A787	187 n	bk	rb	Wheel 5 Spoke, 25 mm diam. W.15	
A801	1 a	4	zn	Perforated Strips, 9 1/2"	
4806	806 b	5	zn	Narrow Strip, 1" x 11/32"	
A811	811	2	zn	Narrow Double Bracket, 1/2" x 1/2"	
A812	812 b	3	zn	Narrow Angle Bracket, 1" x 1/2"	
4815	15 b		zn	Axle Rod, 4"	
4821	321 b	bk	pl	Steering Wheel, Small, Push Fit	
4825	825	4	zn	Narr. Obt. Reversed Angle Bracket 1/2"	
4827	27 f	bk	pl	Univ. Gear Wheel, 1" d., 14 t., wout boss, hole 4.5 mm	
4846	846 a	3	zn	Narrow Double Angle Strip, 1 1/2" x 1"	
4851	51 g	16	zn	Obtuse Flanged Plate, 1 1/2" x 1 1/2"	
A852	51 g 52	8	Z 11	Flanged Plate, 5 1/2" x 2 1/2"	
4853	53	11		Flanged Plate, 3 1/2" x 2 1/2"	
A653 A887		bk	rh	_ ·	
	187 j		rb	Wheel Diam. Tread, 28 mm diam., W. 16	
4898	40 b	bk		Hank of Cord 1.5m	

CONVERSION TABLE NEW - OLD PART NUMBERS

F	art Number			
New	Old	Colour	Mater.	Part name
A941	940 b	2	pl	Plastic Rod, 4mm diam., 120 mm length
A951	51 c	14	zn	Flanged Plate, 1/2" x 1"
A952	51 d	9	zn	Corner Flanged Plate, 1 1/2" x 1" x 1"
A985	99	rdn		Braced Girder, 12 1/2" (closed ends)
B115	115 d		zn	Long Threaded Pin with 2-flats Shoulder
B146	6	9	zn	Perforated Strips, 2"
B175	162 d		zn	Boiler End, 2 1/16" diam. x 15 mm
B236	236	2		Flanged Plate, 12 1/2" x 4 1/2"
B985	99		zn	Braced Girder, 12 1/2" (closed ends) in Set 0536 mistake? See A985
C136	80			Screwed Rod, 5" (127 mm)
				·

* available only in colour "*" n available in "n" colours

* or n zn available in 1 or more colours and zinc plated

zn available only zinc plated

NOTE

Only Parts with an "Old Part Number" are listed.

Numbering System was introduced, in 2001.

Parts that were used in no sets since 2001 are noted as "spares"

Produced by Oscar Felgueiras (Mar 2015)