Part Num	ber			
Old	New	Colour	Mater.	Part name

1					
1	A301	2	zn	Perforated Strips, 12 1/2"	
1 a	A801		zn	Perforated Strips, 9 1/2"	
1 b	A501		zn	Perforated Strips, 7 1/2"	
2	A202		zn	Perforated Strips, 5 1/2"	
2 a	A302		zn	Perforated Strips, 4 1/2"	
3	A203		zn	Perforated Strips, 3 1/2"	
4	A304		zn	Perforated Strips, 3"	
5	A105		zn	Perforated Strips, 2 1/2"	
6	B146		zn	Perforated Strips, 2"	
6 a	A506		zn	Perforated Strips, 1 1/2"	
7	A175	grd	zn	Angle Girder, 24 1/2"	spares
7 a	A173	grd	zn	Angle Girder, 18 1/2"	Spares
8	A508	_	zn	Angle Girder, 10 1/2"	spares
8 a	7300		zn	Angle Girder, 9 1/2"	Spares
8 b	A509		zn	Angle Girder, 7 1/2"	
9	A507		zn	Angle Girder, 5 1/2"	
9 a	A209		zn	Angle Girder, 4 1/2"	
9 b	A601		zn	Angle Girder, 4 1/2"	
9 c	A604		zn	Angle Girder, 3 1/2 Angle Girder, 3"	
9 d	A602	grd 5	zn	Angle Girder, 3 1/2"	
9 u	A603			Angle Girder, 2"	
9 f	A109	grd	zn zn	Angle Girder, 2 Angle Girder, 1 1/2"	
91	A309	3		Angle Girder, 1 1/2 Angle Girder, 1"	
10	A010	1	zn	Fishplate	
11	A720		zn	Double Bracket, 1/2" x 1/2"	
11 a	A721		zn		
11 a	AIZI		zn zn	Double Bracket, 1" x 1/2" Double Bracket, 1/2" x 1/2" x 2 1/2"	
12	A012				
	A012 A612	5	zn	Angle Bracket, 1/2" x 1/2"	
12 a 12 b	A512	0	zn	Angle Bracket, 1" x 1"	
12 b	A712		zn	Angle Bracket, 1" x 1/2" Obtuse Angle Bracket 1/2" x 1/2"	
12 d	A712		zn		
12 u	A013	3	zn	Obtuse Angle Bracket 1" x 1/2" Axle Rod, 11 1/2""	oporos
13 a	AUIS		zn	Axle Rod, 8"	spares
13 a	A014		zn	Axle Rod, 6 1/2"	
15	A014 A015		zn	Axle Rod, 5"	
15 a	A715		zn	Axle Rod, 4 1/2"	
			zn		
15 b 16	A815 A116		zn	Axle Rod, 4"	
16 a	A110		zn	Axle Rod, 3 1/2" Axle Rod, 2 1/2"	1
16 a	A016		zn	Axle Rod, 2 1/2 Axle Rod, 3"	
17	A017		zn zn	Axle Rod, 3"	1
18 a	A918		zn	Axle Rod, 2 Axle Rod, 1 1/2"	
18 b	A018		zn	Axle Rod, 1"	
18 c	A518		zn	Axle Rod, 1 1/4"	
19 b	A519	4		Pulley, 3" diam. with boss	1
19 b	7319	blF		Pulley, 6" diam. with boss	
19 b	A119	DII	zn	Crank Handle, 5" shaft	
19 II 19 s	A919			Crank Handle, 3 1/2" shaft	
20	A919 A920		zn br	Flanged Wheel, 1 1/8" diam.	enaros
20 20 a	A920 A921	bIF	DI	Pulley, 2" diam. with boss	spares
20 a 20 b	ASZI	חור	hr	Flanged Wheel, 3/4" diam.	spares
20 b 21	A924	bIF	br br	Pulley, 1 1/2" diam. with boss	enarca
21 _p	A924 A925		br pl	Pulley, 1 1/2" diam. with boss Pulley, 1 1/2" diam. with boss	spares
21 _p 21 p3p	A621	yl 4	pl pl		
21 psp 22	A624	4		Pulley, 1 1/2" diam. triangular hole	enarco
		vI	br pl	Pulley, 1" diam., with boss	spares
22 _p	A624	yl	pl	Pulley, 1" diam., with boss	1

Part Nur	nber			
Old	New	Colour	Mater.	Part name

Old	New	Colou	ı ıvıater.	Part name	
22 a			br	Pulley, 1" diam. without boss	
22 a 22 ap	A625	,	1 pl	Pulley, 1" diam. without boss Pulley, 1" diam. without boss	
22 ap 22 bp	A626		4 pl	Pulley, 1" diam. without boss Pulley, 1" diam. without boss	
22 bp	A627		2 pl	Pulley, 1" diam. triangular hole	
22 bsp 22 cp	A628	yl	pl	Pulley, 1" diam., with boss	enares
22 cp 22 c3p	A322		5 pl	Pulley, 1" diam., triangular hole	spares
22 csp 23 a	A629	,	br	Pulley, 1/2" diam. with boss	spares
23 ap	A029	,	2 pl	Pulley, 1/2" diam. with boss	Spares
23 ap		4	br	Pulley, 1/2" diam. without boss	
23 bp	A524	-	7 pl	Pulley, 1/2" diam. without boss Pulley, 1/2" diam. without boss	
23 b3p	A523		pi 6 pl	Pulley, 1/2" diam. triangular hole	
23 c	7020	bk	rb	Rubber pulley, 8.5 mm diam.	
23 c3p	A623	bk	rb	Rubber pulley, 8.5 mm d., for triang. shafts	
24	A525	rd		Bush Wheel, 1 3/8" diam., 8 holes	
24 a	71020	"	zn	Wheel Disc, 1 3/8" d., w/o boss, 8 holes	
24 b	A527		br	Bush Wheel, 1 3/8" diam., 6 holes	spares
24 c	A528	gro	zn	Wheel Disc, 1 3/8" d., w/o boss, 6 holes	oparco
25	A529	g. 5	br	Pinion, 3/4" diam., 1/4" face, 25 teeth	spares
25 a	A530		br	Pinion, 3/4" diam., 1/2" face, 25 teeth	spares
25 b3p	A025	6	o pl	Pinion, 9mm diam., triang. hole, 12 teeth	550.00
25 c	A630	· `	dc	Pinion, 3/4" diam., 2 mm face, 25 teeth	
25 d3p	A631	2	2 pl	Pinion, 19mm diam., triang. hole, 24 teeth	
25 e3p		bk	pl	Pinion, 12mm diam., triang. hole, 19 teeth	
26			br	Pinion, 1/2" diam., 1/4" face, 19 teeth	
26 _p	A070	2	2 pl	Pinion, 1/2" diam., 1/4" face, 19 teeth	
26 p3p	A326		5 pl	Pinion, 1/2" d., 1/4" face, 19 t, triang. h	
26 a	A032		br	Pinion, 1/2" diam., 1/2" face, 19 teeth	spares
26 b			br	Pinion, 1/2" diam., 3/4" face, 19 teeth	•
26 c			br	Pinion, 7/16" diam., 1/4" face, 15 teeth	
26 n	A069		dc	Pinion, 8mm diam., 1/4" face, 11 teeth	spares
27			br	Gear Wheel, 1 1/4" diam., 50 teeth	_
27 a			br	Gear Wheel, 1 1/2" diam., 57 teeth	
27 ap	A619	2	2 pl	Gear Wheel, 1 1/2" diam., 57 teeth	
27 a3p	A327	3	3 pl	Gear Wheel, 1 1/2" d., 57 t., triang. hole	
27 b		bk		Gear Wheel, 3 1/2" diam., 133 teeth	
27 c		bk		Gear Wheel, 2 1/2" diam., 95 teeth	
27 cp		yl	pl	Gear Wheel, 2 1/2" diam., 95 teeth	
27 d			br	Gear Wheel, 1 5/8" diam., 60 teeth	
27 dp	A206	yl	pl	Gear Wheel, 1 5/8" diam., 60 teeth	spares
27 f	A227	bk	pl	Universal Gear Wheel, 1" diam., 14 teeth	spares
27 f		bk	pl	Univ. Gear Wheel, 1" d., 14 t., wout boss, hole 6mm diam.	
27 f	A827	bk	pl	Univ. Gear Wheel, 1" d., 14 t., wout boss, hole 4.5 mm diam.	
28	=		br	Contrate Wheel, 1 1/2" diam., 50 teeth	
28 _p	A107		2 pl	Contrate Wheel, 1 1/2" diam., 50 teeth	
28 p3p	A128	(pl	Cont. Wheel, 1 1/2" d., 50 t, triang. hole	
29			br	Contrate wheel, 3/4" diam., 25 teeth	
30			br	Bevel Gear, 7/8" diam., 26 teeth	
30 a			br	Bevel Gear, 1/2" diam., 16 teeth	
30 c			br	Bevel Gear, 1 1/2" diam., 48 teeth	
30 d			br	Set of 30a + 30c	
31			br	Gear Wheel, 1" d., 1/4" face, 38 teeth	
32	A E E O		br	Worm, 1/2" diam.	
32 _p	A552		2 pl	Worm, 1/2" diam.	
34	A124	bk bk	rb	Short Rod Sleeve	
34 34 b	A134	bk	zn	Spanner for square nuts	
34 b 35	A335	hk	zn nl	Box Spanner	
აა	AJJJ	bk	pl	Spring Clip	

Part Num	ber			
Old	New	Colour	Mater.	Part name

	INCW		1	Fatthanie	
36			zn	Screwdriver	
36 c	A136	bk	st	Allen Key, 3mm	
36 d	A161	bk	st	Allen Key, 2mm	
37 a	A337		zn	Nut, square	
37 a	71007		br	Nut, square	
37 b	A637	bk	zn	Bolt, 15/64", hex. socket head	
37 b	71007	DIC	br	Bolt, 15/64", round head	
37 h	A737		zn	Lock Nut, square	
38	A138	bk	zn	Washer	
38 a	A238	12		Plastic Washer, 1/4" thickness	
38 b	A338		pl	Plastic Washer, 5 mm thickness	
38 d	A538		zn	Washer, 3/4" diam.	
40	A900	bk	211	Hank of Cord 4.5m	
40 b	A898	bk		Hank of Cord 1.5m	
40 b	A689			Hank of Cord, short	
40 C	A504	bk bk		, and the second	
40 d 41	A541	bk	nl	Hank of Cord, short (50 cm) Plastic wire, 1mm diam. x 8 cm	
	A541		pl		
41 41			pl	Plastic wire, 1mm diam. x 11 cm Plastic wire, 1mm diam. x 10 cm	
41	A541	orl	pl pl	, and the second	
	A541		pl	Plastic wire, 1mm diam. x 12 cm	
41 b 43	A041 A043	bk	pl	Ship's Propeller Plastic	
		DK	70	Tension Spring, 2" long	onoroo
44	A164	2	zn	Bent Strip, Stepped	spares
45	A345		zn	Double Bent Strip	
45 a	A165	2		Double Angle Channel Strip	spares
46	A346		zn	Double Angle Strip, 2 1/2" x 1"	
46 a	A146		zn	Double Angle Strip, 1 1/2" x 1"	
47	A547	gru	zn	Double Angle Strip, 2 1/2" x 1 1/2"	
47 a		4	zn	Double Angle Strip, 3" x 1 1/2"	
47 b	4040	wt		Double Angle Strip, 3" x 1 1/2", with central hole	
48	A248		zn	Double Angle Strip, 1 1/2" x 1/2"	
48 a	A448		zn	Double Angle Strip, 2 1/2" x 1/2"	
48 b	A348	grd	zn	Double Angle Strip, 3 1/2" x 1/2"	
48 c	A170	grd	zn	Double Angle Strip, 4 1/2" x 1/2"	
48 d	. = . 0	grd	zn	Double Angle Strip, 5 1/2" x 1/2"	
48 e	A548		zn	Double Angle Strip, 1" x 1/2"	
50	4054		br	Slide Piece	
51	A351	12		Flanged Plate, 2 1/2" x 1 1/2"	
51 a	A252		zn	Flanged Plate, 1" x 1 1/2"	
51 b	A551		zn	Flanged Plate, 1 1/2" x 1 1/2"	
51 c	A951		zn	Flanged Plate, 1/2" x 1"	
51 d	A952		zn	Corner Flanged Plate, 1 1/2" x 1" x 1"	
51 e	A751		zn	Semi-Flanged Plate, 1 1/2" x 2 1/2"	
51 f	A251		zn	Flanged Plate, 1 1/2" x 2 1/2"	
51 g	A851		zn	Obtuse Flanged Plate, 1 1/2" x 1 1/2"	
52	A852	8		Flanged Plate, 5 1/2" x 2 1/2"	
52 a		2		Flat plate, 5 1/2" x 3 1/2"	
53	A853	11		Flanged Plate, 3 1/2" x 2 1/2"	
53 a		3		Flat plate, 4 1/2" x 2 1/2"	
54	A185	2		Flanged Sector Plate, 4 1/2"	
55	A188		zn	Perforated Strip, Slotted, 5 1/2"	spares
55 a	A190		zn	Perforated Strip, Slotted, 2"	
57 b	A195	bk	dc	Hook	
57 c	A157	bk	dc	Hook, loaded	
58				Spring Cord, 40" length	
58 a				Coupling screw for Spring Cord	
58 b	A510			Hook for Spring Cord	spares

Part Nur	nber			
Old	New	Colour	Mater.	Part name

Old	INCM	Colour	iviatei.	, actions	
58 d		bk	rb	Flexible Hose, 57.5 cm, 3.5 mm diam.	1
			rb		
58 e		bk		Flexible Hose, 9 cm, 3.5 mm diam.	
58 j		bk	rb	Flexible Hose, 21.5 cm, 5 mm diam.	
58 I	A229	bk	rb	Flexible Hose, 12.5 cm, 5 mm diam.	
58 n		bk	rb	Flexible Hose, 7.5 cm, 5 mm diam.	
58 p		bk	rb	Flexible Hose, 5.5 cm, 5 mm diam.F218	
59	A249		br	Collar	
59 a	A359	bk	rb	End Cap	
59 b		wt	pl	Plastic Grip	
59 c	A259	wt	pl	Plastic Grip, for triangular shafts	
62	71200	_	zn	Crank	
62 a		grd			
			zn	Crank, Threaded	
62 b	4055		zn	Crank, Double Arm	
63	A255		br	Coupling	
63 b	A256		br	Strip Coupling	spares
63 c			br	Threaded Coupling	
63 d	A258		br	Short Coupling	
64	A261		br	Threaded Boss	spares
64 a	A176		br	Threaded Boss, long	
65	A263		zn	Center Fork	spares
69 a	A265	bk	zn	Grub Screw, 4mm, Hex Socket Head	-
70	,00	3		Flat Plate, 5 1/2" x 2 1/2"	
72	A269	3		Flat Plate, 2 1/2" x 2 1/2"	
73	A209	2		Flat Plate, 3" x 1 1/2"	
	A 4 7 0				
73 a	A173		zn	Obtuse Flanged Plate, 2" x 1 1/2"	
74	A174		zn	Flat Plate, 1 1/2" x 1 1/2"	
76		2		Triangular Plate, 2 1/2"	
77	A277	12	zn	Triangular Plate, 1"	
78			br	Screwed Rod, 11 1/2"	
78 c			br	Screwed Rod, 9 1/2"	
79 a			br	Screwed Rod, 6"	
80 a	A281		br	Screwed Rod, 3 1/2"	
80 c			br	Screwed Rod, 3"	
81			br	Screwed Rod, 2"	
82			br	Screwed Rod, 1"	
89	A189	14	zn	Curved Strip, 5 1/2", 10" radius	
89 a	A289		zn	Curved Strip, Stepped, 3", 1 3/4" radius	
89 b	A285	bkf	211		
			70	Curved Strip, Stepped, 4", 4 1/2" radius	
90	A286		zn	Curved Strip, 2 1/2", 2 3/8" radius	
90 a	A271	6	zn	Curved Strip, Step., 2 1/2", 1 3/8" radius	
94			zn	Sprocket Chain, 40" long	
94	A273		zn	Sprocket Chain, 7" long	
95		2		Sprocket Wheel, 2" diam., 36 teeth	
95 a		2		Sprocket Wheel, 1 1/2" diam., 28 teeth	
95 b		bk		Sprocket Wheel, 3" diam., 56 teeth	
96		2		Sprocket Wheel, 1" diam., 18 teeth	
96 a		2		Sprocket Wheel, 3/4" diam., 14 teeth	
99	A292	rdE		Braced Girder, 12 1/2" (open ends)	
99	A985	rdn		Braced Girder, 12 1/2" (closed ends)	
99	B985	1 411	zn	Braced Girder, 12 1/2" (closed ends) in Set 0536 mistake? See A98	5
100	A293	ylF	411	Braced Girder, 5 1/2" (closed ends) in Set 0330 "mistake? See A30.	
		-	70		spares
102	A294	wt	zn	Single Bent Strip	spares
103	A303	_	zn	Flat Girder, 5 1/2"	
103 a		grd	zn	Flat Girder, 9 1/2"	
103 b		grd	zn	Flat Girder, 12 1/2"	
103 c	A297		zn	Flat Girder, 4 1/2"	
103 d	A298	5	zn	Flat Girder, 3 1/2"	

Part Nur	nber			
Old	New	Colour	Mater.	Part name

					-
103 e	A299		zn	Flat Girder, 3"	
103 E	A300	1	zn	Flat Girder, 3	
103 T	A305		zn	· · · · · · · · · · · · · · · · · · ·	
_				Flat Girder, 2"	
103 h	A307	12	zn	Flat Girden, 1 1/2"	
103 k	4.500	_	zn	Flat Girder, 7 1/2"	
103 I	A503	5	zn	Flat Girder, 1"	
103 r			zn	Flat Girder, 24 1/2"	
103 t			zn	Flat Girder, 18 1/2"	
108		grd	zn	Corner Gusset	
109	A328	blF		Face Plate, 2 1/2" diam.	
110 a		bk		Rack Strip, 6 1/2" long	
110 c	A334	4	pl	Rack Strip, Plastic	
111	A911		zn	Bolt, 3/4", hex. socket head	
111			br	Bolt, 3/4", round head	
111 a	A411		zn	Bolt, 1/2", hex. socket head	
111 a			br	Bolt, 1/2", round head	
111 c	A511		zn	Bolt, 3/8", hex. socket head	
111 c			br	Bolt, 3/8", round head	
111 d	A611		zn	Bolt, 1 1/8", hex. socket head	
111 d			br	Bolt, 1 1/8", round head	
111 e	A912		zn	Bolt, 1", hex. socket head	
114	A336		zn	Hinge	
115	A115		zn	Threaded Pin 19mm without nut	
115 a	A339		zn	Threaded Pin, long, 1 3/8"	
115 c			zn	Long Threaded Pin with Round Shoulder	
115 d	B115		zn	Long Threaded Pin with 2-flats Shoulder	
116			zn	Fork Piece, large	
116 a			zn	Fork Piece, small	
118		blF		Hub Disk, 5 1/2" diam.	
120 b	A352		st	Compression Spring, 14 mm long	spares
120 c	A353		st	Compression Spring, 19.5 mm long	
120 d		2		Shock Absorber Complete	
120 df	A355		dc	Female Half Shock Absorber	
120 dm	A356		dc	Male Half Shock Absorber	
120 dr	A357	2	st	Shock Absorber Spring	
120 e	A120	9	pl	Mini Shock Absorber Pin	
124	A358		zn	Reversed Angle Bracket, 1"	spares
125	A361	3	zn	Reversed Angle Bracket, 1/2"	
126	A126	12	zn	Trunnion	
126 a	A127	18	zn	Flat Trunnion	
128			zn	Bell Crank, with boss	
130		blF		Eccentric, Triple Throw, 1/4", 3/8", 1/2"	
130 a		blF		Eccentric, Single Throw, 1/4"	
131			zn	Cam	
133	A366	3	zn	Corner Bracket, 1 1/2"	
133 a	A133		zn	Corner Bracket, 1 "	
133 b	A367	5	zn	Corner Bracket, 1 " x 1 1/2"	
133 c	A233	9	zn	Obtuse Corner Bracket, 1 " x 1 1/2"	
134	A368		zn	Crankshaft, 1" stroke	
136			br	Handrail Support	
136 a			br	Handrail Coupling	
137	A371	4	zn	Wheel Flange	
139			zn	Flanged Bracket (right)	
139 a			zn	Flanged Bracket (left)	
140			zn	Universal Coupling	
142 a		bk	rb	Motor Tyre to fit 2" diam. rim	
142 b		bk	rb	Motor Tyre to fit 3" diam. rim	

Part Num	ber			
Old	New	Colour	Mater.	Part name

				Fatthanie	
142 c	A378	bk	rb	Motor Tyre to fit 1" diam. rim	
142 e		bk	rb	X Country Tyre diam. 25 mm, ext. 35 mm, Width 12 mm	
142 f	A381	bk	rb	Tractor Tyre diam. 25 mm, ext. 36 mm	
142 g	A382	bk	rb	Tractor Tyre diam. 12 mm, ext. 28 mm	
142 h	A383	bk	rb	Motor Cycle Tyre diam. 38mm, ext. 54mm W.11mm	spares
142 j	A384	bk	rb	Aero Tyre diam. 15mm, ext. 22mm W.10mm	Spares
142 J	A342		rb	Bike Tyre diam. 25mm, ext. 35mm W.13 mm	
142 K	A242			1	
		bk	rb	Aero Tyre diam. 9mm, ext.15mm W. 8mm	
142 m	A385	bk	rb	Kart Tyre diam. 9mm, ext.17mm W.14 mm	
142 n	A386	bk	rb	Kart Tyre diam. 9mm, ext.16mm W.11 mm	
142 p	A388	bk	rb	Tyre for 187b	
142 r	A142	bk	rb	Tyre for 187c	
143		blF		Circular Girder, 5 1/2" diam.	
144		_	br	Dog Clutch	
144 c	A444		pl	Driving Dog Triangular Hole	
145	A391	blF		Circular Strip, 7 1/2" diam., overall	spares
146		3		Circular Plate, 6" diam., overall	
146 a		blF		Circular Plate, 4" diam., overall	
147 a	A394		zn	Pawl	spares
147 b			zn	Pivot Bolt, with two nuts	
147 c	A396		zn	Pawl, without boss	spares
147 d	A247		zn	Pivot Bolt, 9/16", hex socket head	
147 f	A447		zn	Pivot Bolt, 3/4", hex socket head	
147 g	A347		zn	Pivot Bolt, 29/32", hex socket head	
148			br	Ratchet Wheel	
154 a	A399	kh	zn	Corner Angle Bracket, 1/2", right hand	
154 b	A431	kh	zn	Corner Angle Bracket, 1/2", left hand	
155	A443	bk	rb	Rubber Ring for 1" Pulley	
157		2		Fan, 2" diam.	
160	A446	grod	zn	Channel Bearing, 1 1/2" x 1" x 1/2"	
160 d	A360	4		Deep Flanged plate 5 1/2" x 1 1/2" x 1"	
160 g	A160	5		Gearbox casing, 1 1/2" x 1 1/2" x 1 1/2"	
161	A455	ylF	zn	Girder Bracket, 2" x 1" x 1/2"	
162 a			zn	Boiler End, 2 1/16" diam. x 3/4"	
162 b		blF		Boiler without Ends	
162 c	A474	3		Boiler without Ends (open)	
162 d	B175		zn	Boiler End, 2 1/16" diam. x 15 mm	
163	A163	3	zn	Sleeve Piece, 1 1/2" long x 11/16" diam.	
164			zn	Chimney Adapter, 5/8" diam. x 1/2" high	
165			zn	Swivel Bearing	
166			zn	End Bearing	
167 a		bk		Large Toothed Quadrant	
167 b		3		Flanged Ring, 9 7/8" diam.	
167 c	A481		sb	Pinion for 167a	spares
168 a		blF		Ball Race	
168 b		bk		Toothed Ball Race	
168 c			zn	Ball Cage, 3 5/8" diam., comp. with balls	
168 d			st	Ball, 3/8" diam., steel	
171			br	Socket Coupling	
173 a			br	Adaptor for Screwed Rod	
176			st	Anchoring Spring for Cord	
177 a	A177	bk	rb	Flexible Seat Plastic	
179			br	Rod Socket	
184 g	A184		pl	Plastic Pin	
185		bk		Stearing Wheel, 1 3/4 " diam.	
186		bk	rb	Driving Band, 2 1/2" Light	
186 a	A186	bk	rb	Driving Band, 6" Light	

Part Number				
Old	New	Colour	Mater.	Part name

1	INCW			. Fatthame	
186 b	A494	bk	rb	Driving Band, 10" Light	
186 c	71101	bk	rb	Driving Band, 10" Heavy	
186 d		bk	rb	Driving Band, 15" Heavy	
186 e		bk	rb	Driving Band, 10 Heavy	
	A605		rb		
186 g	A695			Driving Band, 65mm, light	
186 h	A696	yl	rb	Driving Band, 150mm, light	
187 a	A687	5		Conical Disc 1 7/8" diam.	
187 b	A587	5	pl	Wheel, plastic, 38 mm diam.	
187 c	A187	12	pl	Wide Wheel Geared, plastic, 46 mm diam.	
187 f	A500	3	pl	Road Wheel, plastic, 25 mm diam.	
187 g	A487	bk	rb	Wheel 3 Spoke, 25 mm diam., W. 17	
187 h	A387	bk	rb	Wheel 3 Spoke, 25 mm diam., W. 14	
187 j	A887	bk	rb	Wheel Diam. Tread, 28 mm diam., W. 16	
187 k	A502	bk	rb	Wheel Diam. Tread, 25 mm diam., W. 14	
187 I	A505	bk	rb	Wheel Square Tread, 28 mm diam., W. 16	spares
187 m	A287	bk	rb	Wheel Square Tread, 25 mm diam., W. 14	spares
187 n	A787	bk	rb	Wheel 5 Spoke, 25 mm diam. W.15	
187 p	A557	bk	rb	Wheel 5 Spoke, 25 mm diam. W. 12	spares
187 q	A517		cr	Conical Disc 23 mm diam.	
188	A520	22		Flexible Plate, 2 1/2" x 1 1/2 "	
189	A522	16		Flexible Plate, 5 1/2" x 1 1/2 "	
190	A533	11		Flexible Plate, 2 1/2" x 2 1/2 "	
190 a	A534	7		Flexible Plate, 3 1/2" x 2 1/2 "	
191	A191	6		Flexible Plate, 4 1/2" x 2 1/2 "	
192	A192	3		Flexible Plate, 5 1/2" x 2 1/2"	
193	A535	3		Transparent Plastic Plate, 2 1/2" x 1 1/2"	
193 193 a	A536		pl pl	Transparent Plastic Plate, 2 1/2" x 2 1/2"	spares
193 a	A539		pl	Transparent Plastic Plate, 4 1/2" x 2 1/2"	1 -
193 C	A559		pl		spares
	A 400		pl	Transparent Plastic Plate, 5 1/2" x 1 1/2"	00000
193 e	A400	4	pl	Transparent Plastic Plate, 5 1/2" x 2 1/2"	spares
194	A194		pl	Plastic Plate, 2 1/2" x 1 1/2"	spares
194 a	A401		pl	Plastic Plate, 2 1/2" x 2 1/2"	spares
194 c	A402	bl	pl	Plastic Plate, 4 1/2" x 2 1/2"	spares
194 d	A403		pl	Plastic Plate, 5 1/2" x 1 1/2"	spares
194 e			pl	Plastic Plate, 5 1/2" x 2 1/2"	
196		2		Strip Plates, 9 1/2" x 2 1/2"	
197		2		Strip Plates, 12 1/2" x 2 1/2"	
198		ylF		Hinged Flat Plate, 4 1/2" x 2 1/2"	
199	A199	6		Curv. Plt, U sec., 2 1/2" x 2 1/2" x 9/32"	
200	A200	6	5	Curved Plate, 2 1/2" x 2 1/2" x 1 11/16"	
200 d		bkf		Curved Plate, 5 1/2" x 1 1/2" x 2 1/2"	
201	A201	9		Flexible Gusset Plate, 2 1/2 x 2 1/2"	
204 c	A204	5	pl	Cockpit Canopy	
211 a	A211		br	Helical Gear, 1/2"	spares
211 b	A406		br	Helical Gear, 1 1/2"	spares
212	A212	kh	zn	Rod and Strip Connector	
212 a	A407	bk	zn	Rod and Strip Connector, right angle	spares
213	A213	wt	pl	Rod Connector	
213 c	A409	2	rb	Flexible Rod Connector	
213 d	A410		zn	Short Rod Connector	
213 d		rd	pl	Strip Connector, plastic	
213 d3p	A313	3	-	Triang. Rod Connector, with Pinion	
214	A214	4		Semi-Circular Plate, 2 1/2"	
215	A215	6		Formed Slot Strip, 3"	
216		2		Cylinder, 2 1/2 " long, 1 1/4 " diam.	
216 a	A412	8		Cylinder, 2 1/2 " long, 1 1/4 " diam.	
221	A221	23		Triangular Flexible Plate, 2 1/2" x 1 1/2"	
	, L_L	20		Thangalar roduler ato, 2 1/2 A 1 1/2	

Part Number				
Old	New	Colour	Mater.	Part name

-	New		water.	Part name
222		ylF		Triangular Flexible Plate, 2 1/2" x 2"
223	A223	2		Triangular Flexible Plate, 2 1/2" x 2 1/2"
224	A224	10		Triangular Flexible Plate, 3 1/2" x 1 1/2"
225	A225	9		Triangular Flexible Plate, 3 1/2" x 2"
226	A226	5		Triangular Flexible Plate, 3 1/2" x 2 1/2"
230	AZZU	3		_
231		bk	zn	4" Rod with Keyway Key Bolt
235	A235		zn	Narrow Strip, 2 1/2" x 11/32"
235 a	A233 A413			Narrow Strip, 3" x 11/32"
235 a 235 b	A414		zn zn	Narrow Strip, 3 1/2" x 11/32"
235 d	A415		zn	Narrow Strip, 4 1/2" x 11/32"
235 d 235 g	A416		zn	Narrow Strip, 1 1/2" x 11/32"
235 g 235 h	A417		zn	Narrow Strip, 2" x 11/32"
236	B236	2		Flanged Plate, 12 1/2" x 4 1/2"
260 a	A418		pl	Suspension Mounting Bracket Plastic
260 b	A419		pl	Suspension Outer Bracket Plastic
260 c	A420	14	pl	Mini Strip 1 1/2" Plastic
260 d	A421	bk	pl	Track Rod End Pin Plastic
260 d	A422		pl	Stub Axle Mount
260 f	A423		pl	Steering Arm Plastic
260 g	A424		pl	Track Rod Fork Plastic
260 g	A425		pl	Steering Wheel Mountig Bracket Plastic
260 i	A426		pl	Track Rod End Plastic
260 j	A260	8	pl	Obtuse Corner Bracket Pl. 1" x 1 1/2"
315	A315		zn	Axle Rod Triangular Section 125mm
315 a	A427		zn	Axle Rod Triangular Section 115mm
315 b	A428		zn	Axle Rod Triangular Section 100mm
316	A316		zn	Axle Rod Triangular Section 90mm
316 a	A516		zn	Axle Rod Triangular Section 63mm
316 b	A429		zn	Axle Rod Triangular Section 75mm
317	A317		zn	Axle Rod Triangular Section 50mm
318 a	A318		zn	Axle Rod Triangular Section 38mm
318 c	A430		zn	Axle Rod Triangular Section 32mm
321	A321	2	pl	Steering Wheel, Small
321 a	A434	bk	pl	Rally Steering Wheel Triang. Hole Plast.
321 b	A821	bk	pl	Steering Wheel, Small, Push Fit
324 a	A324	7		Capot
331 n	A331	bk	rb	Road Wheel, Rubber, 46 mm diam.
340		orl	pl	Lens - Large
340 a		2	pl	Lens - Small
537 a		gyd		Magnet
700		bk		Electric Motor, 3 - 6 V,CC
710		bk		Battery Holder, 2 x AA
720		bk		Battery Holder, 2 x AA, with switch
730		bk		Inverter
750		bk		Electric Motor, 3 - 6 V,CC w/ bat. holder
750 a		2		Electric Motor, w/ bat. Holder, 2 x AA
753		3		Spot Light, w/ bat. Holder, 2 x AA
753		bk		2 x Spot Lights, w/ bat. Holder, 2 x AA
758		wt		2 x Red Pilot Light, w/ bat. Holder, 2 x AA
760	A760	3		Gearbox 19:1
761		bk		Motor with Battery Box, 6V
770 (1)	A651	4		Motor, 3V, 3 flat shaft w. Bat. Holder (see A651+B114)
770 (2)	A770	6		Motor, 6V, 3 flat shaft w. Bat. Holder (see A651+A662+B114)
790 (1)		bk		IR Control Unit, complete, with 1 Motor
790 (2)		bk		IR Control Unit, complete, with 2 Motors
806 b	A806	5	zn	Narrow Strip, 1" x 11/32"

Part Number				
Old	New	Colour	Mater.	Part name

811	A811	2	zn	Narrow Double Bracket, 1/2" x 1/2"	
811 a	A436	wt	zn	Narrow Double Bracket, 1" x 1/2"	
812 b	A812	3	zn	Narrow Angle Bracket, 1" x 1/2"	
812 d	A437	5	zn	Narrow Obtuse Angle Bracket 1" x 1/2"	
825	A825	4	zn	Narr. Obt. Reversed Angle Bracket 1/2"	
825 a	A438	3	zn	Narrow Reversed Angle Bracket, 1/2"	
846 a	A846	3	zn	Narrow Double Angle Strip, 1 1/2" x 1"	
913	A913	2		Plastic wire diam. 1 mm, 80 mm length	
927 cp		orl	pl	Gear Wheel, 2 1/2" diam., 95 teeth, threaded boss	
940	A940	3	pl	Plastic Rod, 4mm diam., 120 mm length	
940	A940	gd	pl	Plastic Rod, 4mm diam., 175 mm length	
940	A940	gd	pl	Plastic Rod, 4mm diam., 530 mm length	
940	A940	gr	pl	Plastic Rod, 4mm diam., 75 mm length	
940	A940	rd	pl	Plastic Rod, 4mm diam., 130 mm length	
940 b	A941	2	pl	Plastic Rod, 4mm diam., 120 mm length	
940 d	A940	orl	pl	Plastic Rod, 4mm diam., 75 mm length	
J44	A044	bk	rb	Tyre for B451, 44 mm Diam.	
J45	A045	bk	pl	Tyre for 187c, large	
J47	A047	bk	rb	Crawler Track, for Sets 4600 & 6515	
J48	A048	bk	rb	Crawler Track, for Set 7600	
J75	A075	2	pl	MJ Rim	
J100	A100	3		Headlight	
J101	A101	2	pl	Headlight glass	
J102	A102	bk	pl	Plug	
J3123	A123	gys	pl	Base Plate	
J3125	A125	yl	pl	Top Small Chest	
J3127	A027	bk	pl	Grid	
J3130	A030	or	pl	Motor Bracket	
J3133	A033	gys	pl	Lower Cabin	
J3141	A141	3		Flash Lamp	
J3142	A042	ср	pl	Double Pulley	
J3144	A144	gys	pl	Handrail	
J3148	A148		pl	Propeller	
J3151	A151	2		Handrail Support	
J3153	A545	3	pl	Sleeve	

* available only in colour "*"
n available in "n" colours

* or n zn available in 1 or more colours and zinc plated

zn available only zinc plated

NOTE

A blank entry on the column "New Part Number" means that the part was not used by Meccano either in sets or as spares since the introduction of the New Parts Numbering System, in 2001, and therefore it was not allocated a new Part Number.

If the part is used again, a new Part Number, of the type Axxx, will be attributed to it.

The parts that have a new Part Number but were used in no sets from 2001 are noted as "spares".

The Old Part Numbers listed here to which no New Part Numbers were allocated correspond to all the Parts included in the last Spare Parts List (1977) to be published before the introduction of the New Numbering System, to which all the Parts used in sets introduced from 1997 to 2001 were added.