

EUDR Information System - Downstream Operator and Trader API Reference

Declaration Verification

DG ENV - European Commission

Documentation version: 1.3

API specification: V4

Release date: 2026-11-03

Table of contents

1. EUDR Information System - Downstream Operator and Trader API Reference 3
   - 1.1 Overview 3
   - 1.2 Base URL 3
   - 1.3 Services 3
   - 1.4 Target audience 3
   - 1.5 Authentication 3
   - 1.6 XSD access 4
   - 1.7 Versioning policy 4
   - 1.8 Contact information 4
2. Acquiring Credentials for a Web Service User 5
   - 2.1 Introduction 5
   - 2.2 Acquiring Credentials for a Web Service User 5
   - 2.3 Usage Recommendations and Limits 7
3. Echo Service — API Reference 8
   - 3.1 Overview 8
   - 3.2 WSDL 8
   - 3.3 Operations 8
   - 3.4 Request / Response Types 8
   - 3.5 Authentication 9
   - 3.6 Sample Request 9
   - 3.7 Sample Response 9
   - 3.8 Sample Fault 9
   - 3.9 Troubleshooting 10
4. V4 API Reference 11
   - 4.1 Verify Declaration — V4 API Reference 11
5. V3 API Reference 13
   - 5.1 Verify Declaration — V3 API Reference 13
6. Sample XML 15
   - 6.1 Verify Declaration Sample XML (V4) 15
   - 6.2 Verify Declaration Sample XML (V3) 18
7. Migration Guide 21
   - 7.1 Migration: V3 to V4 21
8. Troubleshooting 22
   - 8.1 WS-Security Authentication Errors 22

1. EUDR Information System - Downstream Operator and Trader API Reference

Welcome to the EUDR SOAP API documentation for downstream operators and traders verifying declarations in the EUDR Information System.

1.1 Overview

The EU Deforestation Regulation (EUDR), Regulation (EU) 2023/1115, requires operators placing relevant commodities (cattle, cocoa, coffee, oil palm, rubber, soya and wood) on the EU market to demonstrate that their products are deforestation-free and produced in compliance with the legislation of the country of production.

The verification service enables these actors in the supply chain to confirm that a declaration (DDS or SD) is authentic and in a usable status.

This version of documentation may not be final and will be adapted as needed. Readers are encouraged to check the European Commission website for updates and subscribe to the Newsletter for the latest information.

1.2 Base URL

Environment	Base URL
Production	`https://eudr.webcloud.ec.europa.eu/tracesnt/`
Acceptance	`https://acceptance.eudr.webcloud.ec.europa.eu/tracesnt/`

1.3 Services

Service	Purpose	Endpoint
Verify Declaration	Verify existence and usability of a DDS or SD by reference number and verification number	`/ws/EUDRVerifyDeclarationServiceV4?wsdl`
Echo	Test connectivity and WS-Security credentials	`/ws/EudrEchoService?wsdl`

1.4 Target audience

This documentation is intended for:

- **First Downstream operators and traders** (SME and non-SME) verifying upstream declarations as part of their collect-and-keep obligation (Art 5(3)(a))
- **Operators and authorised representatives** verifying their own or third-party declarations
- **Software providers** developing verification solutions for downstream actors

> **Access restriction**
>
> The verification API is available to operators, authorised representatives, SME downstream operators or traders, and non-SME downstream operators or traders.

1.5 Authentication

All services use **WS-Security** (UsernameToken over HTTPS):

- Transport: HTTPS with TLS
- Token: `UsernameToken` with `PasswordDigest` (hashed)
- Timestamp: Required (`wsu:Created` / `wsu:Expires`)

- Header: `WebServiceClientId` - your client identifier, visible in the "Web Services Access" section of your profile (see Acquiring Credentials)

1.5.1 User information messages

Any announcements related to EUDR will appear in the EudrUserMessage element:

```
<soapenv:Header>
    <!-- WS-Security and WebServiceClientId as usual -->
    ...
    <eudr:EudrUserMessage>Test message</eudr:EudrUserMessage>
</soapenv:Header>
```

1.6 XSD access

Replace `?wsdl` with `?xsd=1`, `?xsd=2` etc to retrieve the XSD schema (refer to the `<xs:import>` section in the WSDL for schema numbering).

Service availability

V3 endpoints remain available alongside V4 during the transition period, but will be deprecated in a future release — new integrations should target V4. As noted above, the service contracts are subject to change as the amendment of the Implementing Regulation (EU) 2024/3084 is finalised.

1.7 Versioning policy

Service versions are identified by the suffix in the endpoint URL (e.g., `V4`).

- When a new version is released without backward compatibility, the previous version remains available for a transition period.
- For the production environment, the duration of version coexistence is published in advance.
- Old versions are decommissioned after the transition period.
- Readers are invited to regularly verify whether new specifications are published, as services and their behaviour may evolve.

1.7.1 About this API version

The declaration verification capability for downstream operators and traders was introduced by Regulation (EU) 2025/2650 as **V3**. **V4** is the current version; it is functionally identical to V3 apart from the service namespace (see the V3 → V4 Migration Guide). V3 remains available alongside V4 during the transition period and will be deprecated in a future release.

1.8 Contact information

Purpose	Contact
Registration and technical support	SANTE-TRACES@ec.europa.eu
Implementation guidance	Deforestation Regulation implementation

Note

When contacting technical support, email titles must start with **"EUDR API"**. Questions should concern API behaviour, testing, errors, or integration.

2. Acquiring Credentials for a Web Service User

2.1 Introduction

This document is intended for downstream operators, traders, and their IT service providers integrating with the EUDR Verification API (`EUDRVerifyDeclarationService`). The verification service enables actors in the supply chain to confirm that a declaration (DDS or SD) is authentic and in a usable status.

2.2 Acquiring Credentials for a Web Service User

2.2.1 Registration in the Information System

Non-SME downstream operators and non-SME traders must register in the Information System prior to using the verification API (Art 5(2)). SME downstream operators and traders may also register to access the verification service.


Once registered, proceed to acquire a web service authentication key:

> **Recommended approach**
>
> Complete the credential setup and test your integration in the acceptance environment first. Once connectivity and authentication are verified, repeat the process for the production environment.


1. Get the username of the EU Login account

To locate the username, follow the next steps:

- Log in to the EUDR Information System,
- Click in the top-right corner of the screen,
- In the Popup, click on **"Edit Profile"**:




- In the right box **"Personal Information"** there is an attribute **"username"**. This value can now be used within your system for later tasks.




2. Get the "Authentication key" for your system

- Go back to the page "Edit your profile",
- Scroll to the section **"Web Services Access"**,



- If the previous steps have been completed successfully, the button **"Active"** should appear in this Section. Click on this Button. The section will contain a new field labeled **"Authentication Key"**. Click the **"eye"** next to the field to see the value. This value can now be used within the procedure described in later tasks.



Authentication Key is Private

The Authentication Key is private and should only be used with your application. The person identified by the EU Login user is responsible for the API calls made using these credentials.

2.3 Usage Recommendations and Limits

2.3.1 Verification Service Limits

The following recommendations are intended to ensure fair use of the shared EUDR Information System infrastructure when accessing it via Web Services.

2.3.2 Global and individual IP throttling limits

Limit Type	Value
Global limit	10,000 calls per minute
Per-IP limit	5 calls per second

These limits will be monitored and may be adjusted depending on system load.

Note

It is highly recommended that Web Service users respect these guidelines to allow fair use of resources for all users. Repeated violations may lead to offending accounts being suspended.

2.3.3 Usage expectation

The reference number may not be available immediately after submission. Operators should wait at least one hour after submitting a request before retrieving its reference number. The Commission will monitor usage patterns and reserves the right to take appropriate measures to prevent excessive or abusive requests pursuant to Article 15(4) of the Implementing Act.

3. Echo Service — API Reference

Service: `EudrEchoService`
Namespace: `http://ec.europa.eu/tracesnt/eudr/echo`
Endpoint: `/tracesnt/ws/EudrEchoService`
Security: WS-Security (UsernameToken over HTTPS)

3.1 Overview

The EUDR Echo Service is a lightweight connectivity test endpoint that allows integrators to verify that their WS-Security credentials and SOAP client configuration are working correctly before attempting to call the main EUDR services (DDS, SD, Verification).

Use this service to confirm:

- Your **UsernameToken** (username + authentication key) is valid
- Your **SOAP envelope** is correctly formed (timestamp, headers, signature)
- Your **WebServiceClientId** header is properly included
- Network connectivity to the EUDR SOAP infrastructure is established

> **Note**
>
> The EUDR Echo Service is available in the acceptance environment for integration testing. To verify production connectivity, use a real API call with restrictive filters - a successful empty response confirms credentials and network access.

3.2 WSDL

Environment	WSDL URL
Acceptance	https://acceptance.eudr.webcloud.ec.europa.eu/tracesnt/ws/EudrEchoService?wsdl

3.3 Operations

3.3.1 testEcho

Send a test query string and receive a status response confirming successful authentication and connectivity.

- **Request:** `EudrEchoRequest`
- **Response:** `EudrEchoResponse`
- **Faults:** `EudrEchoServiceFault`

3.4 Request / Response Types

3.4.1 EudrEchoRequest

Field	Type	Required	Description
`query`	`xs:string`	Yes	Test parameter — any arbitrary string to echo back

3.4.2 EudrEchoResponse

Field	Type	Required	Description
`status`	`xs:string`	Yes	Status of the echo operation confirming successful processing

3.4.3 EudrEchoServiceFault

Field	Type	Required	Description
`errorMessage`	`xs:string`	No	Generated error message during process

3.5 Authentication

The Echo Service uses the same **WS-Security** mechanism as all other EUDR services:

- Transport: HTTPS with TLS
- Token: `UsernameToken` with `PasswordDigest` (hashed)
- Timestamp: Required (`wsu:Created` / `wsu:Expires`)
- Header: `WebServiceClientId` - your client identifier from the "Web Services Access" section of your profile

3.6 Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
                  xmlns:echo="http://ec.europa.eu/tracesnt/eudr/echo"
                  xmlns:base="http://ec.europa.eu/sanco/tracesnt/base/v4">
    <soapenv:Header>
        <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
                       xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
            <wsu:Timestamp>
                <wsu:Created>2026-01-15T10:00:00.000Z</wsu:Created>
                <wsu:Expires>2026-01-15T10:05:00.000Z</wsu:Expires>
            </wsu:Timestamp>
            <wsse:UsernameToken>
                <wsse:Username>your-username</wsse:Username>
                <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-token-profile-1.0#PasswordDigest">digest-value</wsse:Password>
                <wsse:Nonce EncodingType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0#Base64Binary">nonce-value</wsse:Nonce>
                <wsu:Created>2026-01-15T10:00:00.000Z</wsu:Created>
            </wsse:UsernameToken>
        </wsse:Security>
        <base:WebServiceClientId>YOUR_CLIENT_ID</base:WebServiceClientId>
    </soapenv:Header>
    <soapenv:Body>
        <echo:EudrEchoRequest>
            <echo:query>Hello EUDR</echo:query>
        </echo:EudrEchoRequest>
    </soapenv:Body>
</soapenv:Envelope>
```

3.7 Sample Response

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
                  xmlns:echo="http://ec.europa.eu/tracesnt/eudr/echo">
    <soapenv:Body>
        <echo:EudrEchoResponse>
            <echo:status>OK</echo:status>
        </echo:EudrEchoResponse>
    </soapenv:Body>
</soapenv:Envelope>
```

3.8 Sample Fault

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
                  xmlns:echo="http://ec.europa.eu/tracesnt/eudr/echo">
    <soapenv:Body>
        <soapenv:Fault>
            <faultcode>soapenv:Server</faultcode>
            <faultstring>EudrEchoServiceFault</faultstring>
            <detail>
                <echo:EudrEchoServiceFault>
                    <echo:errorMessage>Authentication failed</echo:errorMessage>
                </echo:EudrEchoServiceFault>
            </detail>
        </soapenv:Fault>
    </soapenv:Body>
</soapenv:Envelope>
```

3.9 Troubleshooting

Symptom	Likely Cause	Resolution
`Authentication failed`	Invalid username or authentication key	Verify credentials in EU Login profile (see Acquiring Credentials)
`Timestamp expired`	Clock skew between client and server	Ensure system clock is synchronized (NTP); `wsu:Created` must be within 5 minutes of server time
`Missing WebServiceClientId`	Header not included in SOAP envelope	Add `<base:WebServiceClientId>` to the SOAP header
Connection timeout	Network/firewall issue	Verify HTTPS connectivity to the endpoint URL; check proxy settings

4. V4 API Reference

4.1 Verify Declaration — V4 API Reference

Service: `EUDRVerifyDeclarationServiceV4`
Namespace: `http://ec.europa.eu/tracesnt/certificate/eudr/verification/v4`
Endpoint: `/tracesnt/ws/EUDRVerifyDeclarationServiceV4`
Security: WS-Security (UsernameToken over HTTPS)

4.1.1 Operations

verifyDeclaration

Verify DDS/SD declaration. Only for Operators, Authorised Representative, SME Downstream Operator or Trader, Non-SME Downstream Operator or Trader.

- **Request:** `VerifyDeclarationRequest` (Type: `VerifyDeclarationRequestType`)
- **Response:** `VerifyDeclarationResponse` (Type: `VerifyDeclarationResponseType`)
- **Faults:** `BusinessRulesValidationException`, `PermissionDeniedException`

4.1.2 Types

VerifyDeclarationRequestType

Verify declaration request by providing reference number and verification number as input parameter.

Field	Type	Required	Description
`referenceNumber`	`ReferenceNumberType`	Yes	—
`verificationNumber`	`VerificationNumberType`	Yes	—

VerifyDeclarationResponseType

Verify declaration response is the same for all user roles, including SME downstream operators. Three possible outcomes: (1) exists and is usable, (2) exists but is not usable, (3) not found.

Field	Type	Required	Description
`result`	`VerifyResultType`	Yes	—
`status`	`EudrStatusType`	No	—
`dateTime`	`dateTime`	Yes	—

VerifyResultType

Verify declaration result type. EXISTING_USABLE : The declaration exists and is in a usable status. EXISTING_NON_USABLE : The declaration exists but is not usable (e.g.: it was withdrawn, canceled, rejected...). NON_EXISTENT : No declaration matches the provided reference number and verification number combination.

Value	Description
`EXISTING_USABLE`	The declaration exists and is in a usable status. The status element carries the declaration lifecycle status.
`EXISTING_NON_USABLE`	The declaration exists but is not usable (e.g. it was withdrawn, cancelled or rejected). The status element carries the declaration lifecycle status.

Value	Description
`NON_EXISTENT`	No declaration matches the provided reference number and verification number combination. The status element is not populated for this result.

Constraints: Base: `string`

4.1.3 Common Types

EudrStatusType

Universal lifecycle status for EUDR documents

Value	Description
`SUBMITTED`	—
`AVAILABLE`	—
`REJECTED`	—
`WITHDRAWN`	—
`CANCELLED`	Declaration cancelled by the operator before availability
`ARCHIVED`	—
`SUSPENDED`	Not active in current release
`UPDATED`	Not active in current release
`GROUPED`	—
`OBSOLETE`	—

Constraints: Base: `string`

ReferenceNumberType

Constraints: Base: `string`, Max length: 14

VerificationNumberType

Verification number

Constraints: Base: `string`, Max length: 35, Min length: 5

5. V3 API Reference

5.1 Verify Declaration — V3 API Reference

Service: `EUDRVerifyDeclarationServiceV3`
Namespace: `http://ec.europa.eu/tracesnt/certificate/eudr/verify-declaration/v3`
Endpoint: `/tracesnt/ws/EUDRVerifyDeclarationServiceV3`
Security: WS-Security (UsernameToken over HTTPS)

5.1.1 Operations

verifyDeclaration

Verify DDS/SD declaration. Only for Operators, Authorised Representative, SME Downstream Operator or Trader, Non-SME Downstream Operator or Trader.

- **Request:** `VerifyDeclarationRequest` (Type: `VerifyDeclarationRequestType`)
- **Response:** `VerifyDeclarationResponse` (Type: `VerifyDeclarationResponseType`)
- **Faults:** `BusinessRulesValidationException`, `PermissionDeniedException`

5.1.2 Types

VerifyDeclarationRequestType

Verify declaration request by providing reference number and verification number as input parameter.

Field	Type	Required	Description
`referenceNumber`	`ReferenceNumberType`	Yes	—
`verificationNumber`	`VerificationNumberType`	Yes	—

VerifyDeclarationResponseType

Verify declaration response is the same for all user roles, including SME downstream operators. Three possible outcomes: (1) exists and is usable, (2) exists but is not usable, (3) not found.

Field	Type	Required	Description
`result`	`VerifyResultType`	Yes	—
`status`	`EudrStatusType`	No	The declaration lifecycle status. This element is populated only when the result is not NON_EXISTENT; for a NON_EXISTENT result no status is returned.
`dateTime`	`dateTime`	Yes	—

VerifyResultType

Verify declaration result type. EXISTING_USABLE : The declaration exists and is in a usable status. EXISTING_NON_USABLE : The declaration exists but is not usable. (e.g.: it was withdrawn, canceled, rejected...) NON_EXISTENT : No declaration matches the provided reference number and verification number combination.

Value	Description
`EXISTING_USABLE`	The declaration exists and is in a usable status. The status element carries the declaration lifecycle status.
`EXISTING_NON_USABLE`	

Value	Description
	The declaration exists but is not usable (e.g. it was withdrawn, cancelled or rejected). The status element carries the declaration lifecycle status.
`NON_EXISTENT`	No declaration matches the provided reference number and verification number combination. The status element is not populated for this result.

Constraints: Base: `string`

5.1.3 Common Types

EudrStatusType

Universal lifecycle status for EUDR documents

Value	Description
`SUBMITTED`	—
`AVAILABLE`	—
`REJECTED`	—
`WITHDRAWN`	—
`ARCHIVED`	—
`SUSPENDED`	Not active in current release
`UPDATED`	Not active in current release
`GROUPED`	—
`OBSOLETE`	—

Constraints: Base: `string`

ReferenceNumberType

Constraints: Base: `string`, Max length: 14

VerificationNumberType

Verification number

Constraints: Base: `string`, Max length: 35, Min length: 5

6. Sample XML

6.1 Verify Declaration Sample XML (V4)

Sample SOAP request and responses for the `EUDRVerifyDeclarationServiceV4`.

Environment	Endpoint
Production	https://eudr.webcloud.ec.europa.eu/tracesnt/ws/EUDRVerifyDeclarationServiceV4
Acceptance	https://acceptance.eudr.webcloud.ec.europa.eu/tracesnt/ws/EUDRVerifyDeclarationServiceV4

Note

Replace `{{wsse_*}}` placeholders with your WS-Security credentials.

V4 is a namespace-only change

The Verify Declaration operation, request, and response are identical to V3. Only the service namespace (`verify-declaration` → `verification`) and version segment (`v3` → `v4`) changed. See the V3 → V4 Migration Guide.

6.1.1 verifyDeclaration — Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
                  xmlns:verify="http://ec.europa.eu/tracesnt/certificate/eudr/verification/v4"
                  xmlns:base="http://ec.europa.eu/sanco/tracesnt/base/v4">
    <soapenv:Header>
        <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
                       xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
            <wsu:Timestamp wsu:Id="TS-1">
                <wsu:Created>{{wsse_created}}</wsu:Created>
                <wsu:Expires>{{wsse_expires}}</wsu:Expires>
            </wsu:Timestamp>
            <wsse:UsernameToken wsu:Id="UT-1">
                <wsse:Username>{{wsse_username}}</wsse:Username>
                <wsse:Password Type="...#PasswordDigest">{{wsse_passwordDigest}}</wsse:Password>
                <wsse:Nonce EncodingType="...#Base64Binary">{{wsse_nonce}}</wsse:Nonce>
                <wsu:Created>{{wsse_created}}</wsu:Created>
            </wsse:UsernameToken>
        </wsse:Security>
        <base:WebServiceClientId>YOUR_CLIENT_ID</base:WebServiceClientId>
    </soapenv:Header>
    <soapenv:Body>
        <verify:VerifyDeclarationRequest>
            <verify:referenceNumber>EUDR00000001BE</verify:referenceNumber>
            <verify:verificationNumber>VN-2025-ABC12</verify:verificationNumber>
        </verify:VerifyDeclarationRequest>
    </soapenv:Body>
</soapenv:Envelope>
```

6.1.2 verifyDeclaration — Response (EXISTING_USABLE)

Declaration exists and is in a usable status (e.g. AVAILABLE).

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
    <soapenv:Body>
        <verify:VerifyDeclarationResponse
                xmlns:verify="http://ec.europa.eu/tracesnt/certificate/eudr/verification/v4">
            <verify:result>EXISTING_USABLE</verify:result>
            <verify:status>AVAILABLE</verify:status>
            <verify:dateTime>2026-05-20T10:00:00.000Z</verify:dateTime>
        </verify:VerifyDeclarationResponse>
    </soapenv:Body>
</soapenv:Envelope>
```

6.1.3 verifyDeclaration — Response (EXISTING_NON_USABLE)

Declaration exists but is not in a usable status (e.g. WITHDRAWN, REJECTED, SUSPENDED).

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
    <soapenv:Body>
        <verify:VerifyDeclarationResponse
                xmlns:verify="http://ec.europa.eu/tracesnt/certificate/eudr/verification/v4">
            <verify:result>EXISTING_NON_USABLE</verify:result>
            <verify:status>WITHDRAWN</verify:status>
            <verify:dateTime>2026-05-20T10:00:00.000Z</verify:dateTime>
        </verify:VerifyDeclarationResponse>
    </soapenv:Body>
</soapenv:Envelope>
```

6.1.4 verifyDeclaration — Response (NON_EXISTENT)

No declaration matches the provided reference and verification numbers.

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
    <soapenv:Body>
        <verify:VerifyDeclarationResponse
                xmlns:verify="http://ec.europa.eu/tracesnt/certificate/eudr/verification/v4">
            <verify:result>NON_EXISTENT</verify:result>
            <verify:dateTime>2026-05-20T10:00:00.000Z</verify:dateTime>
        </verify:VerifyDeclarationResponse>
    </soapenv:Body>
</soapenv:Envelope>
```

6.1.5 verifyDeclaration — Fault (XSD Schema Validation)

Example: `verificationNumber` shorter than `minLength` (5):

```
<?xml version='1.0' encoding='UTF-8'?>
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
    <S:Body>
        <S:Fault xmlns:ns4="http://www.w3.org/2003/05/soap-envelope">
            <faultcode>S:Client</faultcode>
            <faultstring>com.sun.istack.SAXParseException2; org.xml.sax.SAXException: org.xml.sax.SAXParseException; cvc-minLength-valid: Value 'AB' with length = '2' is not facet-valid
with respect to minLength '5' for type 'VerificationNumberType'.org.xml.sax.SAXParseException; cvc-minLength-valid: Value 'AB' with length = '2' is not facet-valid with respect to
minLength '5' for type 'VerificationNumberType'.</faultstring>
        </S:Fault>
    </S:Body>
</S:Envelope>
```

Example: `referenceNumber` longer than `maxLength` (14):

```
<?xml version='1.0' encoding='UTF-8'?>
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
    <S:Body>
        <S:Fault xmlns:ns4="http://www.w3.org/2003/05/soap-envelope">
            <faultcode>S:Client</faultcode>
            <faultstring>com.sun.istack.SAXParseException2; org.xml.sax.SAXException: org.xml.sax.SAXParseException; cvc-maxLength-valid: Value '26HRWQZJPVEUPVXXXXXX' with length = '20'
is not facet-valid with respect to maxLength '14' for type 'ReferenceNumberType'.org.xml.sax.SAXParseException; cvc-maxLength-valid: Value '26HRWQZJPVEUPVXXXXXX' with length = '20' is not
facet-valid with respect to maxLength '14' for type 'ReferenceNumberType'.</faultstring>
        </S:Fault>
    </S:Body>
</S:Envelope>
```

Key characteristics of XSD validation faults:

- `faultcode` is `S:Client` (not `soapenv:Server`)
- No `<detail>` element — just `<faultcode>` and `<faultstring>`
- `faultstring` contains the raw Java exception message referencing the XSD type and constraint violated

6.1.6 verifyDeclaration — Fault (Authentication Failure)

Returned when WS-Security credentials are missing, invalid, or expired. This is the most common "access denied" fault integrators will encounter.

```
<?xml version='1.0' encoding='UTF-8'?>
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/">
    <env:Header/>
    <env:Body>
        <env:Fault>
            <faultcode>env:Client</faultcode>
            <faultstring>UnauthenticatedException</faultstring>
        </env:Fault>
    </env:Body>
</env:Envelope>
```

6.1.7 verifyDeclaration — Fault (PermissionDeniedException)

Returned when the user authenticates successfully but does not have the required EUDR operator/trader role to call the verification service.

```
<?xml version='1.0' encoding='UTF-8'?>
<S:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
            xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
    <env:Header/>
    <S:Body>
        <S:Fault xmlns:ns3="http://www.w3.org/2003/05/soap-envelope" xmlns="">
            <faultcode>S:Client</faultcode>
            <faultstring>User does not have permission to verify declarations.</faultstring>
            <detail>
                <ns5:PermissionDeniedException
                        xmlns:ns5="http://ec.europa.eu/tracesnt/certificate/eudr/verification/v4"
                        xmlns:ns4="http://ec.europa.eu/sanco/tracesnt/error/v01"
                        xmlns="urn:un:unece:uncefact:data:standard:UnqualifiedDataType:21">
                    <ns4:Error>
                        <ns4:ID>EUDR-USER-NOT-ALLOWED</ns4:ID>
                        <ns4:Message languageID="en">Permission Denied - Action not applicable</ns4:Message>
                        <ns4:Field languageID="en"/>
                    </ns4:Error>
                </ns5:PermissionDeniedException>
            </detail>
        </S:Fault>
    </S:Body>
</S:Envelope>
```

6.2 Verify Declaration Sample XML (V3)

Sample SOAP request and responses for the `EUDRVerifyDeclarationServiceV3`.

Environment	Endpoint
Production	https://eudr.webcloud.ec.europa.eu/tracesnt/ws/EUDRVerifyDeclarationServiceV3
Acceptance	https://acceptance.eudr.webcloud.ec.europa.eu/tracesnt/ws/EUDRVerifyDeclarationServiceV3

Note

Replace `{{wsse_*}}` placeholders with your WS-Security credentials.

6.2.1 verifyDeclaration — Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
                  xmlns:verify="http://ec.europa.eu/tracesnt/certificate/eudr/verify-declaration/v3"
                  xmlns:v4="http://ec.europa.eu/sanco/tracesnt/base/v4">
    <soapenv:Header>
        <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
                       xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
            <wsu:Timestamp wsu:Id="TS-1">
                <wsu:Created>{{wsse_created}}</wsu:Created>
                <wsu:Expires>{{wsse_expires}}</wsu:Expires>
            </wsu:Timestamp>
            <wsse:UsernameToken wsu:Id="UT-1">
                <wsse:Username>{{wsse_username}}</wsse:Username>
                <wsse:Password Type="...#PasswordDigest">{{wsse_passwordDigest}}</wsse:Password>
                <wsse:Nonce EncodingType="...#Base64Binary">{{wsse_nonce}}</wsse:Nonce>
                <wsu:Created>{{wsse_created}}</wsu:Created>
            </wsse:UsernameToken>
        </wsse:Security>
        <v4:WebServiceClientId>YOUR_CLIENT_ID</v4:WebServiceClientId>
    </soapenv:Header>
    <soapenv:Body>
        <verify:VerifyDeclarationRequest>
            <verify:referenceNumber>EUDR00000001BE</verify:referenceNumber>
            <verify:verificationNumber>VN-2025-ABC12</verify:verificationNumber>
        </verify:VerifyDeclarationRequest>
    </soapenv:Body>
</soapenv:Envelope>
```

6.2.2 verifyDeclaration — Response (EXISTING_USABLE)

Declaration exists and is in a usable status (e.g. AVAILABLE).

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
    <soapenv:Body>
        <verify:VerifyDeclarationResponse
                xmlns:verify="http://ec.europa.eu/tracesnt/certificate/eudr/verify-declaration/v3">
            <verify:result>EXISTING_USABLE</verify:result>
            <verify:status>AVAILABLE</verify:status>
            <verify:dateTime>2026-05-20T10:00:00.000Z</verify:dateTime>
        </verify:VerifyDeclarationResponse>
    </soapenv:Body>
</soapenv:Envelope>
```

6.2.3 verifyDeclaration — Response (EXISTING_NON_USABLE)

Declaration exists but is not in a usable status (e.g. WITHDRAWN, REJECTED, SUSPENDED).

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
    <soapenv:Body>
        <verify:VerifyDeclarationResponse
                xmlns:verify="http://ec.europa.eu/tracesnt/certificate/eudr/verify-declaration/v3">
            <verify:result>EXISTING_NON_USABLE</verify:result>
            <verify:status>WITHDRAWN</verify:status>
            <verify:dateTime>2026-05-20T10:00:00.000Z</verify:dateTime>
        </verify:VerifyDeclarationResponse>
    </soapenv:Body>
</soapenv:Envelope>
```

6.2.4 verifyDeclaration — Response (NON_EXISTENT)

No declaration matches the provided reference and verification numbers.

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
    <soapenv:Body>
        <verify:VerifyDeclarationResponse
                xmlns:verify="http://ec.europa.eu/tracesnt/certificate/eudr/verify-declaration/v3">
            <verify:result>NON_EXISTENT</verify:result>
            <verify:dateTime>2026-05-20T10:00:00.000Z</verify:dateTime>
        </verify:VerifyDeclarationResponse>
    </soapenv:Body>
</soapenv:Envelope>
```

6.2.5 verifyDeclaration — Fault (XSD Schema Validation)

Example: `verificationNumber` shorter than `minLength` (5):

```
<?xml version='1.0' encoding='UTF-8'?>
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
    <S:Body>
        <S:Fault xmlns:ns4="http://www.w3.org/2003/05/soap-envelope">
            <faultcode>S:Client</faultcode>
            <faultstring>com.sun.istack.SAXParseException2; org.xml.sax.SAXException: org.xml.sax.SAXParseException; cvc-minLength-valid: Value 'AB' with length = '2' is not facet-valid
with respect to minLength '5' for type 'VerificationNumberType'.org.xml.sax.SAXParseException; cvc-minLength-valid: Value 'AB' with length = '2' is not facet-valid with respect to
minLength '5' for type 'VerificationNumberType'.</faultstring>
        </S:Fault>
    </S:Body>
</S:Envelope>
```

Example: `referenceNumber` longer than `maxLength` (14):

```
<?xml version='1.0' encoding='UTF-8'?>
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
    <S:Body>
        <S:Fault xmlns:ns4="http://www.w3.org/2003/05/soap-envelope">
            <faultcode>S:Client</faultcode>
            <faultstring>com.sun.istack.SAXParseException2; org.xml.sax.SAXException: org.xml.sax.SAXParseException; cvc-maxLength-valid: Value '26HRWQZJPVEUPVXXXXXX' with length = '20'
is not facet-valid with respect to maxLength '14' for type 'ReferenceNumberType'.org.xml.sax.SAXParseException; cvc-maxLength-valid: Value '26HRWQZJPVEUPVXXXXXX' with length = '20' is not
facet-valid with respect to maxLength '14' for type 'ReferenceNumberType'.</faultstring>
        </S:Fault>
    </S:Body>
</S:Envelope>
```

Key characteristics of XSD validation faults:

- `faultcode` is `S:Client` (not `soapenv:Server`)
- No `<detail>` element — just `<faultcode>` and `<faultstring>`
- `faultstring` contains the raw Java exception message referencing the XSD type and constraint violated

6.2.6 verifyDeclaration — Fault (Authentication Failure)

Returned when WS-Security credentials are missing, invalid, or expired. This is the most common "access denied" fault integrators will encounter.

```
<?xml version='1.0' encoding='UTF-8'?>
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/">
    <env:Header/>
    <env:Body>
        <env:Fault>
            <faultcode>env:Client</faultcode>
            <faultstring>UnauthenticatedException</faultstring>
        </env:Fault>
    </env:Body>
</env:Envelope>
```

6.2.7 verifyDeclaration — Fault (PermissionDeniedException)

Returned when the user authenticates successfully but does not have the required EUDR operator/trader role to call the verification service.

```
<?xml version='1.0' encoding='UTF-8'?>
<S:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
            xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
    <env:Header/>
    <S:Body>
        <S:Fault xmlns:ns3="http://www.w3.org/2003/05/soap-envelope" xmlns="">
            <faultcode>S:Client</faultcode>
            <faultstring>User does not have permission to verify declarations.</faultstring>
```

```
            <detail>
                <ns5:PermissionDeniedException
                        xmlns:ns5="http://ec.europa.eu/tracesnt/certificate/eudr/verify-declaration/v3"
                        xmlns:ns4="http://ec.europa.eu/sanco/tracesnt/error/v01"
                        xmlns="urn:un:unece:uncefact:data:standard:UnqualifiedDataType:21">
                    <ns4:Error>
                        <ns4:ID>EUDR-USER-NOT-ALLOWED</ns4:ID>
                        <ns4:Message languageID="en">Permission Denied - Action not applicable</ns4:Message>
                        <ns4:Field languageID="en"/>
                    </ns4:Error>
                </ns5:PermissionDeniedException>
            </detail>
        </S:Fault>
    </S:Body>
</S:Envelope>
```

7. Migration Guide

7.1 Migration: V3 to V4

V4 of the Verify Declaration service is a **namespace-only** change. The single `verifyDeclaration` operation, its request and response structures, and the `VerifyResultType` values (`EXISTING_USABLE` , `EXISTING_NON_USABLE` , `NON_EXISTENT`) are all unchanged from V3.

Service: `EUDRVerifyDeclarationServiceV3` → `EUDRVerifyDeclarationServiceV4`

> **Namespace rename — easy to miss**
>
> V4 does **not** simply change the version segment from `v3` to `v4` . The service namespace is also **renamed** from `verify-declaration` to `verification` . Rebinding your client requires both changes.

7.1.1 Namespace changes

Namespace	V3	V4
Verify service	`.../certificate/eudr/verify-declaration/v3`	`.../certificate/eudr/verification/v4`
EUDR common model	`.../certificate/eudr/common/v3`	`.../certificate/eudr/common/v4`

The WS-Security base header namespace (`http://ec.europa.eu/sanco/tracesnt/base/v4`) is unchanged.

7.1.2 Endpoint change

Environment	V3	V4
Production	`/tracesnt/ws/EUDRVerifyDeclarationServiceV3`	`/tracesnt/ws/EUDRVerifyDeclarationServiceV4`
Acceptance	`/tracesnt/ws/EUDRVerifyDeclarationServiceV3`	`/tracesnt/ws/EUDRVerifyDeclarationServiceV4`

7.1.3 What did not change

- The `verifyDeclaration` operation signature.
- The request fields (`referenceNumber` , `verificationNumber`).
- The response fields (`result` , `status` , `dateTime`).
- The `VerifyResultType` values and their meaning.

> **Action required**
>
> Regenerate your SOAP client bindings against the V4 WSDL and update the service namespace (`verify-declaration` → `verification`), version segment (`v3` → `v4`), common namespace (`v3` → `v4`), and endpoint URL. No payload changes are needed.

8. Troubleshooting

Common issues encountered when integrating with the EUDR SOAP API and their solutions.

8.1 WS-Security Authentication Errors

8.1.1 `InternalSystemException` SOAP fault with no further details

Symptom: The SOAP response contains only:

```
<env:Fault>
  <faultcode>env:Server</faultcode>
  <faultstring>InternalSystemException</faultstring>
</env:Fault>
```

No additional error details are returned, and no corresponding entries appear in the server-side logs.

Root cause: The request is being rejected by the WS-Security authentication layer before it reaches the business logic. The most common cause is that the Base64-encoded `PasswordDigest` and/or `Nonce` values in the WS-Security `UsernameToken` header contain extraneous whitespace characters (line breaks, spaces, or carriage returns).

Many Base64 encoding libraries wrap output lines at 76 characters by default (per RFC 2045). When these line breaks are included in the XML element values, the decoded credential no longer matches and authentication fails silently.

How to fix:

1. Inspect the raw SOAP envelope being sent over the wire (not the in-memory object, but the actual HTTP payload).
2. Verify that the `<wsse:Password>` and `<wsse:Nonce>` element values are single-line strings with no line breaks, carriage returns, or leading/trailing spaces.
3. Configure your Base64 encoder to produce single-line output without line wrapping.
4. Ensure no XML pretty-printing or formatting is applied to the Security header after construction.

Example of incorrect values (with line breaks):

```
<wsse:Password Type="...#PasswordDigest">YWJjZGVm
Z2hpamts</wsse:Password>
<wsse:Nonce EncodingType="...#Base64Binary">bm9u
Y2V2YWx1ZQ==</wsse:Nonce>
```

Example of correct values (single line, no whitespace):

```
<wsse:Password Type="...#PasswordDigest">YWJjZGVmZ2hpamts</wsse:Password>
<wsse:Nonce EncodingType="...#Base64Binary">bm9uY2V2YWx1ZQ==</wsse:Nonce>
```

> **Note**
>
> This error produces no server-side log entries because the request is rejected at the WS-Security authentication interceptor level before any business processing occurs.