

```

import { useState, useEffect } from "react";

const SUPA_URL = "https://uykdrmyvmjvqgebsmndme.supabase.co";
const SUPA_KEY = "sb_publishable__XeJxD4-15c1dbNZPH9EQ_gKFNRoH5";

async function dbInsert(table, data) {
  const r = await fetch(SUPA_URL + "/rest/v1/" + table, {
    method: "POST",
    headers: { "Content-Type": "application/json", "apikey": SUPA_KEY, "Authorization": "Bearer " + SUPA_KEY },
    body: JSON.stringify(data)
  });
  return r.json();
}

async function dbUpdate(table, data, id) {
  const r = await fetch(SUPA_URL + "/rest/v1/" + table + "?id=eq." + id, {
    method: "PATCH",
    headers: { "Content-Type": "application/json", "apikey": SUPA_KEY, "Authorization": "Bearer " + SUPA_KEY },
    body: JSON.stringify(data)
  });
  return r.json();
}

async function dbSelect(table, id) {
  const url = id ? SUPA_URL + "/rest/v1/" + table + "?id=eq." + id : SUPA_URL + "/" + table;
  const r = await fetch(url, { headers: { "apikey": SUPA_KEY, "Authorization": "Bearer " + SUPA_KEY } });
  return r.json();
}

async function uploadPhoto(file, path) {
  const r = await fetch(SUPA_URL + "/storage/v1/object/avatars/" + path, {
    method: "POST",
    headers: { "apikey": SUPA_KEY, "Authorization": "Bearer " + SUPA_KEY, "Content-Type": "image/jpeg" },
    body: file
  });
  if (!r.ok) return null;
  return SUPA_URL + "/storage/v1/object/public/avatars/" + path;
}

const WEIGHT_CLASSES = [
  "Strohgewicht (bis 52 kg)", "Leichtfliegengewicht (bis 54 kg)", "Fliegengewicht (bis 56 kg)",
  "Bantamgewicht (bis 61 kg)", "Federgewicht (bis 66 kg)", "Leichtgewicht (bis 70 kg)",
  "Halbweltergewicht (bis 77 kg)", "Weltergewicht (bis 83 kg)", "Halbmittelgewicht (bis 91 kg)",
  "Mittelgewicht (bis 93 kg)", "Halbschwergewicht (bis 100 kg)", "Cruisergewicht (bis 105 kg)",
  "Schwergewicht (bis 120 kg)", "Super-Schwergewicht (bis 125 kg)"];

```

```

    "Schwergewicht (ueber 100 kg)"
];

const STYLES = ["Boxing", "Kickboxing", "MMA", "Muay Thai", "Grappling", "BJJ", "

const FIGHTERS = [
  { id: 1, name: "Kai Mueller", age: 26, city: "Berlin", gym: "Tiger Gym Berlin",
  { id: 2, name: "Marco Reyes", age: 29, city: "Muenchen", gym: "Combat Base Muni
  { id: 3, name: "Leon Braun", age: 24, city: "Hamburg", gym: "Iron Fist HH", hei
  { id: 4, name: "Tomas Vega", age: 31, city: "Koeln", gym: "Warriors Gym Koeln",
  { id: 5, name: "Sven Koch", age: 23, city: "Frankfurt", gym: "Apex Fighting Cen
  { id: 6, name: "Darius Stein", age: 27, city: "Stuttgart", gym: "Ground Zero St
];

const GYMS = {
  "Berlin": [
    { name: "Tiger Gym Berlin", members: 142, styles: ["Boxing", "Muay Thai", "MM
    { name: "Berserker Boxing Club", members: 89, styles: ["Boxing"], rating: 4.6
    { name: "Berlin Fight Club", members: 210, styles: ["MMA", "BJJ", "Wrestling"
  ],
  "Muenchen": [
    { name: "Combat Base Munich", members: 175, styles: ["MMA", "BJJ"], rating: 4
    { name: "Xtreme Fight Academy", members: 130, styles: ["MMA", "Kickboxing"],
  ],
  "Hamburg": [
    { name: "Iron Fist HH", members: 95, styles: ["Muay Thai", "Boxing"], rating:
    { name: "Nordstern MMA", members: 118, styles: ["MMA", "Grappling"], rating:
  ],
  "Koeln": [
    { name: "Warriors Gym Koeln", members: 160, styles: ["Kickboxing", "Boxing"],
    { name: "Rhine Valley BJJ", members: 70, styles: ["BJJ", "Grappling"], rating
  ],
  "Frankfurt": [
    { name: "Apex Fighting Center", members: 200, styles: ["MMA", "Boxing", "Wres
  ],
  "Stuttgart": [
    { name: "Ground Zero Stuttgart", members: 88, styles: ["BJJ", "MMA"], rating:
    { name: "Swabia Combat Sports", members: 112, styles: ["Muay Thai", "Kickboxi
  ],
};

const TRAINERS = [
  { id: 1, name: "Freddie Roach", country: "USA", style: "Boxing", pupils: "Manny
  { id: 2, name: "Firas Zahabi", country: "Kanada", style: "MMA", pupils: "George
  { id: 3, name: "Rafael Cordeiro", country: "Brasilien", style: "Muay Thai / MMA
  { id: 4, name: "John Kavanagh", country: "Irland", style: "MMA / BJJ", pupils:
  { id: 5, name: "Trevor Wittman", country: "USA", style: "MMA / Striking", pupil

```

```

];

const SPORTS = {
  "Basketball": { color: "#e67e22", emoji: "🏀", games: [
    { id: 1, title: "Pickup Basketball", location: "Tempelhof Courts, Berlin", ti
    { id: 2, title: "3on3 Tournament", location: "Beach Courts Muenchen", time: "
  ]},
  "Tennis": { color: "#27ae60", emoji: "🎾", games: [
    { id: 1, title: "Casual Doubles", location: "TC Rot-Weiss Berlin", time: "So
    { id: 2, title: "Singles Sparring", location: "Stadtpark HH", time: "Sa 14:00
  ]},
  "Fussball": { color: "#2980b9", emoji: "⚽", games: [
    { id: 1, title: "5vs5 Hallenfussball", location: "Soccerhalle Berlin", time:
    { id: 2, title: "Sonntagskick", location: "Stadtpark Koeln", time: "So 11:00"
  ]},
  "Kampfsport": { color: "#c0392b", emoji: "🥋", games: [
    { id: 1, title: "Open Mat BJJ", location: "Tiger Gym Berlin", time: "So 11:00
    { id: 2, title: "Boxing Sparring", location: "Berserker BC", time: "Do 19:00"
  ]},
};

const SW = 80;

const css = `
@import url('https://fonts.googleapis.com/css2?family=Rajdhani:wght@600;700&fam
* { box-sizing: border-box; margin: 0; padding: 0; }
body { background: #f5f5f7; font-family: 'DM Sans', sans-serif; }
.rj { font-family: 'Rajdhani', sans-serif !important; font-weight: 700; }
@keyframes fadeUp { from { opacity: 0; transform: translateY(16px); } to { opac
@keyframes pulse { 0%,100% { transform: scale(1); } 50% { transform: scale(1.06
@keyframes spin { from { transform: rotate(0deg); } to { transform: rotate(360d
.fadeUp { animation: fadeUp 0.4s ease both; }
.spin { animation: spin 0.8s linear infinite; }
input, select { outline: none; font-family: 'DM Sans', sans-serif; }
input::placeholder { color: #aaa; }
::-webkit-scrollbar { display: none; }
`;

const RED = "#c0392b";
const LIGHT_RED = "#e74c3c";

export default function App() {
  const [screen, setScreen] = useState("setup");
  const [tab, setTab] = useState("swipe");
  const [step, setStep] = useState(1);
  const [saving, setSaving] = useState(false);
  const [msg, setMsg] = useState("");

```

```

const [profileId, setProfileId] = useState(null);

const [profile, setProfile] = useState({ name: "", age: "", city: "", gym: "",
const [stats, setStats] = useState({ wins: 0, losses: 0, draws: 0, ko: 0 });
const [avatarUrl, setAvatarUrl] = useState(null);
const [avatarPreview, setAvatarPreview] = useState(null);
const [uploading, setUploading] = useState(false);

const [cards, setCards] = useState([...FIGHTERS]);
const [drag, setDrag] = useState(false);
const [offset, setOffset] = useState({ x: 0, y: 0 });
const [start, setStart] = useState({ x: 0, y: 0 });
const [lastAct, setLastAct] = useState(null);
const [matched, setMatched] = useState(null);
const [matches, setMatches] = useState([]);
const [swStats, setSwStats] = useState({ ch: 0, de: 0 });

const [city, setCity] = useState("Berlin");
const [rankF, setRankF] = useState("All");
const [trainerF, setTrainerF] = useState("All");
const [sport, setSport] = useState("Basketball");
const [joined, setJoined] = useState({});

useEffect(() => {
  const saved = localStorage.getItem("fid");
  if (saved) { setProfileId(saved); loadProfile(saved); }
}, []);

async function loadProfile(id) {
  const data = await dbSelect("profiles", id);
  if (data && data[0]) {
    const p = data[0];
    setProfile({ name: p.name || "", age: p.age || "", city: p.city || "", gym:
    setStats({ wins: p.wins || 0, losses: p.losses || 0, draws: p.draws || 0, k
    if (p.avatar_url) { setAvatarUrl(p.avatar_url); setAvatarPreview(p.avatar_u
    setScreen("main");
  }
}

async function saveProfile() {
  setSaving(true);
  const d = { name: profile.name, age: parseInt(profile.age) || null, city: pro
  try {
    if (profileId) {
      await dbUpdate("profiles", d, profileId);
      showMsg("Gespeichert!");
    } else {

```

```

        const result = await dbInsert("profiles", d);
        if (result && result[0] && result[0].id) {
            setProfileId(result[0].id);
            localStorage.setItem("fid", result[0].id);
            showMsg("Profil erstellt!");
        }
    }
} catch (e) {
    showMsg("Fehler beim Speichern");
}
setSaving(false);
}

async function handlePhoto(e) {
    const file = e.target.files[0];
    if (!file) return;
    setUploading(true);
    setAvatarPreview(URL.createObjectURL(file));
    const path = "fighter_" + Date.now() + "_" + file.name.replace(/^[a-z0-9.]/gi
    const url = await uploadPhoto(file, path);
    if (url) { setAvatarUrl(url); showMsg("Foto hochgeladen!"); }
    else showMsg("Foto-Upload fehlgeschlagen");
    setUploading(false);
}

function showMsg(text) {
    setMsg(text);
    setTimeout(() => setMsg(""), 3000);
}

const top = cards[cards.length - 1];

function dragStart(e) {
    const p = e.touches ? e.touches[0] : e;
    setStart({ x: p.clientX, y: p.clientY });
    setDrag(true);
}

function dragMove(e) {
    if (!drag) return;
    const p = e.touches ? e.touches[0] : e;
    setOffset({ x: p.clientX - start.x, y: p.clientY - start.y });
}

function dragEnd() {
    if (!drag) return;
    setDrag(false);
    if (offset.x > SW) doSwipe("ch");
    else if (offset.x < -SW) doSwipe("de");
}

```

```

    else setOffset({ x: 0, y: 0 });
}
function doSwipe(dir) {
  if (!top) return;
  setLastAct(dir);
  setOffset({ x: 0, y: 0 });
  if (dir === "ch") {
    setSwStats(s => ({ ...s, ch: s.ch + 1 }));
    if (Math.random() < 0.45) setTimeout(() => { setMatched(top); setMatches(m
  } else {
    setSwStats(s => ({ ...s, de: s.de + 1 }));
  }
  setTimeout(() => { setCards(prev => prev.slice(0, -1)); setLastAct(null); },
}

const rot = (offset.x / 14).toFixed(1);
const fop = Math.min(offset.x / SW, 1);
const pop = Math.min(-offset.x / SW, 1);
const cStyle = drag
  ? { transform: "translateX(" + offset.x + "px) translateY(" + (offset.y * 0.2
    : lastAct === "ch"
  ? { transform: "translateX(140%) rotate(18deg)", transition: "transform 0.26s
    : lastAct === "de"
  ? { transform: "translateX(-140%) rotate(-18deg)", transition: "transform 0.2
    : { transform: "translateX(0) rotate(0deg)", transition: "transform 0.35s cub

function canGo() {
  if (step === 1) return profile.name && profile.age && profile.city;
  if (step === 2) return profile.gym && profile.style;
  if (step === 3) return profile.height && profile.weight && profile.weightClas
  return true;
}

const tf = stats.wins + stats.losses + stats.draws;
const wr = tf > 0 ? Math.round((stats.wins / tf) * 100) : 0;
const kr = stats.wins > 0 ? Math.round((stats.ko / stats.wins) * 100) : 0;

const allF = profile.name
  ? [{ id: 0, name: profile.name, age: profile.age, city: profile.city, gym: pr
    .concat(FIGHTERS)
  : FIGHTERS;

const ranked = [...allF]
  .filter(f => rankF === "All" || f.style === rankF)
  .sort((a, b) => (b.wins * 3 - b.losses * 2 + b.draws) - (a.wins * 3 - a.losse

const trStyles = ["All", "Boxing", "MMA", "Muay Thai", "BJJ"];

```

```

const filteredT = TRAINERS.filter(t => trainerF === "All" || t.style.includes(t

// SETUP SCREEN
if (screen === "setup") {
  return (
    <div style={{ minHeight: "100vh", background: "#f5f5f7", display: "flex", f
      <style>{css}</style>
      <div style={{ width: "100%", maxWidth: 420, padding: "32px 24px 0", textA
        <div className="rj fadeUp" style={{ fontSize: 64, color: "#1a1a1a", let
          <div style={{ color: RED, fontSize: 11, letterSpacing: 7, marginTop: 5,
        </div>
      </div>
      <div style={{ display: "flex", gap: 8, marginTop: 22 }}>
        {[1, 2, 3].map(s => <div key={s} style={{ width: s === step ? 32 : 10,
      </div>
    <div style={{ width: "100%", maxWidth: 380, padding: "22px 20px 0" }}>
      {step === 1 && (
        <div style={{ display: "flex", flexDirection: "column", gap: 13 }}>
          <div style={{ display: "flex", justifyContent: "center", marginBott
            <label style={{ cursor: "pointer", textAlign: "center" }}>
              <input type="file" accept="image/*" onChange={handlePhoto} styl
              <div style={{ width: 88, height: 88, borderRadius: "50%", backg
                {uploading ? <div style={{ fontSize: 24 }} className="spin">
                  : avatarPreview ? <img src={avatarPreview} style={{ width:
                  : <div style={{ textAlign: "center" }}><div style={{ fontSi
                </div>
              <div style={{ color: RED, fontSize: 11, marginTop: 6, fontWeigh
            </label>
          </div>
          <Lbl>Dein Name</Lbl><Inp placeholder="z.B. Max Mueller" value={prof
          <Lbl>Alter</Lbl><Inp placeholder="z.B. 25" type="number" value={pro
          <Lbl>Standort</Lbl><Inp placeholder="z.B. Berlin" value={profile.ci
        </div>
      )}
    {step === 2 && (
      <div style={{ display: "flex", flexDirection: "column", gap: 13 }}>
        <Lbl>Dein Gym</Lbl><Inp placeholder="z.B. Tiger Gym Berlin" value={
        <Lbl>Ueber dich</Lbl><Inp placeholder="z.B. 5 Jahre Boxing Erfahrun
        <Lbl>Kampfstil</Lbl>
        <div style={{ display: "flex", flexWrap: "wrap", gap: 7 }}>
          {STYLES.map(s => (
            <button key={s} onClick={() => setProfile(p => ({ ...p, style:
              style={{ padding: "7px 13px", borderRadius: 4, border: "1px s
              {s}
            </button>
          )})
        </div>
      </div>
    </div>
  )

```

```

    })
    {step === 3 && (
      <div style={{ display: "flex", flexDirection: "column", gap: 13 }}>
        <div style={{ display: "flex", gap: 11 }}>
          <div style={{ flex: 1 }}><Lbl>Groesse (cm)</Lbl><Inp placeholder=
            <div style={{ flex: 1 }}><Lbl>Kampfgewicht (kg)</Lbl><Inp placeho
          </div>
          <Lbl>Gewichtsklasse</Lbl>
          <select value={profile.weightClass} onChange={e => setProfile(p =>
            style={{ background: "#fff", border: "1px solid #ddd", borderRadi
            <option value="">Gewichtsklasse waehlen</option>
            {WEIGHT_CLASSES.map(w => <option key={w} value={w}>{w}</option>)}
          </select>
          <Lbl>Kampferekord (optional)</Lbl>
          <div style={{ display: "flex", gap: 7 }}>
            {[["wins", "SIEGE", "#27ae60"], ["losses", "NIEDER", RED], ["draw
              <div key={key} style={{ flex: 1, textAlign: "center" }}>
                <div style={{ color: color, fontSize: 9, letterSpacing: 1, ma
                  <input type="number" min="0" value={stats[key]} onChange={e =
                    style={{ width: "100%", background: "#fff", border: "1px so
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    );
  }

// MAIN APP
const tabs = [
  ["swipe", "👉", "FIGHT"],
  ["stats", "📊", "STATS"],
  ["gyms", "🏋️",
    return (
      <div style={{ minHeight: "100vh", background: "#f5f5f7", fontFamily: "'DM San
        onMouseMove={dragMove} onMouseUp={dragEnd} onTouchMove={dragMove} onTouchEn
        <style>{css}</style>

        {msg && <div style={{ position: "fixed", top: 60, left: "50%", transform: "

```



```

<div style={{ display: "flex", justifyContent: "space-between", alignItems:
  <div style={{ color: "#999", fontSize: 11, fontWeight: 600 }}>Abgelehnt:
  <div className="rj" style={{ fontSize: 28, color: "#1a1a1a", letterSpacing:
  <div style={{ color: RED, fontSize: 11, fontWeight: 600 }}>Challenges: {s
</div>

```

```

<div style={{ flex: 1, overflowY: "auto", paddingBottom: 65 }}>

```

```

  { /* SWIPE */ }

```

```

  { tab === "swipe" && (

```

```

    <div style={{ display: "flex", flexDirection: "column", alignItems: "center"
      <div style={{ width: "calc(100% - 24px)", maxWidth: 380, margin: "0 0"
        {avatarPreview
          ? <img src={avatarPreview} style={{ width: 36, height: 36, border:
            : <div style={{ fontSize: 20, width: 36, height: 36, borderRadius
          <div style={{ flex: 1 }}>
            <div style={{ color: "#1a1a1a", fontWeight: 700, fontSize: 13 }}>
            <div style={{ color: RED, fontSize: 11, marginTop: 1 }}>{profile.
          </div>
            <div style={{ color: "#aaa", fontSize: 10, textAlign: "right" }}>{p
          </div>

```

```

    <div style={{ position: "relative", width: 330, height: 430, flexShrink: 1
      {cards.length === 0 ? (

```

```

        <div style={{ width: "100%", height: "100%", borderRadius: 16, background:
          <div style={{ fontSize: 46 }}><img alt="trophy icon" data-bbox="578 525 598 542"/></div>
          <div className="rj" style={{ color: "#1a1a1a", fontSize: 24, letterSpacing:
          <button onClick={() => { setCards([...FIGHTERS]); setSwStats({
            style={{ marginTop: 6, padding: "9px 22px", borderRadius: 6,
              Nochmal
            </button>
          </div>

```

```

        ) : cards.map((f, idx) => {
          const isTop = idx === cards.length - 1;
          const isSec = idx === cards.length - 2;
          return (
            <div key={f.id}
              onMouseDown={isTop ? dragStart : undefined}
              onTouchStart={isTop ? dragStart : undefined}
              style={{ position: "absolute", inset: 0, borderRadius: 16, background:
                <div style={{ height: 3, background: "linear-gradient(90deg,
                  {isTop && (
                    <>
                      <div style={{ position: "absolute", top: 18, left: 16, background:
                        <div style={{ position: "absolute", top: 18, right: 16, background:
                      </div>
                    </>
                  )}
                )}
          )}

```

```

<div style={{ flex: 1, display: "flex", flexDirection: "column" }}
  <div style={{ fontSize: 72 }}>{f.emoji}</div>
  <div style={{ marginTop: 9, display: "flex", gap: 11 }}>
    {[{ v: f.wins, l: "SIEGE", c: "#27ae60" }, { v: f.losses,
      <div key={l} style={{ textAlign: "center" }}><div class
        )}]
    </div>
  </div>
</div>
<div style={{ padding: "10px 14px 14px", background: "#fafafa" }}
  <div style={{ display: "flex", justifyContent: "space-between" }}
    <div>
      <div className="rj" style={{ color: "#1a1a1a", fontSize: 14 }}>
        <div style={{ color: f.accent, fontSize: 11, fontWeight: "bold" }}>
          </div>
        <div style={{ textAlign: "right" }}>
          <div style={{ color: "#aaa", fontSize: 11 }}>{f.height}</div>
          <div style={{ color: "#aaa", fontSize: 11 }}>{f.weight}</div>
        </div>
      </div>
      <div style={{ marginTop: 6, display: "flex", gap: 4, flexWrap: "wrap" }}
        <Tag text={`📍 ` + f.city} /><Tag text={`🏋️ ` + f.gym} />
      </div>
    </div>
  </div>
</div>
);
}}
</div>

{cards.length > 0 && (
  <div style={{ display: "flex", gap: 16, alignItems: "center", margin: 10 }}
    <Btn onClick={() => doSwipe("de")} color={RED} icon="x" size={54} />
    <Btn onClick={() => doSwipe("ch")} color="#27ae60" icon="✂️" size={54} />
    <Btn onClick={() => doSwipe("de")} color="#d4a017" icon="★" size={54} />
  </div>
)

(matches.length > 0 && (
  <div style={{ marginTop: 11, width: "calc(100% - 24px)", maxWidth: 300px }}
    <div style={{ color: "#bbb", fontSize: 9, letterSpacing: 2, margin: 0 }}>
      <div style={{ display: "flex", gap: 7, overflowX: "auto" }}
        {matches.map(f => (
          <div key={f.id} style={{ textAlign: "center", flexShrink: 0 }}
            <div style={{ width: 42, height: 42, borderRadius: 6, background: f.color }}
              <div style={{ color: "#999", fontSize: 9, marginTop: 2 }}>{f.name}</div>
            </div>
          </div>
        ))}
      </div>
    </div>
  </div>
)

```

```

        </div>
    ))
</div>
))

{/* STATS */}
{tab === "stats" && (
    <div style={{ padding: "10px 13px 16px", maxWidth: 420, margin: "0 auto"
        <div style={{ background: "#fff", borderRadius: 14, padding: "16px",
            <div style={{ position: "relative", display: "inline-block", margin
                <label style={{ cursor: "pointer" }}>
                    <input type="file" accept="image/*" onChange={handlePhoto} styl
                <div style={{ width: 80, height: 80, borderRadius: "50%", backg
                    {uploading ? <div style={{ fontSize: 24 }} className="spin">
                        : avatarPreview ? <img src={avatarPreview} style={{ width:
                            : <div style={{ fontSize: 32 }}><img alt="user icon" data-bbox="635 335 655 350"/></div>
                    </div>
                <div style={{ position: "absolute", bottom: 0, right: 0, backgr
                </label>
            </div>
        <div className="rj" style={{ color: "#1a1a1a", fontSize: 24, letter
            <div style={{ color: RED, fontSize: 13, fontWeight: 600, marginTop:
            <div style={{ color: "#999", fontSize: 11, marginTop: 3 }}><img alt="location pin" data-bbox="820 465 835 480"/> {prof
                {profile.bio && <div style={{ color: "#aaa", fontSize: 12, marginTo
            </div>

    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr", ga
        {[["SIEGE", stats.wins, "#27ae60"], ["NIEDERLAGEN", stats.losses, R
            <div key={label} style={{ background: "#fff", borderRadius: 11, p
                <div className="rj" style={{ color: color, fontSize: 36, lineHe
                    <div style={{ color: "#bbb", fontSize: 8, letterSpacing: 1, mar
                </div>
            )})
        </div>

    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 7
        {[["KO / TKO", stats.ko, RED, "KO-Rate: " + kr + "%", kr], ["SIEGRA
            <div key={label} style={{ background: "#fff", borderRadius: 11, p
                <div style={{ color: "#bbb", fontSize: 9, letterSpacing: 2 }}>{
                    <div className="rj" style={{ color: color, fontSize: 30, margin
                        <div style={{ color: "#ccc", fontSize: 10, marginTop: 2 }}>{sub
                            <div style={{ marginTop: 6, height: 3, background: "#f0f0f0", b
                                <div style={{ height: "100%", width: pct + "%", background: "
                            </div>
                        </div>
                    </div>
                )})
            </div>
        )})
    </div>

```

```

<div style={{ background: "#fff", borderRadius: 11, padding: "13px",
  <div style={{ color: "#ccc", fontSize: 9, letterSpacing: 2, marginB
    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr 1f
      [[["wins", "SIEGE", "#27ae60"], ["losses", "NIEDER", RED], ["draw
        <div key={key} style={{ textAlign: "center" }}>
          <div style={{ color: "#ccc", fontSize: 8, marginBottom: 3 }}>
            <button onClick={() => setStats(s => ({ ...s, [key]: s[key] +
              <div className="rj" style={{ color: color, fontSize: 20 }}>{s
                <button onClick={() => setStats(s => ({ ...s, [key]: Math.max
                  </div>
                )}}
              </div>
            </div>
          </div>

    <button onClick={saveProfile} disabled={saving}
      style={{ width: "100%", padding: "14px", borderRadius: 10, backgrou
        {saving ? "Speichern..." : "Profil speichern"}
      </button>
    </div>
  )}

  { /* GYMS */ }
  { tab === "gyms" && (
    <div style={{ padding: "10px 13px 16px", maxWidth: 420, margin: "0 auto
      <div className="rj" style={{ color: "#1a1a1a", fontSize: 22, letterSp
        <div style={{ display: "flex", gap: 6, overflowX: "auto", paddingBott
          {Object.keys(GYMS).map(c => (
            <button key={c} onClick={() => setCity(c)}
              style={{ flexShrink: 0, padding: "6px 13px", borderRadius: 20,
                {c}
              </button>
            )}}
          </div>
        <div style={{ display: "flex", flexDirection: "column", gap: 8 }}>
          {GYMS[city].map((gym, i) => (
            <div key={i} style={{ background: "#fff", borderRadius: 12, paddi
              <div style={{ display: "flex", gap: 11, alignItems: "flex-start
                <div style={{ width: 46, height: 46, borderRadius: 9, backgro
                  <div style={{ flex: 1 }}>
                    <div style={{ color: "#1a1a1a", fontWeight: 700, fontSize:
                      <div style={{ color: "#888", fontSize: 11, marginTop: 1 }}>
                        <div style={{ display: "flex", gap: 4, marginTop: 6, flexWr
                          {gym.styles.map(s => <Tag key={s} text={s} accent={RED} /
                        </div>
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    )}
  )}

```

```

    <div style={{ marginTop: 9, display: "flex", justifyContent: "s
      <div style={{ color: "#888", fontSize: 12 }}>👥 {gym.members}
      <div style={{ display: "flex", alignItems: "center", gap: 3 }
    </div>
    <div style={{ marginTop: 6, height: 3, background: "#f0f0f0", b
      <div style={{ height: "100%", width: ((gym.rating - 4) / 1 *
    </div>
  </div>
  )))
</div>
</div>
})

{/* RANKING */}
{tab === "ranking" && (
  <div style={{ padding: "10px 13px 16px", maxWidth: 420, margin: "0 auto
    <div className="rj" style={{ color: "#1a1a1a", fontSize: 22, letterSpacing
    <div style={{ display: "flex", gap: 5, overflowX: "auto", paddingBott
      [{"All", ...STYLES].map(s => (
        <button key={s} onClick={() => setRankF(s)}
          style={{ flexShrink: 0, padding: "5px 11px", borderRadius: 16,
            {s === "All" ? "Alle" : s}
        </button>
      )))
    </div>

    {ranked.length >= 3 && (
      <div style={{ display: "flex", alignItems: "flex-end", gap: 5, marg
        {[ranked[1], ranked[0], ranked[2]].map((f, i) => {
          const heights = [96, 118, 80];
          const places = [2, 1, 3];
          const colors = ["#95a5a6", "#d4a017", "#cd7f32"];
          const isFirst = i === 1;
          return (
            <div key={f.id} style={{ flex: 1, maxWidth: 105, display: "fl
              {isFirst && <div style={{ fontSize: 26, marginBottom: 2 }}>
                {f.avatarUrl
                  ? <img src={f.avatarUrl} style={{ width: isFirst ? 44 : 3
                    : !isFirst && <div style={{ fontSize: 22, marginBottom: 2
                      <div style={{ color: f.isMe ? RED : "#1a1a1a", fontSize: 11
                        <div style={{ color: "#aaa", fontSize: 9 }}>{f.wins}W-{f.lo
                          <div style={{ width: "100%", height: heights[i], background
                            <div className="rj" style={{ color: colors[i], fontSize:
                          </div>
                        </div>
                      </div>
                    );
                  )))
                )))
            </div>
          )
        })
      )
    )
  )
}

```

```

    </div>
  )}

<div style={{ display: "flex", flexDirection: "column", gap: 5 }}>
  {ranked.map((f, i) => {
    const score = f.wins * 3 - f.losses * 2 + f.draws;
    const rc = ["#d4a017", "#95a5a6", "#cd7f32"];
    return (
      <div key={f.id} style={{ background: f.isMe ? "#fdf0ef" : "#fff" }}>
        <div className="rj" style={{ color: i < 3 ? rc[i] : "#bbb", font: {f.avatarUrl
          ? <img src={f.avatarUrl} style={{ width: 32, height: 32, bo
            : <div style={{ fontSize: 22 }}>{f.emoji}</div>
          <div style={{ flex: 1 }}>
            <div style={{ display: "flex", alignItems: "center", gap: 4 }}>
              <div style={{ color: f.isMe ? RED : "#1a1a1a", fontWeight
                {f.isMe && <div style={{ background: "#fdf0ef", border: "
              </div>
              <div style={{ color: "#aaa", fontSize: 10, marginTop: 1 }}>
            </div>
            <div style={{ textAlign: "right" }}>
              <div style={{ display: "flex", gap: 4, fontSize: 11, justif
                <span style={{ color: "#27ae60" }}>{f.wins}W</span>
                <span style={{ color: RED }}>{f.losses}L</span>
                <span style={{ color: "#d4a017" }}>{f.draws}D</span>
              </div>
              <div style={{ color: RED, fontSize: 10, marginTop: 1 }}>{sc
            </div>
          </div>
        </div>
      );
    )}}
  </div>
  <div style={{ color: "#ddd", fontSize: 9, textAlign: "center", margin
</div>
)}

{/* TRAINER */}
{tab === "trainer" && (
  <div style={{ padding: "10px 13px 16px", maxWidth: 420, margin: "0 auto" }}>
    <div className="rj" style={{ color: "#1a1a1a", fontSize: 22, letterSp
    <div style={{ color: "#888", fontSize: 12, marginBottom: 11 }}>Die be
    <div style={{ display: "flex", gap: 5, overflowX: "auto", paddingBott
      {trStyles.map(s => (
        <button key={s} onClick={() => setTrainerF(s)}
          style={{ flexShrink: 0, padding: "5px 11px", borderRadius: 16,
            {s === "All" ? "Alle" : s}
        </button>
      )}
    )}
  )}

```

```

    )))
  </div>
  <div style={{ display: "flex", flexDirection: "column", gap: 10 }}>
    {filteredT.map((t, i) => (
      <div key={t.id} style={{ background: "#fff", borderRadius: 13, bo
        <div style={{ height: 3, background: "linear-gradient(90deg, "
        <div style={{ padding: "14px" }}>
          <div style={{ display: "flex", gap: 12, alignItems: "flex-sta
            <div style={{ position: "relative", flexShrink: 0 }}>
              <div style={{ width: 56, height: 56, borderRadius: 12, ba
                <div style={{ position: "absolute", bottom: -5, right: -5
                  <div className="rj" style={{ color: i < 3 ? "#fff" : "#
                    </div>
                  </div>
                </div>
              <div style={{ flex: 1 }}>
                <div style={{ display: "flex", justifyContent: "space-bet
                  <div>
                    <div style={{ color: "#1a1a1a", fontWeight: 700, font
                      <div style={{ color: t.accent, fontSize: 11, fontWeig
                        </div>
                    </div>
                    <div style={{ textAlign: "right" }}>
                      <div style={{ display: "flex", alignItems: "center",
                        <div style={{ color: "#aaa", fontSize: 10 }}>{t.exp}
                      </div>
                    </div>
                  </div>
                <div style={{ color: "#888", fontSize: 11, marginTop: 2 }
                  </div>
                </div>
              <div style={{ marginTop: 9, color: "#666", fontSize: 12, bord
                <div style={{ marginTop: 8, background: "#f8f8f8", borderRadi
                  <div style={{ color: "#aaa", fontSize: 9, letterSpacing: 1,
                    <div style={{ color: "#666", fontSize: 12, fontWeight: 600
                      </div>
                  </div>
                <div style={{ marginTop: 8, height: 3, background: "#f0f0f0",
                  <div style={{ height: "100%", width: (t.rating / 10 * 100)
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    ))}
  </div>
</div>
))

{/* SPORTS */}
{tab === "sports" && (
  <div style={{ padding: "10px 13px 16px", maxWidth: 420, margin: "0 auto
    <div className="rj" style={{ color: "#1a1a1a", fontSize: 22, letterSp

```

```

<div style={{ color: "#888", fontSize: 12, marginBottom: 11 }}>Finde
<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 7
  {Object.keys(SPORTS).map(s => {
    const { color, emoji } = SPORTS[s];
    const sel = sport === s;
    return (
      <button key={s} onClick={() => setSport(s)}
        style={{ padding: "12px 10px", borderRadius: 11, background:
          <div style={{ fontSize: 22, marginBottom: 4 }}>{emoji}</div>
          <div style={{ color: sel ? color : "#555", fontWeight: 700, f
            <div style={{ color: "#bbb", fontSize: 10, marginTop: 2 }}>{S
          </div>
        </button>
      );
    )}}
  )}}
</div>
<div style={{ display: "flex", flexDirection: "column", gap: 9 }}>
  {SPORTS[sport].games.map(game => {
    const { color } = SPORTS[sport];
    const pct = (game.cur / game.max) * 100;
    const full = game.cur >= game.max;
    const key = sport + game.id;
    const isJoined = joined[key];
    return (
      <div key={game.id} style={{ background: "#fff", borderRadius: 1
        <div style={{ height: 2, background: "linear-gradient(90deg,
          <div style={{ padding: "13px" }}>
            <div style={{ display: "flex", justifyContent: "space-betwe
              <div>
                <div style={{ color: "#1a1a1a", fontWeight: 700, fontSi
                  <div style={{ color: "#888", fontSize: 11 }}>📍 {game.l
                </div>
              </div>
                <div style={{ background: color + "18", border: "1px soli
                  <div style={{ color: color, fontSize: 11, fontWeight: 7
                </div>
              </div>
            </div>
          <div style={{ display: "flex", justifyContent: "space-betwe
            <div style={{ display: "flex", gap: 10 }}>
              <div style={{ color: "#888", fontSize: 11 }}>🕒 {game.t
              <div style={{ color: "#888", fontSize: 11 }}>👤 {game.h
            </div>
          <div style={{ color: full ? RED : color, fontSize: 11, fo
        </div>
      <div style={{ height: 4, background: "#f0f0f0", borderRadiu
        <div style={{ height: "100%", width: pct + "%", backgroun
      </div>
      <button onClick={() => setJoined(j => ({ ...j, [key]: !j[ke
        style={{ width: "100%", padding: "10px", borderRadius: 8,

```



```

        {isJoined ? "Beigetreten" : full ? "Ausgebucht" : "Mitmac
      </button>
    </div>
  </div>
  );
  }}}
</div>
</div>
  )}
</div>

{/* Bottom Nav */}
<div style={{ position: "fixed", bottom: 0, left: 0, right: 0, background:
  {tabs.map(([id, icon, label]) => (
    <button key={id} onClick={() => setTab(id)}
      style={{ flex: 1, display: "flex", flexDirection: "column", alignItems
    <div style={{ fontSize: 15, opacity: tab === id ? 1 : 0.4 }}>{icon}</
    <div style={{ color: tab === id ? RED : "#aaa", fontSize: 9, fontFami
  </button>
  )}}
</div>

{/* Match Modal */}
{matched && (
  <div onClick={() => setMatched(null)} style={{ position: "fixed", inset:
    <div className="rj" style={{ color: RED, fontSize: 12, letterSpacing: 8
    <div className="rj" style={{ fontSize: 46, color: "#fff", letterSpacing
    <div style={{ fontSize: 52 }}>{matched.emoji}</div>
    <div className="rj" style={{ color: "#fff", fontSize: 24, letterSpacing
    <div style={{ color: matched.accent, fontSize: 12, fontWeight: 700 }}>{
    <div style={{ color: "#aaa", fontSize: 11 }}>{matched.gym}, {matched.ci
    <button style={{ marginTop: 5, padding: "11px 26px", borderRadius: 6, b
      Fight anfordern
    </button>
    <div style={{ color: "#555", fontSize: 10 }}>Tippen zum Schliessen</div
  </div>
  )}
</div>
  );
}

function Lbl({ children }) {
  return <div style={{ color: "#555", fontSize: 11, fontWeight: 600, letterSpacin
}

function Inp({ placeholder, value, onChange, type = "text" }) {
  return (

```

```

    <input
      type={type}
      placeholder={placeholder}
      value={value}
      onChange={e => onChange(e.target.value)}
      style={{ width: "100%", background: "#fff", border: "1px solid #e0e0e0", bo
      onFocus={e => e.target.style.borderColor = "#c0392b"}
      onBlur={e => e.target.style.borderColor = "#e0e0e0"}
    />
  );
}

function Tag({ text, accent }) {
  return (
    <div style={{ padding: "2px 7px", borderRadius: 3, background: accent ? accen
      {text}
    </div>
  );
}

function Btn({ onClick, color, icon, size, primary, label }) {
  const [h, setH] = useState(false);
  return (
    <button
      onClick={onClick}
      onMouseEnter={() => setH(true)}
      onMouseLeave={() => setH(false)}
      style={{ width: size, height: size, borderRadius: primary ? 11 : "50%", bac
      {icon}
      {primary && <div style={{ color: "#fff", fontFamily: "'Rajdhani', sans-seri
    </button>
  );
}

```