

Module 3: IAM Users Assignment - 1

- By Mohammad Golam Ishaque

1. Problem Statement

XYZ Corporation needs to maintain the security of its AWS account and resources. To achieve this, the company has been asked to implement an IAM solution that allows users to be easily identified, organized, and monitored based on their roles and responsibilities.

2. Tasks to Be Performed

The task is to create four IAM users and two IAM groups, then assign users to the appropriate groups.


- Create four IAM users: Dev1, Dev2, Test1 and Test2.
- Create two IAM groups: Dev Team and Ops Team.
- Add Dev1 and Dev2 to the Dev Team.
- Add Dev1, Test1 and Test2 to the Ops Team.

3. Create the IAM User Groups

Dev_Team

A user group named Dev_Team was created. The group was initially created without users or attached permissions.

IAM Console → IAM user groups → Create user group






Figure – Created the Dev_Team IAM user group

Ops_Team

A second user group named Ops_Team was created using the same IAM User Groups workflow.





Figure – Created Ops_Team IAM user group

Verify the Groups

After creation, the IAM User Groups list displayed both Dev_Team and Ops_Team. At this stage the groups existed, but no permissions had yet been defined.




Figure – IAM User Groups list showing Dev_Team and Ops_Team

4. Created IAM Users and associated with Groups

IAM users were then created and associated with the appropriate groups. The screenshots show users such as Dev1, Dev2, Test1, and Test2 and their group memberships.

IAM Console → IAM user groups → Create user group

Dev1




Figure – IAM user Dev1 created and associated with Dev_Team and Ops_Team

The screenshot shows the 'Specify user details' step in the AWS IAM console. The user name 'Dev2' is entered in the text field. Below the field, a note states: 'The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)'. There is an unchecked checkbox for 'Provide user access to the AWS Management Console - optional'. A blue information box at the bottom contains a tip about generating credentials for programmatic access. The 'Next' button is highlighted in orange.

Step 1
● **Specify user details**
○ Step 2
○ Set permissions
○ Step 3
○ Review and create

Specify user details

User details

User name

Dev2

The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)

☐ **Provide user access to the AWS Management Console - optional**
In addition to console access, users with `SignInLocalDevelopmentAccess` permissions can use the same console credentials for programmatic access without the need for access keys.

Info If you are creating programmatic access through access keys or service-specific credentials for AWS CodeCommit or Amazon Keyspaces, you can generate them after you create this IAM user. [Learn more](#)

Cancel Next

The screenshot shows the 'Set permissions' step in the AWS IAM console. The 'Add user to group' option is selected under 'Permissions options'. Below, the 'User groups' table shows 'Dev_Team' selected. The 'Next' button is highlighted in orange.

Step 1
○ Specify user details
● **Set permissions**
○ Step 3
○ Review and create

Set permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. [Learn more](#)

Permissions options

☒ **Add user to group**
Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

☐ **Copy permissions**
Copy all group memberships, attached managed policies, and inline policies from an existing user.

☐ **Attach policies directly**
Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

User groups (1/2) [Refresh](#) [Create group](#)

☐	Group name	Users	Attached policie...	Created
☒	Dev_Team	0	-	2026-09-1...
☐	Ops_Team	0	-	2026-09-1...

Set permissions boundary - optional

Cancel Previous Next

Figure – IAM user Dev2 created and associated with Dev_Team

Test1





Figure – IAM user Test1 created and associated with Ops_Team

Test2






Figure – IAM user Test2 created and associated with Ops_Team

5. Verifications




Figure - Dev1, Dev2, Test1, Test2 users are created




Fig - Groups - Dev_Team and Ops_Team




Fig - Dev_Team → Dev1, Dev2

aws

Search

[Alt+S]

Global

gmail.com (430776404757)

gmail.com

EC2

EFS

Directory Service

FSx

IAM

IAM user groups

Ops_Team

Ops_Team

Info

Delete

Summary

Edit

User group name

Ops_Team

Creation time

September 13, 2026, 11:36 (UTC+05:30)

ARN

arn:aws:iam::430776404757:group/Ops_Team

Users (3)

Permissions

Access Advisor

Users in this group (3)

Remove

Add users

An IAM user is an entity that you create in AWS to represent the person or application that uses it to interact with AWS.

Search

< 1 >

☐

User name

Groups

Last activity

Creation time

☐

Dev1

None

4 minutes ago

☐

Test1

None

1 minute ago

☐

Test2

None

Now

Figure - Ops_Team → Dev1, Test1, Test2