


Module 3: CloudWatch Dashboard Assignment

- By Mohammad Golam Ishaque Barbhuiya


Objective: To create a CloudWatch dashboard to monitor the CPU utilization and network activity of a particular EC2 instance for XYZ corporation.

Instance: An Instance mgia_instance created with instance id : i-0e168ccb91829cb71



Steps Performed :

1. Opened Amazon CloudWatch




2. Created a Dashboard


- **Dashboards** was selected from the left navigation pane.



- **Create dashboard** was clicked.




- The dashboard was named **mgia-dashboard** and successfully created.




3. Added the CPU Utilization Widget


- **Add widget** was selected.
- **CloudWatch** → **Metrics** → **Metrics Console** was selected.
- The **Line** widget type was selected. **Next** was clicked.



- Filtered using instance id **i-0e168cb91829cb71**
- **EC2** → **Per-Instance Metrics** was selected.




- The required EC2 instance was selected: **i-0e168ccb91829cb71** and the **CPUUtilization** metric was selected.



	Instance name 22/22	Instanceid	Metric name	Alarms
☐	mgia_instance	i-0e168ccb91829c...	EBSIOBalance% ⓘ	No alarms
☐	mgia_instance	i-0e168ccb91829c...	EBSByteBalance% ⓘ	No alarms
☐	mgia_instance	i-0e168ccb91829c...	InstanceEBSIOPSExceededCheck ⓘ	No alarms
☐	mgia_instance	i-0e168ccb91829c...	InstanceEBSThroughputExceededCheck ⓘ	No alarms
☐	mgia_instance	i-0e168ccb91829c...	EBSReadOps ⓘ	No alarms
☐	mgia_instance	i-0e168ccb91829c...	EBSWriteBytes ⓘ	No alarms
☒	mgia_instance	i-0e168ccb91829c...	CPUUtilization ⓘ	No alarms

- The widget was created and added to the dashboard.




4. Added the Network Monitoring Widget


- Repeating the previous steps, **Add widget** was selected.
- **CloudWatch** → **Metrics** → **Metrics Console** was selected.
- The **Line** widget type was selected. **Next** was clicked.
- **Filtered using instance id** **i-0e168ccb91829cb71**
- **EC2** → **Per-Instance Metrics** was selected.

Now for **Network Monitoring Widget**

- Both **NetworkIn** and **NetworkOut** metrics were selected.
- The widget was renamed **EC2 Network Traffic**.



	Instance name 22/22	InstanceId	Metric name
☐	mgia_instance	i-0e168ccb91829c...	EBSIOPBalance% ⓘ
☐	mgia_instance	i-0e168ccb91829c...	EBSByteBalance% ⓘ
☐	mgia_instance	i-0e168ccb91829c...	InstanceEBSIOPSExceededCheck ⓘ
☐	mgia_instance	i-0e168ccb91829c...	InstanceEBSThroughputExceededCheck ⓘ
☐	mgia_instance	i-0e168ccb91829c...	CPUCreditUsage ⓘ
☐	mgia_instance	i-0e168ccb91829c...	CPUCreditBalance ⓘ
☐	mgia_instance	i-0e168ccb91829c...	CPUCreditUsage ⓘ
☐	mgia_instance	i-0e168ccb91829c...	CPUCreditBalance ⓘ
☐	mgia_instance	i-0e168ccb91829c...	CPUCreditUsage ⓘ
☒	mgia_instance	i-0e168ccb91829c...	NetworkIn ⓘ
☐	mgia_instance	i-0e168ccb91829c...	NetworkPacketsIn ⓘ
☒	mgia_instance	i-0e168ccb91829c...	NetworkOut ⓘ




Rename Widget ✕

EC2 Network Traffic

Cancel Apply

5. Saved the Dashboard

- The widgets were arranged on the dashboard.
- The dashboard was saved successfully.



Result

The CloudWatch dashboard was configured to monitor the selected EC2 instance's:

- CPUUtilization — CPU usage
- NetworkIn — incoming network traffic
- NetworkOut — outgoing network traffic