## Mateusz Gajda

#### TASK 01- Internet Basics

# 1) Register

URL: <a href="https://shoes-shop-strapi.herokuapp.com/api/auth/local/register">https://shoes-shop-strapi.herokuapp.com/api/auth/local/register</a>

```
Body:
{

"username": "mgajda",

"email": "mateuszjacekgajda@gmail.com",

"password": "password"
}
```

### Response:

```
Body 🗸
                                                      200 OK 1906 ms 1.67 KB 🖺 Save as example 🚥
  Pretty
                             Visualize
                                                                                          ( Q
   1
           "user": {
   2
              "id": 580,
   3
               "username": "mgajda",
   4
              "email": "mateuszjacekgajda@gmail.com",
              "provider": "local",
   6
   7
               "confirmed": false,
              "blocked": false,
               "createdAt": "2024-04-17T11:30:21.004Z",
   9
               "updatedAt": "2024-04-17T11:30:21.004Z",
  10
               "phoneNumber": null,
  11
               "firstName": null,
  12
               "lastName": null
  13
  14
  15
```

# 2) Login

URL: https://shoes-shop-strapi.herokuapp.com/api/auth/local

```
Body:
{
    "identifier": "mgajda",
    "password": "password"
}
```

```
Tests:
```

```
pm.environment.set("jwt", pm.response.json().jwt);
pm.environment.set("id", pm.response.json().user.id);
```

I created local variables for jwt token and id to save it for future requests.

```
Response:
```

```
{
"eyJhbGciOiJIUzI1NiIsInR5cCl6lkpXVCJ9.eyJpZCl6NTgwLCJpYXQiOjE3MTMzNTY4MDMsImV4cCl6MTcx" \\
NTk0ODgwM30.xcV80RKEHkK2BjiRVT5EqbU_zROr7LDJ0P4LMtKNuZ8",
  "user": {
    "id": 580,
    "username": "mgajda",
    "email": "mateuszjacekgajda@gmail.com",
    "provider": "local",
    "confirmed": true,
    "blocked": false.
    "createdAt": "2024-04-17T11:30:21.004Z",
    "updatedAt": "2024-04-17T12:06:45.318Z",
    "phoneNumber": "725498960",
    "firstName": "Mateusz",
    "lastName": "Gajda"
  }
}
```

#### 3) Update user

URL: https://shoes-shop-strapi.herokuapp.com/api/users/{{id}}

```
Body:
```

```
{
  "username": "mgajda",
  "email": "mateuszjacekgajda@gmail.com",
  "password": "pasword",
  "firstName": "Mateusz",
  "lastName": "Gajda",
  "phoneNumber": "725498960"
}
```

I set authorization options to Bearer Token and Token to "jwt" which is stored in local variables.

```
Response:
```

```
{
  "id": 580,
  "username": "mgajda",
  "email": "mateuszjacekgajda@gmail.com",
  "provider": "local",
  "confirmed": true,
  "blocked": false,
  "createdAt": "2024-04-17T11:30:21.004Z",
  "updatedAt": "2024-04-17T12:27:43.633Z",
  "phoneNumber": "725498960",
  "firstName": "Mateusz",
  "lastName": "Gajda"
}
```

4) Get information about current logged in user

URL: <a href="https://shoes-shop-strapi.herokuapp.com/api/users/me">https://shoes-shop-strapi.herokuapp.com/api/users/me</a>

# Response:

```
{
  "id": 580,
  "username": "mgajda",
  "email": "mateuszjacekgajda@gmail.com",
  "provider": "local",
  "confirmed": true,
  "blocked": false,
  "createdAt": "2024-04-17T11:30:21.004Z",
  "updatedAt": "2024-04-17T12:06:45.318Z",
  "phoneNumber": "725498960",
  "firstName": "Mateusz",
  "lastName": "Gajda"
}
```