



$pp \to W^+Z + 0,1j$, FxFx–Delta, backward-ISR source correction
Merged
Sample @0
Sample @1
Previous geometric mean
Original hard scalar
Fresh backward ISR ON
Cross section per bin [pb]
ON / reference
ON / Previous geometric mean
ON / Original hard scalar
$p_T(W^+Z)$ [GeV]
Ratio band: first reference error; bars: ON error / reference. No cross-run covariance. Reference > 3 statistical errors.


$pp \to W^+Z + 0,1j$, FxFx–Delta, backward-ISR source correction
Merged
Sample @0
Sample @1
Previous geometric mean
Original hard scalar
Fresh backward ISR ON
Cross section per bin [pb]
ON / reference
ON / Previous geometric mean
ON / Original hard scalar
$p_T(j_1)$ [GeV]
Ratio band: first reference error; bars: ON error / reference. No cross-run covariance. Reference > 3 statistical errors.


$pp \to W^+Z + 0,1j$, FxFx–Delta, backward-ISR source correction
Merged
Sample @0
Sample @1
Previous geometric mean
Original hard scalar
Fresh backward ISR ON
Cross section per bin [pb]
ON / reference
ON / Previous geometric mean
ON / Original hard scalar
$\sqrt{d_{01}}$ [GeV]
Ratio band: first reference error; bars: ON error / reference. No cross-run covariance. Reference > 3 statistical errors.