

$pp \to e^+e^-$ (DY, $m_{ee} > 60$ GeV): 1000000 events, 13 TeV, NNPDF4.0 NLO, native-history MC@NLO-Δ source

Shower: Pythia 8.318 from the first-emission endpoints, without MPI, hadronisation, primordial k_T, QED or top/Higgs decays; 50 split jobs

Totals: baseline 1931 pb (+0.00%) S veto only 1912 pb (-0.97%) negative-H removal only 1950 pb (+1.02%) MAcNLOPS 1932 pb (+0.05%)

Ratio bands: correlated statistical uncertainty (per event at the first emission, batch means over the split shower jobs after the shower), where the baseline is known to 25%.







gg→H (HEFT): 1000000 events, 13 TeV, NNPDF4.0 NLO, native-history MC@NLO-Δ source

Shower: Pythia 8.318 from the first-emission endpoints, without MPI, hadronisation, primordial k_T, QED or top/Higgs decays; 50 split jobs

Totals: baseline 30.78 pb (+0.00%) S veto only 30.64 pb (-0.45%) negative-H removal only 30.91 pb (+0.44%) MAcNLOPS 30.77 pb (-0.01%)

Ratio bands: correlated statistical uncertainty (per event at the first emission, batch means over the split shower jobs after the shower), where the baseline is known to 25%.





pp→*tt̄*: 1000000 events, 13 TeV, NNPDF4.0 NLO, native-history MC@NLO-Δ source

Shower: Pythia 8.318 from the first-emission endpoints, without MPI, hadronisation, primordial k_T, QED or top/Higgs decays; 50 split jobs

Totals: baseline 636.7 pb (+0.00%) S veto only 581.6 pb (-8.65%) negative-H removal only 688.2 pb (+8.10%) MAcNLOPS 633.1 pb (-0.56%)

Ratio bands: correlated statistical uncertainty (per event at the first emission, batch means over the split shower jobs after the shower), where the baseline is known to 25%.

