Sales Force Automation Module

Design Plan & Technical Specification

Project: VGAMS — Vision Group Advertising Management System
Client: New Vision Group · newvision.co.ug
Stack: Strapi 5 · Nuxt 4 (Vue 3) · Pinia · IBM Plex
Date: 17 May 2026
Version: 1.0 — Initial Release

0. Key Principles & Guard-Rails

Visibility Rule	An opportunity is private to its creator (sales agent) and supervisor until converted to an order. Post-conversion, the order is visible to all authorised roles.
Role Hierarchy	sales_agent → supervisor (unit-scoped) → manager (all units) → admin (system config)
API Pattern	const config = useRuntimeConfig(); const API_BASE = config.public.apiBase — all $fetch calls use this base. All requests via POST with JSON body.
Components → Composables	Components never call the API directly. All data operations go through the useSfa* composables.
Design Language	IBM Plex Sans/Mono typography · navy #003366 headers · #0F62FE IBM-blue actions · #F0F4FA page background — consistent with existing VGAMS system.
Strapi 5	Flat response shape (no nested attributes). Relations populated via named populate objects.

1. Role Model

```
admin ■■■ manager (all units, all opportunities, all orders) ■■■ supervisor (own unit opportunities + orders) ■■■ sales_agent (own opportunities only; all orders post-conversion)
```

Role Enforcement Strategy

Strapi side: Custom policies on each route check the caller's JWT role and apply query filters. sales_agent → own records only. supervisor → unit-scoped. manager/admin → no filter. Orders are always readable by all roles.

Nuxt side: useSfa.js composable exposes computed flags: isAgent, isSupervisor, isManager, canApprove, canSeeAll. Components render actions conditionally using these flags.

2. Strapi 5 — Collections Schema

2.1 sfa-unit

Field	Type	Notes
name	String (required)	e.g. "East Africa Digital"
code	String (unique)	Short identifier
supervisor	Relation → user (one)	The unit's supervisor
agents	Relation → user (many)	All agents in unit

2.2 sfa-agent-profile

Field	Type	Notes
user	Relation → user (one, unique)	Linked system user
unit	Relation → sfa-unit (one)	Agent's team
sfa_role	Enum	sales_agent | supervisor | manager | admin
employee_code	String	Optional HR ref
is_active	Boolean (default true)	

2.3 sfa-company (Prospect)

Field	Type	Notes
company_name	String (required)	Mirrors clients.company_name for BC matching
contact_person	String	Mirrors clients.contact_person
phone	String	Mirrors clients.phone
email	Email	Mirrors clients.email
address	Text	Mirrors clients.address
industry	String	e.g. Telecommunications
location	String	City / region
bc_no	String (nullable)	Filled when matched to BC client
contacts	Relation → sfa-contact (many)	People at this company

2.4 sfa-contact

Field	Type	Notes
full_name	String (required)	
phone	String	
email	Email	
position	String	Job title
company	Relation → sfa-company (one)	

2.5 sfa-buy-in

Field	Type	Notes
name	String (required)	e.g. "Radio Advertisement Spot"
category	Enum	radio_ads | tv_ads | billboard | website_ads | courier | printing | rig_truck | other
description	Text	
base_price	Decimal	Reference price
unit	String	e.g. "per spot", "per month"
is_active	Boolean (default true)	

2.6 sfa-opportunity

Field	Type	Notes
title	String (required)	
description	Text	
source	String	Referral / Cold Call / Inbound etc.
funnel_stage	Enum	opportunity_created | contact_engaged | requirement_defined | quotation_created | quotation_sent | negotiation | approved | closed_lost
status	Enum	new | in_progress | quotation_sent | negotiation | won | lost
expected_value	Decimal	Estimated deal value in UGX
expected_close_date	Date	
created_by_agent	Relation → user (one)	The sales agent
company	Relation → sfa-company (one)	
contacts	Relation → sfa-contact (many)	People involved
is_converted	Boolean (default false)	Set true on order creation
converted_at	DateTime	

2.7 sfa-opportunity-buy-in

Field	Type	Notes
opportunity	Relation → sfa-opportunity (one)	
buy_in	Relation → sfa-buy-in (one)	
quantity	Integer	
unit_price	Decimal	Negotiated (may differ from base)
subtotal	Decimal	qty × unit_price
notes	Text	
custom_offer	Text	Free-form description

2.8 sfa-activity

Field	Type	Notes
opportunity	Relation → sfa-opportunity (one)	
type	Enum	call | email | visit | meeting | internal_note
activity_date	DateTime (required)	When it happened
summary	Text (required)	What was discussed
outcome	Text	Result / next steps
next_followup_date	Date	
logged_by	Relation → user (one)	
attachments	Media (multiple)	Optional files

2.9 sfa-quotation

Field	Type	Notes
quotation_number	String (unique, auto)	Format: QT-YYYYMM-XXXX
opportunity	Relation → sfa-opportunity (one)	
version	Integer (default 1)	Increments on each revision
status	Enum	draft | pending_approval | approved | sent_to_client | revised | rejected | accepted
total_amount	Decimal	
notes	Text	
submitted_by	Relation → user (one)	Creator
reviewed_by	Relation → user (one)	Supervisor/Manager who acted
reviewed_at	DateTime	
review_comment	Text	Approval/rejection reason
pdf_document	Media (single)	
parent_quotation	Relation → sfa-quotation (self)	Previous version

2.10 sfa-quotation-item

Field	Type	Notes
quotation	Relation → sfa-quotation (one)	
buy_in	Relation → sfa-buy-in (one)	
description	String	May override buy-in name
quantity	Integer	
unit_price	Decimal	
subtotal	Decimal	
notes	Text	

2.11 sfa-quotation-communication

Field	Type	Notes
quotation	Relation → sfa-quotation (one)	
sent_at	DateTime	
channel	Enum	email | whatsapp | manual | other
sent_by	Relation → user (one)	
client_response	Text	What client said
response_date	DateTime	
negotiation_notes	Text	
attachments	Media (multiple)	

2.12 sfa-order

Field	Type	Notes
order_number	String (unique, auto)	Format: SFA-ORD-YYYYMM-XXXX
opportunity	Relation → sfa-opportunity (one, unique)	Source opportunity
accepted_quotation	Relation → sfa-quotation (one)	The winning quotation
confirmation_type	Enum	lpo | email_confirmation | signed_quotation
confirmation_document	Media (multiple)	LPO, email export, signed PDF
converted_date	DateTime	
converted_by	Relation → user (one)	
status	Enum	active | in_production | completed | cancelled
notes	Text	
client	Relation → clients.client (one, optional)	Linked BC client (if matched)
client_account_requested	Boolean (default false)	Flagged if no BC match
client_account_request_date	DateTime	When request was sent

3. Custom Strapi Routes

Endpoint	Method	Purpose
`/api/sfa-agent-profiles/me`	**POST**	Returns calling user's SFA profile
`/api/sfa-opportunities/my-board`	**POST**	Role-filtered kanban board data
`/api/sfa-opportunities/create`	**POST**	Create opportunity + buy-in lines
`/api/sfa-opportunities/update`	**POST**	Update opportunity
`/api/sfa-opportunities/change-stage`	**POST**	Move through funnel
`/api/sfa-opportunities/mark-lost`	**POST**	Mark as closed-lost
`/api/sfa-opportunities/list`	**POST**	Filtered list view
`/api/sfa-opportunities/detail`	**POST**	Single opportunity with populate
`/api/sfa-activities/log`	**POST**	Log new activity (supports multipart)
`/api/sfa-activities/by-opportunity`	**POST**	All activities for opportunity

Endpoint	Method	Purpose
/api/sfa-activities/due-followups	POST	Follow-ups due today/overdue
/api/sfa-quotations/create	POST	Create draft quotation
/api/sfa-quotations/update	POST	Update draft
/api/sfa-quotations/submit-for-approval	POST	Agent submits → pending_approval
/api/sfa-quotations/approve	POST	Supervisor/Manager approves
/api/sfa-quotations/reject	POST	Supervisor/Manager rejects
/api/sfa-quotations/revise	POST	Create new version (version+1)
/api/sfa-quotations/by-opportunity	POST	All versions for an opportunity
/api/sfa-quotations/pending-approval	POST	Quotations awaiting approval
/api/sfa-quotation-communications/record-send	POST	Record send to client
/api/sfa-quotation-communications/record-response	POST	Record client response
/api/sfa-orders/convert	POST	Convert opportunity → order (multipart)
/api/sfa-orders/link-client	POST	Link order to BC client
/api/sfa-orders/request-client-creation	POST	Flag: client account requested
/api/sfa-orders/list	POST	All orders (all roles)
/api/sfa-orders/detail	POST	Single order with populate
/api/sfa-orders/update-status	POST	Update order status
/api/clients/find-match	POST	Find BC client by company name
/api/clients/search-by-name	POST	Search BC client list
/api/sfa-dashboard/my-stats	POST	Per-agent pipeline stats
/api/sfa-dashboard/management-stats	POST	Manager aggregated stats
/api/sfa-dashboard/followup-summary	POST	Follow-up summary

4. Component & File Structure

```
composables/ useSfa.js # Role helpers, agent profile singleton useSfaCompanies.js # Prospect companies + BC client matching useSfaBuyIns.js # Buy-in catalogue (cached) useSfaOpportunities.js # Board, list, CRUD, stage moves useSfaActivities.js # Activity log + file attachments useSfaQuotations.js # Full quotation lifecycle useSfaOrders.js # Conversion + BC client check/link/request useSfaDashboard.js # Agent stats + management stats components/sfa/ SfaStatusBadge.vue # Shared coloured badge SfaSidebar.vue # Left nav, stage legend, role-aware SfaKanbanView.vue # Full pipeline board SfaKanbanColumn.vue # Single stage column SfaOpportunityCard.vue # Draggable kanban card SfaNewOpportunityModal.vue # 4-step creation modal SfaOpportunityDetailDrawer.vue # Tabbed detail drawer SfaActivityTimeline.vue # Chronological activity list SfaActivityLogModal.vue # Log call/email/visit/meeting/note SfaQuotationList.vue # All versions + approval actions SfaQuotationForm.vue # Create/revise quotation with line items SfaConvertToOrderModal.vue # 3-phase: form → checking BC → done SfaOrdersTable.vue # Post-conversion orders (all roles) SfaOrderDetailDrawer.vue # Order detail + BC client display SfaOpportunitiesTable.vue # List/table view SfaMyDashboard.vue # Agent stats + follow-up alerts SfaManagerDashboard.vue # Team ranking + funnel breakdown pages/dashboard/ sfa.vue # Main page shell (layout: admin)
```

5. Funnel Stage → Kanban Column Mapping

Stage ID	Label	Colour	Next Step
opportunity_created	New	#4589FF	→ contact_engaged
contact_engaged	Contacted	#33B1FF	→ requirement_defined
requirement_defined	Qualified	#08BDBA	→ quotation_created
quotation_created	Quotation Draft	#9F7AEA	→ quotation_sent
quotation_sent	Quotation Sent	#F1C21B	→ negotiation
negotiation	Negotiation	#FF7EB6	→ approved or closed_lost
approved	Won / Approved	#24A148	→ Convert to Order
closed_lost	Closed Lost	#C9252D	Terminal

Visibility note: All stage columns are private to the creator + supervisor/manager until conversion. SfaOrdersTable (post-conversion) is visible to all authenticated roles.

6. Business Central Client Integration

Existing clients collection schema (BC-synced):

Field	Type	SFA Usage
company_name	String (required)	Matched against sfa-company.company_name
bc_no	String	Business Central account number
contact_person	String	Mirrored in sfa-company

Field	Type	SFA Usage
email	Email	
phone	String	Mirrored in sfa-company
address	Text	Mirrored in sfa-company
credit_approved	Boolean	Displayed in SfaOrderDetailDrawer
credit_limit	Decimal	Displayed if credit_approved
payment_terms	Enum	cash | credit_7 | credit_15 | credit_30 | pdc
clientTin	String	Tax ID
is_active	Boolean	

Post-Conversion BC Matching Flow:

```
1. convertToOrder() called → sfa-order record created 2. checkBcClientMatch(companyName) → POST /api/clients/find-match ■■■ Match found: ■ - Show green "Client found in BC" card with bc_no, payment_terms, credit info ■ - linkOrderToClient(orderId, clientId) to set sfa-order.client ■■■ No match: - Show amber advisory: "No BC client account found" - requestClientAccountCreation(orderId) → sets client_account_requested = true - Advises sales agent to request Finance/Admin create the account
```

7. Quotation Lifecycle Flow

```
[Agent] Creates quotation → status: draft ■ ▼ [Agent] Submits for approval → status: pending_approval ■ ▼ [Supervisor / Manager] Reviews ■■■ Approves → status: approved ■ ■ ■ ▼ ■ [Agent] Sends to client → status: sent_to_client ■ ■ (recordSend logs channel + date) ■ ▼ ■ [Agent] Logs client response ■ ■■■ Client accepts → Convert to Order ■ ■■■ Negotiation needed → reviseQuotation() (new version, version+1) ■ ■■■ Rejects → status: rejected ■ ▼ [Agent] Creates revision → new sfa-quotation, parent_quotation set
```

8. New Opportunity — Multi-Step Form

Step 1 — Basic Info	Title (required), Description, Source, Expected Value (UGX), Expected Close Date
Step 2 — Company & Contacts	Search existing prospect company OR create new (fields mirror clients schema). Add one or more contacts with full_name, position, phone, email.
Step 3 — Buy-ins	Multi-select from sfa-buy-in catalogue (grouped by category). Set quantity + unit price per item. Running total shown. Custom offer notes per item.
Step 4 — Review & Submit	Summary of all data. Submit → creates sfa-opportunity with funnel_stage = "opportunity_created". Board auto-refreshes.

9. Implementation Sequence

Phase 1 — Strapi Collections

- Create all 12 collections in Strapi Admin UI
- Set Strapi permissions per role (Public: sfa-buy-in read only)
- Write custom routes + controllers for my-board, quotation workflow, order conversion

Phase 2 — Composables (Data Layer)

- useSfa.js — role helpers, agent profile singleton
- useSfaOpportunities.js — board, list, CRUD, stage moves
- useSfaQuotations.js — full quotation lifecycle
- useSfaOrders.js — conversion, BC match, link, request
- useSfaDashboard.js — per-agent and management stats
- useSfaCompanies.js + useSfaBuyIns.js — catalogues and matching

Phase 3 — Core UI Components

- SfaSidebar + SfaKanbanView + SfaKanbanColumn + SfaOpportunityCard
- SfaNewOpportunityModal (4-step form)
- SfaOpportunityDetailDrawer (3-tab: Overview / Activities / Quotations)
- SfaActivityTimeline + SfaActivityLogModal

Phase 4 — Quotation Flow

- SfaQuotationList + SfaQuotationForm (create/revise with line items)
- Inline approval/rejection with comment boxes
- Record send + client response modals

Phase 5 — Order Conversion & Lists

- SfaConvertToOrderModal (form → BC check → result)
- SfaOrdersTable (all roles, BC link status column)
- SfaOrderDetailDrawer (full BC client fields display)
- SfaOpportunitiesTable (list view + stage filter)

Phase 6 — Dashboards & Analytics

- SfaMyDashboard — agent KPIs, follow-up alerts, funnel bars
- SfaManagerDashboard — team ranking, funnel breakdown, pending approvals

Phase 7 — Integration

• pages/dashboard/sfa.vue page shell (client-side auth via onMounted)

• Add SFA nav link to main VGAMS sidebar

• Wire follow-up reminder notifications and approval alerts

10. Naming Conventions

Concern	Convention	Example
Strapi collection	kebab-case, sfa- prefix	sfa-opportunity
Strapi API endpoint	/api/sfa-*	/api/sfa-quotations/approve
Vue component	PascalCase, Sfa prefix	SfaKanbanColumn.vue
Composable	camelCase, useSfa prefix	useSfaOpportunities.js
CSS class	BEM-like within scoped style	.opp-card__header

11. nuxt.config.ts Addition Required

Ensure apiBase is exposed in runtimeConfig.public:

```
// nuxt.config.ts runtimeConfig: { public: { // ... existing keys ... apiBase:
process.env.API_BASE, // ← add this } } // .env API_BASE=https://your-strapi-host.com
```