

Activity 4

- Develop your website based on assignment requirements (must be responsive and meet with assignment criteria)
 - Website page screen capture

Home page



Packages page

The screenshot shows a website's packages page. At the top, there is a navigation bar with icons for Home, Packages, Service and Product, and Other. On the right side of the header are links for Signup, Login, and a search bar. The main content area features three package categories displayed in a grid:

- Beginner**: Includes two boxes filled with fruits like apples and cherries. Text: "Every box counts". Price: per month-20.3\$ per year-239.5\$. Button: [view detail](#).
- Everyday**: Shows a single box packed with various grocery items like bread, cans, and bottles. Price: per month-30.3\$ per year-339.5\$. Button: [view detail](#).
- Delux**: Displays a variety of food items including coffee cups, paper bags, and packaged meals. Price: per month-40.3\$ per year-439.5\$. Button: [view detail](#).

Below these sections is a promotional area for custom food boxes. It features two large orange boxes labeled "PAPER FOOD BOX" and a smaller text box below it that says "custom you can customize ingredients whatever you want." A blue "Get" button is located at the bottom of this section.

At the bottom of the page, there are three columns of links:

- Research**: Home, packages, price
- Research**: Recipe guide, Ingredients, Back at home
- Community**: Sing up, About us, Log in

A "Follow us" section with social media icons for Facebook, Twitter, Instagram, and Pinterest is also present.

Recipe page

The page displays a grid of 15 recipe cards, each featuring a food or drink image, its name, price, and a 'view details' button.

Image	Name	Price	Action
	Blueberry Smoothie	price-30\$	view detail
	Pineapple Smoothie	price-22\$	view detail
	Chocolate Coffee	price-20\$	view detail
	Bangkok Coke	price-10.3\$	view details
	Chocolate Milkshake	price-15.3\$	view details
	Mahi Taco	price-30.3\$	view detail
	Chicken Taquitos	price-25.6\$	view details
	Bacon Wrapped	price-40.5\$	view details
	Chicken Nugget	price-32.3\$	view details
	Korean Omurice	price-30\$	view details
	Chinese Dumplings	price- 23.2\$	view detail
	Squidink Pasta	price-40.8\$	view details
	Seafood Noodles	price-25.2\$	view details
	Chinese Jiaozi	price-25\$	view details
	Spaghetti Meatballs	price- 30.2\$	view details

Research

[Home](#)
[packages](#)
[price](#)

Research

[Recipe guide](#)
[Ingredients](#)
[Back at home](#)

Community

[Sing up](#)
[About us](#)
[Log in](#)

Follow us

Ingredients page

Home Packages Service and Product Other Singup Login Search

Ingredients

Item	Price	Action
Garlic	3.6\$	Buy
Ginger	4.6\$	Buy
Lamb	12.6\$	Buy
Chicken	10.6\$	Buy
Beef	15.6\$	Buy
Tomato	3.6\$	Buy

Research

- Home
- packages
- price

Research

- Recipe guide
- Ingredients
- Back at home

Community

- Sing up
- About us
- Log in

Follow us

Backe at home set page

Home Packages Service and Product Other

Singup Login Search

Bake at home set

Bake at home set 1
price-98.9\$ [Get](#)

Bake at home set 2
price-98.9\$ [Get](#)

Bake at home set 3
price-98.9\$ [Get](#)

Bake at home set 4
price-98.9\$ [Get](#)

Research

Home
packages
price

Research

Recipe guide
Ingredients
Back at home

Community

Sing up
About us
Log in

Follow us

Meal planner page

The screenshot shows a meal planning interface. At the top, there's a navigation bar with links for Home, Packages, Service and Product, Other, Signup, Login, and a search bar. The main area is titled "Meal planner" and features a background image of a marble surface with scattered orange slices and thyme sprigs. Below the title are seven boxes, one for each day of the week, labeled Monday through Sunday. Each box lists several meal options and a blue "Get" button. The days and their corresponding meals are:

Day	Meals
Monday	-Smoothie -Mahitaco -Korean Omurice
Tuesday	-Chicken nugget -Chinese Jiaozi -Dumplings
Wednesday	-Smoothie -Chicken Nugget -Bacon Wrapped
Thursday	-Smoothie -Mahitaco Korean Omurice
Friday	-Smoothie -Squidink Pasta -Spaghetti Meat
Saturday	-Seafood Noodles -Mahitaco -Korean Omurice
Sunday	-Chocolate Coffee -Smoothie -Korean Omurice

Below the main content, there are three sections: "Research" (Home, packages, price), "Research" (Recipe guide, Ingredients, Back at home), and "Community" (Sing up, About us, Log in). At the bottom, there's a "Follow us" section with social media icons for Facebook, Twitter, Instagram, and Pinterest.

Nutritional information app

 Home Packages Service and Product ▾ Other ▾

Signup Login Search

Nuritional information app



Spokin

Iphone rating: 4.7 star

price: free



Noom

Iphone rating: 4.7 star

Iphone rating: 4.3 star

price: \$60 per month or \$159 per year



MYNet Diary Calorie Counter

Iphone rating: 4.8 star

Iphone rating: 4.7 star

price: free, with in-app purchases

Research

[Home](#)
[packages](#)
[price](#)

Research

[Recipe guide](#)
[Ingredients](#)
[Back at home](#)

Community

[Sing up](#)
[About us](#)
[Log in](#)

Follow us



Weekly selected menu page

The website features a top navigation bar with links for Home, Packages, Service and Product, Other, Signup, Login, and a Search bar. Below the header is a large banner titled "Weekly selected menu" displaying eight food items in a grid:

- Blueberry Smoothie**
price-30\$ [view detail](#)
- Chinese Dumplings**
price- 23.25 [view detail](#)
- Chicken Taco**
price-30.35 [view detail](#)
- Squidink Pasta**
price-40.8\$ [view details](#)
- Chicken taquitos**
price-25.6\$ [view details](#)
- Bacon Wrapped**
price-40.5\$ [view detail](#)
- Chicken Nugget**
price-32.3\$ [view details](#)
- Korean Omurice**
price-30\$ [view details](#)

At the bottom of the page, there are three columns of links:

- Research**
[Home](#)
[packages](#)
[price](#)
- Research**
[Recipe guide](#)
[Ingredients](#)
[Back at home](#)
- Community**
[Sing up](#)
[About us](#)
[Log in](#)

A "Follow us" section with social media icons for Facebook, Twitter, Instagram, and Pinterest is also present.

Gift boxes page

The screenshot shows a landing page for "Gift boxes". At the top, there's a navigation bar with links for Home, Packages, Service and Product, and Other. On the right, there are buttons for Signup, Login, and Search. The main content area features three large cards with images and titles:

- Drink**: Shows two glasses of pink smoothies with fruit pieces. A "Get" button is at the bottom.
- Dry**: Shows a tray of various chips (potato, tortilla) with small bowls of dips. A "Get" button is at the bottom.
- Preserved**: Shows a plate of an omelette with ketchup and toppings. A "Get" button is at the bottom.

Below the cards, there are three columns of links:

- Research**: Home, packages, price
- Research**: Recipe guide, Ingredients, Back at home
- Community**: Sing up, About us, Log in

In the center, there's a "Follow us" section with icons for Facebook, Twitter, Instagram, and Pinterest.

Sing up page

The screenshot shows a sign-up page with the following layout:

- Header:** Home, Packages, Service and Product, Other, Signup, Login, Search.
- Title:** Sign up
- Form Fields:** user name, birth (mm/dd/yyyy), E-mail, phone number, password.
- Buttons:** continue
- Background:** A marble surface with sliced oranges and thyme sprigs.
- Left Sidebar (Research):** Home, packages, price.
- Middle Sidebar (Research):** Recipe guide, Ingredients, Back at home.
- Right Sidebar (Community):** Sing up, About us, Log in.
- Bottom:** Follow us (Facebook, Twitter, Instagram, Pinterest icons).

Log in page

The image shows a login interface with a decorative background of sliced citrus fruits (oranges and grapefruits) arranged on a light-colored marble surface. The background is a repeating pattern of fruit slices.

Top Navigation: Home, Packages, Service and Product ▾, Other ▾, Signup, Login, Search

Form:

- E-mail or phone number:
- password:
- continue:

Log in:

Research:

- Home
- packages
- price

Community:

- Sing up
- About us
- Log in

Follow us:

About us page

The screenshot shows a website header with a logo, navigation links for Home, Packages, Service and Product, and Other. On the right is a search bar with 'Search' button. Below the header are two yellow 'PAPER FOOD BOX' containers. A section titled 'Contact Us' includes a message and a list of three items. To the right are sections for 'About Us', 'Our Mission', 'Our Team', and a footer with social media icons.



Contact Us

If you have any questions or would like to learn more about our company, please feel free to contact us:

- Email: Inabox@gmail.com
- Phone: +95-547-4547-7290
- Address: 5 Main Street, Myitkyina City, Myanmar Country

About Us

Welcome to our company! We are a team of dedicated professionals passionate about providing top-quality products and services to our customers.

Our Mission

At our company, our mission is to deliver innovative solutions that exceed our customers' expectations. We strive to create lasting relationships by providing excellent customer service and maintaining the highest standards of integrity and professionalism.

Our Team

We have a diverse team of experts from various backgrounds, bringing a wealth of knowledge and experience to our company. Together, we work collaboratively to tackle challenges and develop cutting-edge solutions.

Research

[Home](#)
[packages](#)
[price](#)

Research

[Recipe guide](#)
[Ingredients](#)
[Back at home](#)

Community

[Sing up](#)
[About us](#)
[Log in](#)

Follow us



➤ Source code screen capture

Home page

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>In a box</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-KK94CHFLLe+nY2dmCWGbq91rCGa5gtU4mk92HdvYeM/SXH301p5ILy+dN9+nJOZ" crossorigin="anonymous">
</head>
<style type="text/css">

body{
    background-image:url("D:/module 4/bootstrap testing/h11.jpg");
    background-repeat: no-repeat;
    background-position: center;
    background-attachment: fixed;
    background-size: cover;
}

</style>
<body >

<nav class="navbar navbar-expand-lg bg-body-tertiary">
    <div>
        <a class="navbar-brand" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">
            
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarSupportedContent">
            <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/packages.html">Packages</a>
                </li>
                <li class="nav-item dropdown">
                    <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
                        Service and Product
                    </a>
                    <ul class="dropdown-menu">
                        <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
                        <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
                        <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set </a></li>
                        <li><a class="dropdown-divider"></a></li>
                    </ul>
                <a class="nav-item dropdown">
                    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/other.html">Other</a></li>
                </a>
            </ul>
        </div>
    </div>
</nav>
```

```

        <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unritional.html">Unritational information app</a></li>
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gfit.html">Gift boxes</a></li>
        </ul>
    </li>
    </ul>
</ul>
<form class="d-flex" role="search">
    <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
            <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/singup%20.html">Singup</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
        </li>
        <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
        <button class="btn btn-outline-success" type="submit">Search</button>
    </ul>
</form>
</div>
</div>
</nav>
<br>
<h1 style="text-align:center;">Wellcome to In a box </h1>
<p style="text-align:center;"> Service and Product website</p>
<div class="container" >
<div class="row" >
<div class="col">
<div class="card" style="width: 100%;"
    <a href="file:///D:/module%204/bootstrap%20testing/Recipe.html">
        </a>
    <div class="card-body bg-primary-subtle">
        <h5 class="card-title" style="text-align:center;">drink</h5>
        <p class="card-text"></p>
    </div>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%; "
    <a href="file:///D:/module%204/bootstrap%20testing/Recipe.html">
        </a>
    <div class="card-body bg-dark-subtle">
        <h5 class="card-title" style="text-align:center;">dry</h5>
        <p class="card-text"></p>
    </div>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;"
    <a href="file:///D:/module%204/bootstrap%20testing/Recipe.html">
        </a>
    <div class="card-body bg-info-subtle">
        <h5 class="card-title" style="text-align:center;">Preserved</h5>
        <p class="card-text"></p>
    </div>
</div>

```

```

        </div>
    </div>
</div>
</div>
<br><br><br><br><br>
<div class="container">
<div id="carouselExampleAutoplaying" class="carousel slide" data-bs-ride="carousel" >
    <div class="carousel-inner">
        <div class="carousel-item active" data-bs-interval="2000">
            
            <div class="carousel-caption d-none d-md-block">
            </div>
        </div>
        <div class="carousel-item" data-bs-interval="2000">
            
            <div class="carousel-caption d-none d-md-block">
            </div>
        </div>
        <div class="carousel-item" data-bs-interval="2000">
            
            <div class="carousel-caption d-none d-md-block">
            </div>
        </div>
    </div>
    <button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleAutoplaying" data-bs-slide="prev">
        <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-target="#carouselExampleAutoplaying" data-bs-slide="next">
        <span class="visually-hidden">Next</span>
    </button>
</div>
</div>

<br><br><br><br><br><br>
<div class="container w-80">
    <div class="row">
        <div class="col-md-6 d-flex align-items-center justify-content-center">
            <div class="text-center centered-text">
                <h2>Fresh and healthy </h2>
                <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dapibus diam a facilisis ultrices. Etiam vitae
            </div>
        </div>
        <div class=" col-lg-6 d-flex flex-column justify-content-center align-items-center">
            
        </div>
    </div>
</div>
<br><br><br><br><br><br>

        <div class="container-fluid bg-body-tertiary">
<footer class="py-5">
    <div class="row justify-content-around">

```

```

        <div class="col-6 col-md-2 mb-3">
            <h5>Research</h5>
            <ul class="nav flex-column">
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Inbox.html" class="nav-link p-0 text-body-secondary">Home</a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages</a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price</a></li>
            </ul>
        </div>
        <div class="col-6 col-md-2 mb-3">
            <h5>Research</h5>
            <ul class="nav flex-column">
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipe guides</a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients</a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homebake.html" class="nav-link p-0 text-body-secondary">Back at home</a></li>
            </ul>
        </div>
        <div class="col-6 col-md-2 mb-3">
            <h5>Community</h5>
            <ul class="nav flex-column">
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" class="nav-link p-0 text-body-secondary">Sing up </a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us</a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">log in</a></li>
            </ul>
        </div>
        <div class="row " style="margin-left: 40px;">
            <p style="text-align: center; font-size: 15px;">Follow us </p>
            <ul class="list-unstyled d-flex">
                <li ><a class="link-body-emphasis" href="https://www.facebook.com/"></a></li>
                <li ><a class="link-body-emphasis" href="https://twitter.com/i/flow/login"></a></li>
                <li ><a class="link-body-emphasis" href="https://web.telegram.org/"></a></li>
                <li ><a class="link-body-emphasis" href="https://www.pinterest.com/login/"></a></li>
            </ul>
        </div>
    </footer>
</div>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.7/dist/umd/popper.min.js" integrity="sha384-zYPOlqeulDAVhH1LqM8UTcbYfZ8osuINd6Z89ify25QV9guuix43ITvfi12/QExE" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2-alpha3/dist/js/bootstrap.min.js" integrity="sha384-Y4oOpw3duJdCw5ly8SCFYeqFDsfob/3GkgExKKV4idmbt980cx9UoXAB7BZ" crossorigin="anonymous"></script>
</body>
</html>
```

Packages page

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>In a box</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-KK94CHFLLe+nY2dmCWGq91rCgA5gtU4mk92Hdy+M/SXH301p5ILy+dN9+n30Z" crossorigin="anonymous">
  </head>
  <style type="text/css">

    body{
      background-image:url("D:/module 4/bootstrap testing/h11.jpg");
      background-repeat: no-repeat;
      background-position: center;
      background-attachment: fixed;
      background-size: cover;
    }
  </style>
</body>

<nav class="navbar navbar-expand-lg bg-body-tertiary">
  <div><span></span></div>
  <a class="navbar-brand" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">
    
  </a>
  <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="nav nav-tabs me-auto mb-2 mb-lg-0">
      <li class="nav-item">
        <a class="nav-link active" aria-current="page" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">Home</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/packages.html">Packages</a>
      </li>
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
          Service and Product
        </a>
        <ul class="dropdown-menu">
          <li><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
          <li><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
          <li><a href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set </a></li>
        </ul>
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
          Other
        </a>
      </li>
    </ul>
  </div>
</nav>
```

```

<ul class="dropdown-menu">
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unrational.html">unritional information app</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gfit.html">Gift boxes</a></li>
</ul>
</li>
</ul>
</li>
</ul>
</div>
<form class="d-flex" role="search">
  <ul class="navbar-nav me-auto mb-2 mb-lg-0">
    <li class="nav-item">
      <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/signup%20.html">Signup</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
    </li>
    <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
    <button class="btn btn-outline-success" type="submit">Search</button>
  </form>
</div>
</div>
</nav>
<br>
<h1 style="text-align:center;">>Packages</h1>
<div class="container-fluid justify-content-around">
<div class="row">
<div class="col">
<div class="card" style="width: 100%;">
  <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
  <div class="card-body" style="margin-left:40%">
    <h5 class="card-title">Beginner</h5>
    <p class="card-text">per month-20.3$<br> per year-239.5$</p>
    <!-- Button trigger modal -->
    <button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModa2">
      view detail
    </button>
  <!-- Modal -->
  <div class="modal fade" id="exampleModa2" tabindex="-1" aria-labelledby="exampleModaLabel" aria-hidden="true">
    <div class="modal-dialog">
      <div class="modal-content">
        <div class="modal-header">
          <h1 class="modal-title fs-5" id="exampleModaLabel">Beginner</h1>
          <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
        </div>
        <div class="modal-body">
          <p>-standard weekly recipes:</p>
          <p>- 1 bake at home set:</p>
          <p>- 10% off nutritional information app</p>
          <p>- 10% off one special occasion gift box.</p>
        </div>
        <div class="modal-body">
          <p>-standard weekly recipes:</p>
          <p>- 1 bake at home set:</p>
          <p>- 10% off nutritional information app</p>
          <p>- 10% off one special occasion gift box.</p>
        </div>
        <div class="modal-footer">
          <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
          <a href="file:///D:/module%204/bootstrap%20testing/signup%20.html" class="nav-link p-0 text-body-secondary"><button type="button" class="btn btn-primary">Get</button></a>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;">
  <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
  <div class="card-body" style="margin-left:40%">
    <h5 class="card-title">Everyday</h5>
    <p class="card-text">per month-30.3$<br> per year-339.5$</p>
    <!-- Button trigger modal -->
    <button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModal">
      view detail
    </button>
  <!-- Modal -->
  <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModaLabel" aria-hidden="true">
    <div class="modal-dialog">
      <div class="modal-content">
        <div class="modal-header">
          <h1 class="modal-title fs-5" id="exampleModaLabel">Everyday</h1>
          <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
        </div>
        <div class="modal-body">
          <p>-35 weekly recipes to choose from</p>
          <p>- 3 bake at home sets:</p>
          <p>- 50% off nutritional information app</p>
          <p>- 1 free special occasion gift box.</p>
        </div>
        <div class="modal-footer">
          <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
          <a href="file:///D:/module%204/bootstrap%20testing/signup%20.html" class="nav-link p-0 text-body-secondary"><button type="button" class="btn btn-primary">Get</button></a>
        </div>
      </div>
    </div>
  </div>
</div>
<div class="col">
<div class="card" style="width: 100%;">
  <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
  <div class="card-body" style="margin-left:40%">
    <h5 class="card-title">Delux</h5>
    <p class="card-text">per month-40.3$<br> per year-439.5$</p>
    <!-- Button trigger modal -->
    <button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModa3">
      view detail
    </button>
  </div>
</div>

```

```

<div class="col-6 col-md-2 mb-3">
  <h5>Research</h5>
  <ul class="nav flex-column">
    <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipe guides<a>/li>
    <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients<a>/li>
    <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homebake.html" class="nav-link p-0 text-body-secondary">Back at home<a>/li>
  </ul>
</div>

<div class="col-6 col-md-2 mb-3">
  <h5>Community</h5>
  <ul class="nav flex-column">
    <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/signup%20.html" class="nav-link p-0 text-body-secondary">Sign up <a>/li>
    <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us<a>/li>
    <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">Log in<a>/li>
  </ul>
</div>
</div>

<div class="row" style="margin-left: 48%;>
  <p>Follow us:<br/>
    <ul class="list-unstyled d-flex">
      <li><a class="link-body-emphasis" href="https://www.facebook.com/"><a>/li>
      <li><a class="link-body-emphasis" href="https://twitter.com/i/flow/login"><a>/li>
      <li><a class="link-body-emphasis" href="https://web.telegram.org/a/"><a>/li>
      <li><a class="link-body-emphasis" href="https://www.pinterest.com/Login/"><a>/li>
    </ul>
</div>
</footer>
</div>

<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.7/dist/umd/popper.min.js" integrity="sha384-zYPMqeulDAVkfllqlwUTcbYFZBosu1NdgZ89ifyz5QV9guujx43ITvfl12/QExE" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.min.js" integrity="sha384-Y4oPwM3du2dCIV5ly8SCFYMqFDsFob/3GkgExXXV4idmbt98QccXYS9uoXA7BZ" crossorigin="anonymous"></script>
</body>
</html>


<div class="modal fade" id="exampleModa3" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h1 class="modal-title fs-5" id="exampleModalLabel">Delux</h1>
        <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">
        <p> - 50 weekly recipes to choose from</p>
        <p> 5 bake at home sets</p>
        <p> Free nutritional information app</p>
        <p> 3 special occasion gift boxes.</p>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
        <a href="file:///D:/module%204/bootstrap%20testing/signup%20.html" class="nav-link p-0 text-body-secondary"><button type="button" class="btn btn-primary">Get</button></a>
      </div>
    </div>
  </div>
</div>
</div>
</div>
<br><br>
<div class="container">
<div class="row">
<div class="card" style="width: 100%;>
  <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
  <div class="card-body" style="margin-left:30%;>
    <h5 class="card-title" style="margin-left: 20%;">customGet</button></a>
</div>
</div>
</div>
</div>
<br><br><br><br><br>
<br><br><br><br><br><br>

<br><br><br><br><br><br>

<div class="container-fluid bg-body-tertiary">
<footer class="py-5">
<div class="row justify-content-around">

<div class="col-6 col-md-2 mb-3">
  <h5>Research</h5>
  <ul class="nav flex-column">
    <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Inabox.html" class="nav-link p-0 text-body-secondary">Home<a>/li>
    <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages<a>/li>
    <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price<a>/li>
  </ul>
</div>

```

Recipe guide

```

<ul class="dropdown-menu">
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unrational.html">Unritional information app</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gfit.html">Gift boxes</a></li>
</ul>
</li>
</ul>
</li>
</ul>
</div>
<form class="d-flex" role="search">
  <ul class="navbar-nav me-auto mb-2 mb-lg-0">
    <li class="nav-item">
      <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/singup%20.html">Singup</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
    </li>
    <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
    <button class="btn btn-outline-success" type="submit">Search</button>
  </ul>
</form>
</div>
</div>
</nav>
<h1 style="text-align: center;"> Recipe</h1>
<br>
<div class="container" >
<div class="row">
<div class="col">
<div class="card" style="width: 100%;"
  <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
  <div class="card-body">
    <h5 class="card-title">Blueberry Smoothie</h5>
    <p class="card-text">price-30$</p>
    <button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModa2">
      view detail
    </button>
  </div>
<!-- Modal -->
<div class="modal fade" id="exampleModa2" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h1 class="modal-title fs-5" id="exampleModalLabel">Blueberry Smoothie</h1>
        <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">

```

```

<h2>Ingredients:</h2>
<ul>
<li>1 cup frozen blueberries</li>
<li>1 ripe banana</li>
<li>1/2 cup Greek yogurt</li>
<li>1/2 cup almond milk</li>
<li>1 tablespoon honey or maple syrup</li>
<li>1/2 teaspoon vanilla extract</li>
<li>Ice cubes (optional)</li>
<li>Fresh blueberries and mint leaves for garnish</li>
</ul>

<h2>Nutrition Information:</h2>
<p>Serving Size: 1 Blueberry Smoothie</p>
<ul>
<li>Calories: 200</li>
<li>Total Fat: 3g</li>
<li>Saturated Fat: 1g</li>
<li>Cholesterol: 5mg</li>
<li>Sodium: 80mg</li>
<li>Total Carbohydrate: 40g</li>
<li>Dietary Fiber: 6g</li>
<li>Sugars: 26g</li>
<li>Protein: 8g</li>
</ul>

<h2>Cooking Guidelines:</h2>
<ol>
<li>In a blender, combine the frozen blueberries, ripe banana, Greek yogurt, almond milk, honey or maple syrup, and vanilla extract.</li>
<li>Blend on high speed until smooth and creamy. If desired, add a few ice cubes to make the smoothie colder and thicker.</li>
<li>Pour the smoothie into a glass and garnish with fresh blueberries and mint leaves.</li>
<li>Serve immediately and enjoy!</li>
</ol>
</div>
<div class="modal-footer">
| <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
| <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
</div>
</div>
</div>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;>
<a href="https://getbootstrap.com/docs/5.3/components/card/">
</a>
<div class="card-body">
<h5 class="card-title">Pineapple Smoothie</h5>
<p class="card-text">price-22$</p>
<button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModa2">
view detail
</button>

```

```

<!-- Modal -->
<div class="modal fade" id="exampleModa2" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h1 class="modal-title fs-5" id="exampleModalLabel">Pineapple Smoothie</h1>
        <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">

        <h2>Ingredients:</h2>
        <ul>
          <li>1 cup frozen blueberries</li>
          <li>1 ripe banana</li>
          <li>1/2 cup Greek yogurt</li>
          <li>1/2 cup almond milk</li>
          <li>1 tablespoon honey or maple syrup</li>
          <li>1/2 teaspoon vanilla extract</li>
          <li>Ice cubes (optional)</li>
          <li>Fresh blueberries and mint leaves for garnish</li>
        </ul>

        <h2>Nutrition Information:</h2>
        <p>Serving Size: 1 Blueberry Smoothie</p>
        <ul>
          <li>Calories: 200</li>
          <li>Total Fat: 3g</li>
          <li>Saturated Fat: 1g</li>
          <li>Cholesterol: 5mg</li>
          <li>Sodium: 80mg</li>
          <li>Total Carbohydrate: 40g</li>
          <li>Dietary Fiber: 6g</li>
          <li>Sugars: 26g</li>
          <li>Protein: 8g</li>
        </ul>

        <h2>Cooking Guidelines:</h2>
        <ol>
          <li>In a blender, combine the frozen blueberries, ripe banana, Greek yogurt, almond milk, honey or maple syrup, and vanilla extract.</li>
          <li>Blend on high speed until smooth and creamy. If desired, add a few ice cubes to make the smoothie colder and thicker.</li>
          <li>Pour the smoothie into a glass and garnish with fresh blueberries and mint leaves.</li>
          <li>Serve immediately and enjoy!</li>
        </ol>
      </div>
    </div>
  </div>
</div>

```

```
<div class="modal-footer">
  <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
  <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;"
  <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
  <div class="card-body">
    <h5 class="card-title"> Chocolate Coffee</h5>
    <p class="card-text">price-20$</p>
    <!-- Button trigger modal -->
<button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModal">
  view detail
</button>

<!-- Modal -->
<div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h1 class="modal-title fs-5" id="exampleModalLabel">coffee</h1>
        <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">

        <h2>Ingredients:</h2>
        <ul>
          <li>2 Mahi Mahi fillets</li>
          <li>1 tablespoon olive oil</li>
          <li>1 teaspoon chili powder</li>
          <li>1/2 teaspoon cumin</li>
          <li>1/2 teaspoon garlic powder</li>
          <li>Salt and pepper to taste</li>
          <li>8 small tortillas</li>
          <li>1 cup shredded lettuce</li>
          <li>1/2 cup diced tomatoes</li>
          <li>1/4 cup diced red onion</li>
          <li>1/4 cup chopped cilantro</li>
          <li>Lime wedges for serving</li>
          <li>Salsa or hot sauce (optional)</li>
        </ul>

        <h2>Nutrition Information:</h2>
        <p>Serving Size: 1 Mahi Taco</p>
        <ul>
          <li>Calories: 250</li>
          <li>Total Fat: 8g</li>
          <li>Saturated Fat: 1g</li>
          <li>Cholesterol: 60mg</li>
          <li>Sodium: 350mg</li>
          <li>Total Carbohydrate: 23g</li>
          <li>Dietary Fiber: 3g</li>
          <li>Sugars: 2g</li>
          <li>Protein: 22g</li>
        </ul>
      </div>
    </div>
  </div>
</div>
```



```

<!-- Modal -->
<div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h1 class="modal-title fs-5" id="exampleModalLabel">Chicken Taco</h1>
        <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">

        <h2>Ingredients:</h2>
        <ul>
          <li>2 Mahi Mahi fillets</li>
          <li>1 tablespoon olive oil</li>
          <li>1 teaspoon chili powder</li>
          <li>1/2 teaspoon cumin</li>
          <li>1/2 teaspoon garlic powder</li>
          <li>Salt and pepper to taste</li>
          <li>8 small tortillas</li>
          <li>1 cup shredded lettuce</li>
          <li>1/2 cup diced tomatoes</li>
          <li>1/4 cup diced red onion</li>
          <li>1/4 cup chopped cilantro</li>
          <li>Lime wedges for serving</li>
          <li>Salsa or hot sauce (optional)</li>
        </ul>

        <h2>Nutrition Information:</h2>
        <p>Serving Size: 1 Mahi Taco</p>
        <ul>
          <li>Calories: 250</li>
          <li>Total Fat: 8g</li>
          <li>Saturated Fat: 1g</li>
          <li>Cholesterol: 60mg</li>
          <li>Sodium: 350mg</li>
          <li>Total Carbohydrate: 23g</li>
          <li>Dietary Fiber: 3g</li>
          <li>Sugars: 2g</li>
          <li>Protein: 22g</li>
        </ul>

        <h2>Cooking Guidelines:</h2>
        <ol>
          <li>Preheat your grill or stovetop grill pan to medium-high heat.</li>
          <li>In a small bowl, mix together the olive oil, chili powder, cumin, garlic powder, salt, and pepper.</li>
          <li>Brush the Mahi Mahi fillets with the spice mixture, coating both sides.</li>
          <li>Place the fillets on the grill and cook for about 4-5 minutes per side or until the fish is opaque and flakes easily with a fork.</li>
          <li>Remove the Mahi Mahi from the grill and let it rest for a few minutes. Then, flake the fish into small pieces using a fork.</li>
          <li>Warm the tortillas on the grill for a few seconds on each side.</li>
          <li>Assemble the tacos by placing a spoonful of the flaked Mahi Mahi onto each tortilla.</li>
          <li>Top with shredded lettuce, diced tomatoes, red onion, and chopped cilantro.</li>
          <li>Squeeze some fresh lime juice over the tacos and serve with salsa or hot sauce if desired.</li>
        </ol>
        <div class="modal-footer">
          <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
          <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

<div class="col">
<div class="card" style="width: 100%;">
<a href="https://getbootstrap.com/docs/5.3/components/card/">
</a>
<div class="card-body">
<h5 class="card-title">Chicken Taquitos</h5>
<p class="card-text">price- 25.6$</p>
<a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">view details</button></a>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;">
<a href="https://getbootstrap.com/docs/5.3/components/card/">
</a>
<div class="card-body">
<h5 class="card-title">Bacon Wrapped</h5>
<p class="card-text">price- 40.5$</p>
<a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">view details</button></a>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;">
<a href="https://getbootstrap.com/docs/5.3/components/card/">
</a>
<div class="card-body">
<h5 class="card-title">Chicken Nugget</h5>
<p class="card-text">price- 32.3$</p>
<a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">view details</button></a>
</div>
</div>
</div><br>
<div class="row">
<div class="col">
<div class="card" style="width: 100%;">
<a href="https://getbootstrap.com/docs/5.3/components/card/">
</a>
<div class="card-body">
<h5 class="card-title">Korean Omurice</h5>
<p class="card-text">price- 30$</p>
<a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">view details</button></a>
</div>
</div>
</div><br>
<div class="row">
<div class="col">
<div class="card" style="width: 100%;">
<a href="https://getbootstrap.com/docs/5.3/components/card/">
</a>
<div class="card-body">
<h5 class="card-title">Chinese Dumplings</h5>
<p class="card-text">price- 23.2$</p>
<button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModal">
view detail
</button>

```

```

<!-- Modal -->
<div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<h1 class="modal-title fs-5" id="exampleModalLabel">Chinese Dumplings</h1>
<button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
</div>
<div class="modal-body">

<h2>Ingredients:</h2>
<ul>
<li>1 package dumpling wrappers</li>
<li>1/2 pound ground pork</li>
<li>1/2 cup finely shredded cabbage</li>
<li>2 green onions, finely chopped</li>
<li>1/2 cup chopped shiitake mushrooms</li>
<li>2 cloves garlic, minced</li>
<li>1/2 cup soy sauce</li>
<li>1/2 tablespoon sesame oil</li>
<li>1/2 teaspoon grated ginger</li>
<li>1/2 teaspoon salt</li>
<li>1/4 teaspoon black pepper</li>
<li>Water for sealing the dumplings</li>
<li>Vegetable oil for frying or steaming</li>
</ul>

<h2>Nutrition Information:</h2>
<p>Serving Size: 4 Dumplings</p>
<ul>
<li>Calories: 158</li>
<li>Total Fat: 7g</li>
<li>Saturated Fat: 4g</li>
<li>Cholesterol: 25mg</li>
<li>Sodium: 350mg</li>
<li>Total Carbohydrate: 15g</li>
<li>Dietary Fiber: 4g</li>
<li>Sugars: 1g</li>
<li>Protein: 8g</li>
</ul>

<h2>Cooking Guidelines:</h2>
<ol>
<li>In a large mixing bowl, combine the ground pork, chopped cabbage, green onions, shiitake mushrooms, minced garlic, soy sauce, sesame oil, grated ginger, salt, and black pepper. Mix well until all ingredients are evenly incorporated.</li>
<li>Take a dumpling wrapper and place a tablespoon of the pork filling in the center.</li>
<li>Dip your finger in water and moisten the edges of the wrapper.</li>
<li>Fold the wrapper in half, sealing the edges tightly to create a half-moon shape. Pleat the edges if desired for a decorative look.</li>
<li>Fill a large skillet with about 1/2 inch of oil.</li>
<li>To fry the dumplings, heat a tablespoon of vegetable oil in a skillet over medium heat. Place the dumplings in the skillet and cook for 2-3 minutes until the bottoms are golden brown. Add water to the skillet, cover, and steam the dumplings for an additional 5 minutes until cooked through.</li>
<li>To steam the dumplings, place them in a steamer basket lined with parchment paper. Steam over high heat for 10-12 minutes until cooked through.</li>
<li>Serve the Chinese dumplings hot with dipping sauce of your choice, such as soy sauce, vinegar, or chili oil.</li>
</ol>
</div>
<div class="modal-footer">
<button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
<a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
</div>
</div>
</div>

```

```

        </div>
    </div>
<div class="col">
<div class="card" style="width: 100%;"
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
        </a>
<div class="card-body">
    <h5 class="card-title">Spudnik Pasta</h5>
    <p class="card-text">price-40.8$</p>
    <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">view details</button></a>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;"
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
        </a>
<div class="card-body">
    <h5 class="card-title">Seafood Noodles</h5>
    <p class="card-text">price-25.25$</p>
    <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">view details</button></a>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;"
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
        </a>
<div class="card-body">
    <h5 class="card-title">Chinese Jiaozi</h5>
    <p class="card-text">price-25$</p>
    <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">view details</button></a>
</div>
</div>
</div>
</div><br>
```

```

<div class="container-fluid bg-body-tertiary">
<footer class="py-5">
<div class="row justify-content-around">

<div class="col-6 col-md-2 mb-3">
    <h5>Research</h5>
    <ul class="nav flex-column">
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Inabox.html" class="nav-link p-0 text-body-secondary">Home</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price</a></li>
    </ul>
</div>

<div class="col-6 col-md-2 mb-3">
    <h5>Research</h5>
    <ul class="nav flex-column">
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipe guide</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homebake.html" class="nav-link p-0 text-body-secondary">Back at home</a></li>
    </ul>
</div>

<div class="col-6 col-md-2 mb-3">
    <h5>Community</h5>
    <ul class="nav flex-column">
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" class="nav-link p-0 text-body-secondary">Sing up </a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">Log in</a></li>
    </ul>
</div>
</div>
<div class="row" style="margin-left: 40%;>
    <p style="text-align: revert-layer; font-size:50px;">Follow us</p>
    <ul class="list-unstyled d-flex">
        <li><a class="link-body-emphasis" href="https://www.facebook.com/"></a></li>
        <li><a class="link-body-emphasis" href="https://twitter.com/i/flow/login"></a></li>
        <li><a class="link-body-emphasis" href="https://web.telegram.org/s/"></a></li>
        <li><a class="link-body-emphasis" href="https://www.pinterest.com/login/"></a></li>
    </ul>
</div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.7/dist/umd/popper.min.js" integrity="sha384-zYPMQgeuIDAVkHlLqWBUtcbYFZ8osu1Nd6Z89ify25QV9guuJx43ITvfi12/QExE" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.min.js" integrity="sha384-Y4oOpw3du1dChv5ly8SCFYnqFDsfob/3GkgExXXV4idmbt98QcxYYs9UoXA87BZ" crossorigin="anonymous"></script>
</body>
</html>
```

Ingredients page

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>In a box</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-KK94CHFLLe+nY2dnCNq91rCG5gtJ4mk92HdyYeM/SXH301p5ILy+dN9+nJ0Z" crossorigin="anonymous">
</head>
<style type="text/css">

body{
background-image:url("D:/module 4/bootstrap testing/h11.jpg");
background-repeat: no-repeat;
background-position: center;
background-attachment: fixed;
background-size: cover;
}

</style>
<body >

<nav class="navbar navbar-expand-lg bg-body-tertiary">
<div i class="container-fluid">
<a class="navbar-brand" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">

</a>
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav me-auto mb-2 mb-lg-0">
<li class="nav-item">
<a class="nav-link active" aria-current="page" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/packages.html#">Packages</a>
</li>
<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
Service and Product
</a>
<ul class="dropdown-menu">
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set </a></li>
<li><hr class="dropdown-divider"></li>
<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
Other
</a>
```

```

<ul class="dropdown-menu">
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unrational.html">Unrational information app</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gift.html">Gift boxes</a></li>
</ul>
</li>
</ul>
</ul>
</form>
</div>
</div>
</nav>
<br>
<h1 style="text-align:center;"> Ingredients</h1>
<div class="container" >
<div class="row rounded-circle">
<div class="col">
<div class="card" style="width: 100%;"
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
    <div class="card-body">
        <h5 class="card-title">Garlic</h5>
        <p class="card-text">price:3.6$</p>
        <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Buy</button></a>
    </div>
</div>
<div class="col">
<div class="card" style="width: 100%;"
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
    <div class="card-body">
        <h5 class="card-title">Ginger</h5>
        <p class="card-text">price:4.6$</p>
        <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Buy</button></a>
    </div>
</div>
<div class="col">
<div class="card" style="width: 100%;"
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
    <div class="card-body">
        <h5 class="card-title">lamb</h5>
        <p class="card-text">price:12.6$</p>
        <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Buy</button></a>
    </div>
</div>
</div>
<br>
<div class="row">

```

```

<div class="row">
<div class="col">
<div class="card" style="width: 100%;"
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
    <div class="card-body">
        <h5 class="card-title">Chicken</h5>
        <p class="card-text">price:10.6$</p>
        <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Buy</button></a>
    </div>
</div>
</div>

<div class="col">
<div class="card" style="width: 100%;"
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
    <div class="card-body">
        <h5 class="card-title">Beef</h5>
        <p class="card-text">price:15.6$</p>
        <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Buy</button></a>
    </div>
</div>
</div><div class="col">
<div class="card" style="width: 100%;"
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
    <div class="card-body">
        <h5 class="card-title">Tomato</h5>
        <p class="card-text">price:3.6$</p>
        <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Buy</button></a>
    </div>
</div>
</div>
</div><br>

```

Back at home set page code

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>In a box</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-KK94CHFLLe+nY2dmCWGMq9lrCgA5gtU4mk92HdvYeM/SXh301p5Ily+dN9+jOZ" crossorigin="anonymous">
</head>
<style type="text/css">

body{
 background-image:url("D:\module 4/bootstrap testing/h11.jpg");
 background-repeat: no-repeat;
 background-position: center;
 background-attachment: fixed;
 background-size: cover;
}

</style>
<body >

<nav class="navbar navbar-expand-lg bg-body-tertiary">


!\[h2.png\]\(D:\module 4/bootstrap testing/h2.png\)


<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
</button>


- Home</a>
- 
- 
- 
- <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
    Service and Product
  </a>
  <ul class="dropdown-menu">
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set </a></li>
    <li><hr class="dropdown-divider"></li>
  </ul>
<a class="nav-item dropdown">

<a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
  Other
</a>


```

```

<ul class="dropdown-menu">
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unritional.html">Unritional information app</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gift.html">Gift boxes</a></li>
</ul>
</li>
</ul>
</li>
</ul>
<form class="d-flex" role="search">
    <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
            <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/singup%20.html">Singup</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
        </li>
        <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
        <button class="btn btn-outline-success" type="submit">Search</button>
    </form>
</div>
</div>
<br>
<h1 style="text-align: center;">Bake at home set</h1>
<div class="container" >
<div class="row " >
<div class="col" >
<div class="card" style="width: 100%;">
    <a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" >
        </a>
        <div class="card-body">
            <h5 class="card-title">Bake at home set 1</h5>
            <p> price-98.95</p>
            <a href="file:///D:/module%204/bootstrap%20testing/contact.html"><button type="button" class="btn btn-primary" style="margin-left: 20%; ">
                Get
            </button></a>
        </div>
    </div>
</div>
<div class="col" >
<div class="card" style="width: 100%;">
    <a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" class="nav-link p-0 text-body-secondary">
        </a>
        <div class="card-body">
            <h5 class="card-title">Bake at home set 2</h5>
            <p> price-98.95</p>
            <a href="file:///D:/module%204/bootstrap%20testing/contact.html"><button type="button" class="btn btn-primary" style="margin-left: 20%; ">
                Get
            </button></a>
        </div>
    </div>
</div>
<div class="col" >
<div class="card" style="width: 100%;">
    <a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" >
        </a>
        <div class="card-body">
            <h5 class="card-title">Bake at home set 3</h5>
            <p> price-98.95</p>
            <a href="file:///D:/module%204/bootstrap%20testing/contact.html"><button type="button" class="btn btn-primary" style="margin-left: 20%; ">
                Get
            </button></a>
        </div>
    </div>
</div>

```

```

</div>
</div>
</div>
<div class="card" style="width: 100%;"
<a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" >
</a>
<div class="card-body">
<h5 class="card-title">Bake at home set 4</h5>
<p> price:98.9$</p>
<a href="file:///D:/module%204/bootstrap%20testing/contact.html"><button type="button" class="btn btn-primary" style="margin-left: 20%;">
Get
</button></a>
</div>
</div>
</div>
</div>
<br><br><br>

<div class="container-fluid bg-body-tertiary">
<footer class="py-5">
<div class="row justify-content-around">
<div class="col-6 col-md-2 mb-3">
<h5>Research</h5>
<ul class="nav flex-column">
<li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Inabox.html" class="nav-link p-0 text-body-secondary">Home</a></li>
<li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages</a></li>
<li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price</a></li>
</ul>
</div>
<div class="col-6 col-md-2 mb-3">
<h5>Research</h5>
<ul class="nav flex-column">
<li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipe guide</a></li>
<li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients</a></li>
<li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homebake.html" class="nav-link p-0 text-body-secondary">Back at home</a></li>
</ul>
</div>
<div class="col-6 col-md-2 mb-3">
<h5>Community</h5>
<ul class="nav flex-column">
<li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" class="nav-link p-0 text-body-secondary">Sing up </a></li>
<li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us</a></li>
<li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">Log in</a></li>
</ul>
</div>
</div>
<div class="row " style="margin-left: 40%;">
<p style="text-align: revert-layer; font-size:50px;">Follow us</p>
<ul class="list-unstyled d-flex">
<li ><a class="link-body-emphasis" href="https://www.facebook.com/"></a></li>
<li ><a class="link-body-emphasis" href="https://twitter.com/i/flow/login"></a></li>
<li ><a class="link-body-emphasis" href="https://web.telegram.org/a/"></a></li>
<li ><a class="link-body-emphasis" href="https://www.pinterest.com/login/"></a></li>
</ul>
</div>
</div>

</body>
</html>

```

Meal planner page code

```
<ul class="dropdown-menu">
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unrational.html">Unrational information app</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gfit.html">Gift boxes</a></li>
</ul>
</li>
</ul>
</li>
</ul>
</div>
<form class="d-flex" role="search">
  <ul class="navbar-nav me-auto mb-2 mb-lg-0">
    <li class="nav-item">
      <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/signup%20.html">Singup</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
    </li>
    <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
    <button class="btn btn-outline-success" type="submit">Search</button>
  </form>
</div>
</div>
<br>
<h1 style="text-align: center;"> Meal planner</h1><br>
<div class="container justify-content-around" >
<div class="row " >
<div class="col" >
<div class="card" style="width: 100%;>

  <div class="card-body">
    <h5 class="card-title">Monday</h5>
    <p class="card-text">- Smoothie <br>- Mahitaco<br>- Korean omurice</p>
    <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
  </div>
</div>
<div class="col" >
<div class="card" style="width: 100%;>

  <div class="card-body">
    <h5 class="card-title">Tuesday</h5>
    <p class="card-text">- Chicken nugget<br>- Chinese Jiaozi<br>- Dumplings</p>
    <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
  </div>
</div>
<div class="col" >
<div class="card" style="width: 100%;>

  <div class="card-body">
    <h5 class="card-title"> Wednesday</h5>
    <p class="card-text">- Smoothie <br>- Chicken Nugget<br>- Bacon Wrapped</p>
    <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
  </div>
</div>
<div class="col" >
<div class="card" style="width: 100%;>
```

```

<div class="card-body">
    <h5 class="card-title">Thursday</h5>
    <p class="card-text">-Squidink Pasta <br>-Mahitaco<br>Korean Omurice</p>
    <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;>
    <div class="card-body">
        <h5 class="card-title">Friday</h5>
        <p class="card-text">- Smoothie <br>-Korean Omurice<br>-Spaghetti Meat</p>
        <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
    </div>
</div>
<div class="col">
<div class="card" style="width: 100%;>
    <div class="card-body">
        <h5 class="card-title">Saturday</h5>
        <p class="card-text">-Seafood Noodles <br>-Mahitaco<br>-Korean Omurice</p>
        <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
    </div>
</div>
<div class="col">
<div class="card" style="width: 100%;>
    <div class="card-body">
        <h5 class="card-title">Sunday</h5>
        <p class="card-text">-Chocolate Coffee <br>-Smoothie<br>-Korean Omurice</p>
        <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
    </div>
</div>
</div>
</div>

<br><br><br><br><br>

<div class="container-fluid bg-body-tertiary" style="margin-top: 100px;">
<footer class="py-5">
    <div class="row justify-content-around">
        <div class="col-6 col-md-2 mb-3">
            <h5>Research</h5>
            <ul class="nav flex-column">
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Inabox.html" class="nav-link p-0 text-body-secondary">Home</a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages</a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price</a></li>
            </ul>
        </div>
        <div class="col-6 col-md-2 mb-3">
            <h5>Research</h5>
            <ul class="nav flex-column">
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipe guide</a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients</a></li>
                <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homebake.html" class="nav-link p-0 text-body-secondary">Back at home</a></li>
            </ul>
        </div>
    </div>
</div>

<div class="col-6 col-md-2 mb-3">
    <h5>Community</h5>
    <ul class="nav flex-column">
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/signup20.html" class="nav-link p-0 text-body-secondary">Sign up </a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us </a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">Log in </a></li>
    </ul>
</div>
</div>
<div class="row" style="margin-left: 40px;">
    <p style="text-align: revert-layer; font-size:50px;">Follow us</p>
    <ul class="list-unstyled d-flex">
        <li ><a class="link-body-emphasis" href="https://www.facebook.com/"></a></li>
        <li ><a class="link-body-emphasis" href="https://twitter.com/i/flow/login"></a></li>
        <li ><a class="link-body-emphasis" href="https://web.telegram.org/a/"></a></li>
        <li ><a class="link-body-emphasis" href="https://www.pinterest.com/login/"></a></li>
    </ul>
</div>
</div>
</div>

<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.7/dist/umd/popper.min.js" integrity="sha384-zYOMceulDAVhdilQhBjTCbYZ8osu1NdZSP9ify25Q9guujx4JITvfI12/QExE" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.min.js" integrity="sha384-Y46Opw3du1dCk5ly8SCFYWqFDsfob/36kgExXKV4iambt980cXy59loA87BZ" crossorigin="anonymous"></script>
</body>
</html>

```


Nutritional information app page code

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>In a box</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-KK94CHFLle+NY2dmCl/GMq91rCGa5gtU4mk92HdvYe+M/SXH301p5ILy+dN9+nJ0Z" crossorigin="anonymous">
</head>
<style type="text/css">

body{
    background-image:url("D:/module 4/bootstrap testing/h11.jpg");
    background-repeat: no-repeat;
    background-position: center;
    background-attachment: fixed;
    background-size: cover;
}

</style>
<body>

<nav class="navbar navbar-expand-lg bg-body-tertiary">
    <div class="container-fluid">
        <a class="navbar-brand" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">
            
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarSupportedContent">
            <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/packages.html">Packages</a>
                </li>
                <li class="nav-item dropdown">
                    <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
                        Service and Product
                    </a>
                    <ul class="dropdown-menu">
                        <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
                        <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
                        <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set</a></li>
                    </ul>
                <li class="nav-item dropdown">
                    <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
                        Other
                    </a>
                </li>
            </ul>
        </div>
    </div>
</nav>
```

```
<ul class="dropdown-menu">
  <li><a href="file:///D:/module204/bootstrapx20/testing/meal.html">Meal planners</a></li>
  <li><a href="file:///D:/module204/bootstrapx20/testing/unritional.html">Unritional information spp</a></li>
  <li><a href="file:///D:/module204/bootstrapx20/testing/select.html">Selection of weekly recipe chooses</a></li>
  <li><a href="file:///D:/module204/bootstrapx20/testing/gift.htm">Gift boxes</a></li>
</ul>
</li>
</ul>
</li>
</ul>
<form id="f1" role="search">
  <div class="input-group mb-2 mb-lg-0">
    <input type="text" class="form-control" placeholder="Search" aria-label="Search" style="width: 150px; height: 30px; border-radius: 15px; border: 1px solid #ccc; padding: 5px; margin-right: 10px; font-size: 14px; font-weight: bold; color: black; background-color: white; border-bottom-left-radius: 0; border-top-left-radius: 0; border-bottom-right-radius: 15px; border-top-right-radius: 15px;"/>
    <button class="btn btn-outline-success" type="submit">Search</button>
  </div>
</form>
</div>
</div>
</nav>
<hr>
<div style="text-align:center;"> Unritional information app <h1><br>
<div class="container">
<div class="row" >
  <div class="col" >

  </div>
  <div class="col" >
<hr>
  <div class="row" >
    <div class="col" >
      <a href="https://www.spokin.com/"><h1>Spokin</h1></a>
    </div>
    <div class="col" >
      <p>Iphone rating: 4.7 star</p>
    </div>
    <div class="col" >
      <p>price: Free</p>
    </div>
  </div>
<hr>
  <div class="row" >
    <div class="col" >

    </div>
  </div>
  <div class="col" >
    <a href="https://www.noom.com/lp/weightLossGoal?cid=10969504&lang=en&redirection&step=prodBuy&utm_campaign=cpe#14trial&utm_content=KSBKSBcustom-t_KSDKSD-KSBKSBctcKSDKSD&utm_medium=partnerweb&utm_source=healthline"><h1>Noom</h1></a>
  </div>
  <div class="col" >
    <p>Iphone rating: 4.7 star</p>
  </div>
  <div class="col" >
    <p>Iphone rating: 4.3 star</p>
  </div>
  <div class="col" >
    <p>price: $60 per month or $159 per year</p>
  </div>
</div>
<hr>
<hr>
```

```
<div class="row">
  <div class="col">
    
  </div>
  <div class="col">
    <a class="nav-link" href="https://www.mynetdiary.com/?correlationId=48d4b71d-63d4-4081-9773-78a46983b1ed"><h1 style="color: blueviolet;">MyNet Diary Calorie Counter</h1></a>
    <p>iPhone rating: 4.8 star</p>
    <p>iPhone rating: 4.7 star</p>
    <p>price: free, with in-app purchases</p>
  </div>
</div>
</div>
<br><br>
```

Selection of weekly recipe choices page code

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>In a box</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-KK94CHFLLe+nY2dmCUWGMq91rCgA5gtU4mk92hdYe+M/SXH301p5ILy+dN9+nJOZ" crossorigin="anonymous">
</head>
<style type="text/css">

body{
background-image:url("D:\module 4\bootstrap testing\h11.jpg");
background-repeat: no-repeat;
background-position: center;
background-attachment: fixed;
background-size: cover;
}

</style>
</body >

<nav class="navbar navbar-expand-lg bg-body-tertiary">


<a class="navbar-brand" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">

</a>
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
</span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav me-auto mb-2 mb-lg-0">
- <a class="nav-link active" aria-current="page" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">Home</a>
</li>
- <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/packages.html">Packages</a>
</li>
- <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
Service and Product
</a>
<ul class="dropdown-menu">
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set </a></li>
<li><hr class="dropdown-divider"></li><ul>
<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
Other
</a>
</li>


```

```

<ul class="dropdown-menu">
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unritional.html">Unritional information app</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
  <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gift.html">Gift boxes</a></li>
</ul>
</li>
</ul>
</li>
</ul>
<form class="d-flex" role="search">
  <ul class="navbar-nav me-auto mb-2 mb-lg-0">
    <li class="nav-item">
      <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/singup%20.html">Singup</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
    </li>
    <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
    <button class="btn btn-outline-success" type="submit">Search</button>
  </form>
</div>
</div>
</nav>
<br>
<h1 style="text-align: center;"> Weekly selected menu</h1><br>
<div class="container justify-content-around" >
<div class="row ">
<div class="col">
<div class="card" style="width: 100%;"
  <a href="https://getbootstrap.com/docs/5.3/components/card/">
    </a>
  <div class="card-body">
    <h5 class="card-title">Blueberry Smoothie</h5>
    <p class="card-text">price-30$</p>
    <button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModa2">
      view detail
    </button>
  <!-- Modal -->
<div class="modal fade" id="exampleModa2" tabindex="-1" aria-labelledby="exampleModaLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h1 class="modal-title fs-5" id="exampleModaLabel">Blueberry Smoothie</h1>
        <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">
        <h2>Ingredients:</h2>
        <ul>
          <li>1 cup frozen blueberries</li>
          <li>1 ripe banana</li>
          <li>1/2 cup Greek yogurt</li>
          <li>1/2 cup almond milk</li>
          <li>1 tablespoon honey or maple syrup</li>
          <li>1/2 teaspoon vanilla extract</li>
          <li>Ice cubes (optional)</li>
          <li>Fresh blueberries and mint leaves for garnish</li>
        </ul>
      </div>
    </div>
  </div>
</div>

```

```

<h2>Nutrition Information:</h2>
<p>Serving Size: 1 Blueberry Smoothie</p>
<ul>
    <li>Calories: 200</li>
    <li>Total Fat: 3g</li>
    <li>Saturated Fat: 1g</li>
    <li>Cholesterol: 5mg</li>
    <li>Sodium: 80mg</li>
    <li>Total Carbohydrate: 40g</li>
    <li>Dietary Fiber: 6g</li>
    <li>Sugars: 26g</li>
    <li>Protein: 8g</li>
</ul>

<h2>Cooking Guidelines:</h2>
<ol>
    <li>In a blender, combine the frozen blueberries, ripe banana, Greek yogurt, almond milk, honey or maple syrup, and vanilla extract.</li>
    <li>Blend on high speed until smooth and creamy. If desired, add a few ice cubes to make the smoothie colder and thicker.</li>
    <li>Pour the smoothie into a glass and garnish with fresh blueberries and mint leaves.</li>
    <li>Serve immediately and enjoy!</li>
</ol>
</div>
<div class="modal-footer">
    <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
    <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
</div>
</div>
</div>
</div>
<div class="col">
<div class="card" style="width: 100%;>
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
        </a>
    <div class="card-body">
        <h5 class="card-title">Chinese Dumplings</h5>
        <p class="card-text">price- 23.2$</p>
        <button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModal">
            view detail
        </button>
    </div>
<!-- Modal -->
<div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h1 class="modal-title fs-5" id="exampleModalLabel">Chinese Dumplings</h1>
                <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
            </div>
            <div class="modal-body">

```

```

<h2>Ingredients:</h2>
<ul>
    <li>1 package dumpling wrappers</li>
    <li>1/2 pound ground pork</li>
    <li>1 cup finely chopped cabbage</li>
    <li>1 cup green onions, finely chopped</li>
    <li>1/4 cup shiitake mushrooms, sliced</li>
    <li>2 cloves garlic, minced</li>
    <li>1 tablespoon soy sauce</li>
    <li>1/2 teaspoon sesame oil</li>
    <li>1/2 teaspoon grated ginger</li>
    <li>1/4 teaspoon salt</li>
    <li>1/4 teaspoon black pepper</li>
    <li>water for sealing the dumplings</li>
    <li>Vegetable Oil for Frying or steaming</li>
</ul>

<h2>Nutrition Information:</h2>
<p>Serving Size: 4 Dumplings</p>
<ul>
    <li>Calories: 150</li>
    <li>Total Fat: 7g</li>
    <li>Saturated Fat: 2g</li>
    <li>Cholesterol: 25mg</li>
    <li>Sodium: 150mg</li>
    <li>Total Carbohydrate: 15g</li>
    <li>Dietary Fiber: 1g</li>
    <li>Sugars: 1g</li>
    <li>Protein: 8g</li>
</ul>

<h2>Cooking Guidelines:</h2>
<ol>
    <li>Take a large mixing bowl, combine the ground pork, chopped cabbage, green onions, shiitake mushrooms, minced garlic, soy sauce, sesame oil, grated ginger, salt, and black pepper. Mix well until all ingredients are evenly incorporated.</li>
    <li>Wrap a finger width of dough and lay the edges of the wrapper</li>
    <li>Fold the finger width, seal the edges, and create a half-moon shape. Pleat the edges if desired for a decorative look.</li>
    <li>Repeat the process with the remaining wrappers and filling.</li>
    <li>To fry the dumplings, heat a tablespoon of vegetable oil in a skillet over medium heat. Place the dumplings in the skillet and cook for 2-3 minutes until the bottoms are golden brown. Add water to the skillet, cover, and steam the dumplings for an additional 8 minutes until cooked through.</li>
    <li>To steam the dumplings, place them in a steamer basket lined with parchment paper. Steam over high heat for 10-12 minutes until cooked through.</li>
    <li>Serve the Chinese dumplings hot with dipping sauce of your choice, such as soy sauce, vinegar, or chili oil.</li>
</ol>
</div>
<div class="modal-footer">
    <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
    <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
</div>
</div>
</div>
</div>
<div class="card" style="width: 100%;>
    <a href="https://getbootstrap.com/docs/5.3/components/card/">
        </a>
    <div class="card-body">
        <h5 class="card-title">Chicken Taco</h5>
        <p class="card-text">price-30.3$</p>

```

```

<button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModal">
  view detail
</button>

<!-- Modal -->
<div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h1 class="modal-title fs-5" id="exampleModalLabel">Mahi Taco</h1>
        <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">

        <h2>Ingredients:</h2>
        <ul>
          <li>2 Mahi Mahi fillets</li>
          <li>1 tablespoon olive oil</li>
          <li>1 teaspoon chili powder</li>
          <li>1/2 teaspoon cumin</li>
          <li>1/2 teaspoon garlic powder</li>
          <li>Salt and pepper to taste</li>
          <li>8 small tortillas</li>
          <li>1 cup shredded lettuce</li>
          <li>1/2 cup diced tomatoes</li>
          <li>1/4 cup diced red onion</li>
          <li>1/4 cup chopped cilantro</li>
          <li>Lime wedges for serving</li>
          <li>Salsa or hot sauce (optional)</li>
        </ul>

        <h2>Nutrition Information:</h2>
        <p>Serving Size: 1 Mahi Taco</p>
        <ul>
          <li>Calories: 250</li>
          <li>Total Fat: 8g</li>
          <li>Saturated Fat: 1g</li>
          <li>Cholesterol: 60mg</li>
          <li>Sodium: 350mg</li>
          <li>Total Carbohydrate: 23g</li>
          <li>Dietary Fiber: 3g</li>
          <li>Sugars: 2g</li>
          <li>Protein: 22g</li>
        </ul>

        <h2>Cooking Guidelines:</h2>
        <ol>
          <li>Preheat your grill or stovetop grill pan to medium-high heat.</li>
          <li>In a small bowl, mix together the olive oil, chili powder, cumin, garlic powder, salt, and pepper.</li>
          <li>Brush the Mahi Mahi fillets with the spice mixture, coating both sides.</li>
          <li>Place the fillets on the grill and cook for about 4-5 minutes per side or until the fish is opaque and flakes easily with a fork.</li>
          <li>Remove the Mahi Mahi from the grill and let it rest for a few minutes. Then, flake the fish into small pieces using a fork.</li>
          <li>Warm the tortillas on the grill for a few seconds on each side.</li>
          <li>Assemble the tacos by placing a spoonful of the flaked Mahi Mahi onto each tortilla.</li>
          <li>Top with shredded lettuce, diced tomatoes, red onion, and chopped cilantro.</li>
          <li>Squeeze some fresh lime juice over the tacos and serve with salsa or hot sauce if desired.</li>
        </ol>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
        <a href="file:///D:/module%204/bootstrap%20testing/login.html"><button type="button" class="btn btn-primary">Get</button></a>
      </div>
    </div>
  </div>

```

```
<div class="container-fluid bg-body-tertiary">
<footer class="py-5">
  <div class="row justify-content-around">

    <div class="col-6 col-md-2 mb-3">
      <h5>Research</h5>
      <ul class="nav flex-column">
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/inabox.html" class="nav-link p-0 text-body-secondary">Home</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price</a></li>
      </ul>
    </div>

    <div class="col-6 col-md-2 mb-3">
      <h5>Research</h5>
      <ul class="nav flex-column">
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipe guides</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homeback.html" class="nav-link p-0 text-body-secondary">Back at home</a></li>
      </ul>
    </div>

    <div class="col-6 col-md-2 mb-3">
      <h5>Community</h5>
      <ul class="nav flex-column">
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/signup%20.html" class="nav-link p-0 text-body-secondary">Sign up</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us</a></li>
        <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">Log in</a></li>
      </ul>
    </div>
  </div>
  <div class="row" style="margin-left: 40%;>
    <p style="text-align: revert-layer; font-size: 50px;">Follow us</p>
    <ul class="list-unstyled d-flex">
      <li ><a class="link-body-emphasis" href="https://www.facebook.com/"></a></li>
      <li ><a class="link-body-emphasis" href="https://twitter.com/i/flow/login"></a></li>
      <li ><a class="link-body-emphasis" href="https://web.telegram.org/a/"></a></li>
      <li ><a class="link-body-emphasis" href="https://www.pinterest.com/login/"></a></li>
    </ul>
  </div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.7/dist/umd/popper.min.js" integrity="sha384-YZP0eu1DAVhLqBwUTcbF7Fz8os1Nd7287if9y250yuujx43Tvf112/QExE" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/js/bootstrap.min.js" integrity="sha384-Y4oWmWdu7dCv7X9lmbt9Q0cxXv9s9loxAB78Z" crossorigin="anonymous"></script>
```

Gift boxes page code

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>In a box</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-KK94CHFLLe+nY2dmCwGm91rCgA5gtU4mk92HdVYe+M/SXH301p5ILy+dN9+nJ0Z" crossorigin="anonymous">
</head>
<style type="text/css">

body{
  background-image:url("../module_4/bootstrap_testing/h11.jpg");
  background-repeat: no-repeat;
  background-position: center;
  background-attachment: fixed;
  background-size: cover;
}

</style>
<body >

<nav class="navbar navbar-expand-lg bg-body-tertiary">
  <div i class="container-fluid">
    <a class="navbar-brand" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a class="nav-link active" aria-current="page" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/packages.html">Packages</a>
        </li>
        <li class="nav-item dropdown">
          <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
            Service and Product
          </a>
          <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set </a></li>
            <li><a class="dropdown-divider"></a></li>
            <li class="nav-item dropdown">
              <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
                Other
              </a>
            </li>
          </ul>
        </li>
      </ul>
    </div>
  </div>
</nav>
```

```
<ul class="dropdown-menu">
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unrational.html">Unrational information app</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
    <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gfit.html">Gift boxes</a></li>
</ul>
</li>
</ul>
</li>
</ul>
<form class="d-flex" role="search">
    <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
            <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/singup%20.html">Singup</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
        </li>
    </ul>
    <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
    <button class="btn btn-outline-success" type="submit">Search</button>
</form>
</div>
</div>
<br>
<h1 style="text-align: center;"> Gift boxes</h1>
<br>
<div class="container" >
    <div class="row" >
        <div class="col" >
            <div class="card" style="width: 100%;">
                
                <div class="card-body bg-primary-subtle">
                    <h5 class="card-title" style="text-align:center;">Drink</h5>
                    <p class="card-text"><a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/contact.html"><button type="button" class="btn btn-secondary">Get</button></a></p>
                </div>
            </div>
        </div>
        <div class="col" >
            <div class="card" style="width: 100%;">
                
                <div class="card-body bg-dark-subtle">
                    <h5 class="card-title" style="text-align:center;">Dry</h5>
                    <p class="card-text"><a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/contact.html"><button type="button" class="btn btn-secondary">Get</button></a></p>
                </div>
            </div>
        </div>
        <div class="col" >
            <div class="card" style="width: 100%;">
                
                <div class="card-body bg-info-subtle" >
                    <h5 class="card-title" style="text-align:center;">Preserved</h5>
                    <p class="card-text"><a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/contact.html"><button type="button" class="btn btn-secondary">Get</button></a></p>
                </div>
            </div>
        </div>
        </div>
    </div>
</div>
```

```

<div class="container-fluid bg-body-tertiary">
<footer class="py-5">
<div class="row justify-content-around">

    <div class="col-6 col-md-2 mb-3">
        <h5>Research</h5>
        <ul class="nav flex-column">
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Inabox.html" class="nav-link p-0 text-body-secondary">Home</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price</a></li>
        </ul>
    </div>

    <div class="col-6 col-md-2 mb-3">
        <h5>Research</h5>
        <ul class="nav flex-column">
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipes guide</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homebake.html" class="nav-link p-0 text-body-secondary">Back at home</a></li>
        </ul>
    </div>

    <div class="col-6 col-md-2 mb-3">
        <h5>Community</h5>
        <ul class="nav flex-column">
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" class="nav-link p-0 text-body-secondary">Sing up </a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">Log in</a></li>
        </ul>
    </div>

    <div class="row " style="margin-left: 40px;">
        <p style="text-align: revert-layer; font-size: 50px;">Follow us</p>
        <ul class="list-unstyled d-flex">
            <li><a class="link-body-emphasis" href="https://www.facebook.com/"></a></li>
            <li><a class="link-body-emphasis" href="https://twitter.com/i/flow/login"></a></li>
            <li><a class="link-body-emphasis" href="https://web.telegram.org/a/"></a></li>
            <li><a class="link-body-emphasis" href="https://www.pinterest.com/login/"></a></li>
        </ul>
    </div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.7/dist/umd/popper.min.js" integrity="sha384-zYPMqeuIDAVKhilqlBUTcbYFz8osu1Nd6Z89ify25Q9guujx43ITvfi12/QExE" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.min.js" integrity="sha384-Y4oOpwM3dudCwV5ly8SCFYmQFDsFob/3GkgExXXV4idmbt98QcxYs9uoXA878Z" crossorigin="anonymous"></script>
</body>
</html>

```

Sign up page code

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>sign up</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-KK94CHFLLe+nY2dmChGq91rCgA5gtU4mk92HdvYeM/SXH301pSILy+dN9+mJ0Z" crossorigin="anonymous">
</head>
<style type="text/css">

label {
    display: block;
    margin-bottom: 5px;
}
input[type="text"],
input[type="date"],
select {
    width: 100%;
    padding: 10px;
    border: 1px solid #cccccc;
    border-radius: 4px;
    box-sizing: border-box;
    margin-bottom: 10px;
    font-size: 16px;
}
input[type="submit"] {
background-color: #4caf50;
color: #ffffff;
padding: 10px 20px;
border: none;
border-radius: 4px;
cursor: pointer;
font-size: 16px;
text-align: center;
}

input[type="submit"]:hover, {
background-color: #3e8e41;
}

body{
background-image:url("D:\module 4\bootstrap testing\h11.jpg");
background-repeat: no-repeat;
background-position: center;
background-attachment: fixed;
background-size: cover;
}

</style>
<body>

```

```

<nav class="navbar navbar-expand-lg bg-body-tertiary">
  <div i class="container-fluid">
    <a class="navbar-brand" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div Class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="nav navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a class="nav-link active" aria-current="page" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/packages.html">Packages</a>
        </li>
        <li class="nav-item dropdown">
          <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
            Service and Product
          </a>
          <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
            <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set </a></li>
            <li><hr class="dropdown-divider"></li>
            <li class="nav-item dropdown">
              <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
                Other
              </a>
              <ul class="dropdown-menu">
                <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
                <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unritional.html">Unritional information app</a></li>
                <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
                <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gfit.html">Gift boxes</a></li>
              </ul>
            </li>
          </ul>
        </li>
      </ul>
    </div>
    <form class="d-flex" role="search">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/singup%20.html">Singup</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
        </li>
      </ul>
      <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
      <button class="btn btn-outline-success" type="submit">Search</button>
    </form>
  </div>
</nav>

```

```

<br>
<h1 style="padding-top: 40px;
text-align: center;
font-size:50px;
color:dark;"> Sign up</h1>
<form style="max-width: 600px;
margin: 0 auto;
padding: 20px;
background-color: #ffffff;" action="">

<label>user name</label>
<input type="text" name="name" required><br><br>
<label> birth</label>
<input type="date" name="kdate" required><br><br>
<label>E-mail</label>
<input type="text" name="krank" required><br><br>
<label>phone number</label>
<input type="text" name="krank" required><br><br>
<label>password</label>
<input type="text" name="krank" required><br><br>

<input type="Submit" style="margin-left:40%;" value=" continue">

</form>
<br>

```

```

<div class="container-fluid bg-body-tertiary">
<footer class="py-5">
<div class="row justify-content-around">

    <div class="col-6 col-md-2 mb-3">
        <h5>Research</h5>
        <ul class="nav flex-column">
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Inabox.html" class="nav-link p-0 text-body-secondary">Home</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price</a></li>
        </ul>
    </div>

    <div class="col-6 col-md-2 mb-3">
        <h5>Research</h5>
        <ul class="nav flex-column">
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipes guide</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homebake.html" class="nav-link p-0 text-body-secondary">Back at home</a></li>
        </ul>
    </div>

    <div class="col-6 col-md-2 mb-3">
        <h5>Community</h5>
        <ul class="nav flex-column">
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" class="nav-link p-0 text-body-secondary">Sing up </a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us</a></li>
            <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">Log in</a></li>
        </ul>
    </div>

    <div class="row " style="margin-left: 40%;>
        <p style="text-align: revert-layer; font-size: 50px;">Follow us</p>
        <ul class="list-unstyled d-flex">
            <li><a class="link-body-emphasis" href="https://www.facebook.com/"></a></li>
            <li><a class="link-body-emphasis" href="https://twitter.com/i/flow/login"></a></li>
            <li><a class="link-body-emphasis" href="https://web.telegram.org/a/"></a></li>
            <li><a class="link-body-emphasis" href="https://www.instagram.com/login/"></a></li>
        </ul>
    </div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.7/dist/umd/popper.min.js" integrity="sha384-zYPMqeuIDAVKhilqlBUTcbYFz8osu1Nd6Z89ify25Q9guujx43ITvfi12/QExE" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.min.js" integrity="sha384-Y4oOpwM3dudCwV5ly8SCFYmQFDsFob/3GkgExXXV4idmbt98QcxYs9UloXA878Z" crossorigin="anonymous"></script>
</body>
</html>

```

Log in page code

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>Log in</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-KK94CHFLLe+nY2dmClGm91rCGaSgtU4mk92HdvYeM/MXH301p5Ily+dN9+jOZ" crossorigin="anonymous">
</head>
<style type="text/css">

label {
    display: block;
    margin-bottom: 5px;
}
input[type="text"], input[type="date"], select {
    width: 100px;
    padding: 10px;
    border: 1px solid #cccccc;
    border-radius: 4px;
    box-sizing: border-box;
    margin-bottom: 10px;
    font-size: 16px;
}
input[type="submit"] {
    background-color: #4CAF50;
    color: #FFFFFF;
    padding: 10px 20px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    font-size: 16px;
    text-align: center;
}

input[type="submit"]:hover {
    background-color: #3e8e41;
}
body{
    background-image:url("D:\module 4\bootstrap testing\h11.jpg");
    background-repeat: no-repeat;
    background-position: center;
    background-attachment: fixed;
    background-size: cover;
}
</style>
<body>
```

```

<nav class="navbar navbar-expand-lg bg-body-tertiary">
  <div i class="container-fluid">
    <a class="navbar-brand" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item active" aria-current="page" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">Home</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/packages.html">Packages</a>
      </li>
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
          Service and Product
        </a>
        <ul class="dropdown-menu">
          <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
          <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
          <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set </a></li>
          <li><hr class="dropdown-divider"></li><ul>
            <li class="nav-item dropdown">
              <a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
                Other
              </a>
            <ul class="dropdown-menu">
              <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
              <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/unritional.html">Unritional information app</a></li>
              <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choises</a></li>
              <li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/gift.html">Gift boxes</a></li>
            </ul>
          </li>
          <li><hr class="dropdown-divider"></li>
        </ul>
      </li>
      <li class="nav-item">
        <form class="d-flex" role="search">
          <ul class="navbar-nav me-auto mb-2 mb-lg-0">
            <li class="nav-item">
              <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/singup%20.html">Singup</a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
            </li>
          </ul>
          <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
          <button class="btn btn-outline-success" type="submit">Search</button>
        </form>
      </li>
    </ul>
  </div>
</nav>
<br>

```

```

<h1 style="padding-top: 40px;
text-align: center;
font-size:50px;
color:dark;"> log in</h1>
<form style="max-width: 600px;
margin: 0 auto;
padding: 20px;
background-color: #ffffff;" action="">

<label>E-mail or phone number</label>
<input type="text" name="krank" required><br><br>
<label>password</label>
<input type="text" name="krank" required><br><br>
<input type="Submit" style="margin-left:40%;" value=" continue">

</form>
<br><br>
<div class="container-fluid bg-body-tertiary">
  <footer class="py-5">
    <div class="row justify-content-around">

      <div class="col-6 col-md-2 mb-3">
        <h5>Research</h5>
        <ul class="nav flex-column">
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Inabox.html" class="nav-link p-0 text-body-secondary">Home</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price</a></li>
        </ul>
      </div>

      <div class="col-6 col-md-2 mb-3">
        <h5>Research</h5>
        <ul class="nav flex-column">
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipe guide</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homebake.html" class="nav-link p-0 text-body-secondary">Back at home</a></li>
        </ul>
      </div>

      <div class="col-6 col-md-2 mb-3">
        <h5>Community</h5>
        <ul class="nav flex-column">
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" class="nav-link p-0 text-body-secondary">Sing up </a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">Log in</a></li>
        </ul>
      </div>

      <div class="row " style="margin-left: 40%;>
        <p style="text-align:revert-layer; font-size:50px;">Follow us</p>
        <ul class="list-unstyled d-flex">
          <li ><a class="link-body-emphasis" href="https://www.facebook.com/"></a></li>
          <li ><a class="link-body-emphasis" href="https://twitter.com/i/flow/login/"></a></li>
          <li ><a class="link-body-emphasis" href="https://web.telegram.org/a/"></a></li>
          <li ><a class="link-body-emphasis" href="https://www.pinterest.com/login/"></a></li>
        </ul>
      </div>
    </div>
  </footer>
</div>

```

```

</div>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.7/dist/umd/popper.min.js" integrity="sha384-zYPOmguIDAVHilohBUTcbVFZ89guN6d289ifv25Q9guujx43ITvf12/QxE" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.min.js" integrity="sha384-Y4OpwBduJcIv51y85CFYhQFDsFob/3GkgExXXV41dmh98QcxYs9UoXAB7BZ" crossorigin="anonymous"></script>
</body>
</html>

```

About us page code

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>sing up</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-HX94CHFLLe+nY2dmCW9k91rG65gtUmk92HdYe+M/SXH30lp5ILy+dW9+nJ0Z" crossorigin="anonymous">
</head>
<body>

```

```

<nav class="navbar navbar-expand-lg bg-body-tertiary">
<div i class="container-fluid">
<a class="navbar-brand" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">

</a>
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="nav nav-item">
- <a class="nav-link active" aria-current="page" href="file:///D:/module%204/bootstrap%20testing/Inabox.html">Home</a>
</li>
- <a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/packages.html">Packages</a>
</li>
<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
Service and Product
</a>
<ul class="dropdown-menu">
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/Recipe.html">Recipe guide</a></li>
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/ingredient.html">Ingredients</a></li>
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/homebake.html">Bake at home set </a></li>
<li><a class="dropdown-divider"></a></li>
<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle" role="button" data-bs-toggle="dropdown" aria-expanded="false">
Other
</a>
</li>

```

```

<ul class="dropdown-menu">
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/meal.html">Meal planners</a></li>
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/nutrition.html">Additional information app</a></li>
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/select.html">Selection of weekly recipe choices</a></li>
<li><a class="dropdown-item" href="file:///D:/module%204/bootstrap%20testing/print.html">print</a></li>
</ul>
</li>
</ul>
</li>
</ul>
</div>
</div>
<form class="d-flex" role="search">
<ul class="nav navbar-nav me-auto mb-2 mb-lg-0">
<li class="nav-item">
<a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/signup%20.html">Signup</a>
</li>
<li class="nav-item">
<a class="nav-link" href="file:///D:/module%204/bootstrap%20testing/login.html">Login</a>
</li>
<input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
<button class="btn btn-outline-success" type="submit">Search</button>
</form>
</div>
</div>
<br><br>
<div class="container">
<div class="row">
<div class="col-md-4">
Contact Us</h2>
<p>If you have any questions or would like to learn more about our company, please free to contact us:</p>
<ul>
<li><a href="mailto:Inbox@gmail.com">Email: Inbox@gmail.com</a></li>
<li><a href="tel:+99-547-4547-7296">Phone: +99-547-4547-7296</a></li>
<li><a href="http://www.yourcompany.com">Address: 5 Main Street, Myitkyina City, Myanmar Country</a></li>
</ul>
<div>
<div class="col-md-6">
<h3>About Us</h3>
<ul>
<li>Welcome to our company! We are a team of dedicated professionals passionate about providing top-quality products and services to our customers.</li>
</ul>
<h3>Our Mission</h3>
<ul>
<li>At our company, our mission is to deliver innovative solutions that exceed our customers' expectations. We strive to create lasting relationships by providing excellent customer service and maintaining the highest standards of integrity and professionalism.</li>
</ul>
<h3>Our Team</h3>
<ul>
<li>We have a diverse team of experts from various backgrounds, bringing a wealth of knowledge and experience to our company. Together, we work collaboratively to tackle challenges and develop cutting-edge solutions.</li>
</ul>
</div>
</div>
</div>

```

```

<div class="container-fluid bg-body-tertiary">
  <footer class="py-5">
    <div class="row justify-content-around">
      <div class="col-6 col-md-2 mb-3">
        <h5>Research</h5>
        <ul class="nav flex-column">
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Inabox.html" class="nav-link p-0 text-body-secondary">Home</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/packages.html" class="nav-link p-0 text-body-secondary">packages</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">price</a></li>
        </ul>
      </div>
      <div class="col-6 col-md-2 mb-3">
        <h5>Research</h5>
        <ul class="nav flex-column">
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/Recipe.html" class="nav-link p-0 text-body-secondary">Recipe guide</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/ingredient.html" class="nav-link p-0 text-body-secondary">Ingredients</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/homebake.html" class="nav-link p-0 text-body-secondary">Back at home</a></li>
        </ul>
      </div>
      <div class="col-6 col-md-2 mb-3">
        <h5>Community</h5>
        <ul class="nav flex-column">
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/singup%20.html" class="nav-link p-0 text-body-secondary">Sing up </a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/contact.html" class="nav-link p-0 text-body-secondary">About us</a></li>
          <li class="nav-item mb-2"><a href="file:///D:/module%204/bootstrap%20testing/login.html" class="nav-link p-0 text-body-secondary">Log in</a></li>
        </ul>
      </div>
    </div>
    <div class="row " style="margin-left: 40%;>
      <p style="text-align: revert-layer; font-size:50px;">Follow us </p>
      <ul class="list-unstyled d-flex">
        <li ><a class="link-body-emphasis" href="https://www.facebook.com/"></a></li>
        <li ><a class="link-body-emphasis" href="https://twitter.com/i/flow/login"></a></li>
        <li ><a class="link-body-emphasis" href="https://web.telegram.org/"></a></li>
        <li ><a class="link-body-emphasis" href="https://www.pinterest.com/login/"></a></li>
      </ul>
    </div>
  </footer>
</div>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.7/dist/umd/popper.min.js" integrity="sha384-zYPMQeu1DAVkJqBUTcbYfZ8osu1Nd6289ify25QV9guujx43ITvfi12/QExE" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.min.js" integrity="sha384-Y4opwM3duJdCwVly85CFYlqFDsFob/3GkgExXV4idmbt9BQcxYs9UoXA87BZ" crossorigin="anonymous"></script>
</body>
</html>

```



P5

- Test your website (Functionality/ Compatibility and Usability/Performance)

Functionality Testing

No.	Page	Test case	Expected results	Actual results	Pass/Fail	Figure
TC01	Bake at Home set	Outgoing Link	When the user clicks the social media icons in the footer section, it will go to respective social media.	When the user clicks the twitter icon in the footer it goes to twitter page.	Pass	F001
TC02	From Meal planners to Packages page	Internal Link	When the user clicks an item in menu bar, it will go to the respective page.	When Meal planners item in “Other” dropdown is clicked, it goes to Meal planners page.	Pass	F002
TC03	ingredients	Links jumping on the same page	When the user clicks the link which jumps to another content on the same page, it will work properly.	When the user clicks Selection of ingredients item in sub menu of service and product Item page, it actually goes to ingredients content.	Pass	F003
TC05	Gift boxes	Broken link	All the links and buttons to go other places work properly.	All the links and buttons to go other places work properly.	pass	F005

F001



F002

Home Packages Service and Product Other Signup Login Search

Meal planner

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
-Smoothie -Mahitaco -Korean omurice	-Chicken nugget -Chinese Jiezi -Dumplings	-Smoothie -Chicken Nugget -Bacon Wrapped	-Squidink Pasta -Mahitaco Korean Omurice	-Smoothie -Korean Omurice -Spaghetti Meat	-Seafood Noodles -Mahitaco -Korean Omurice	-Chocolate Coffee -Smoothie -Korean Omurice

Get Get Get Get Get Get Get

Research
Home
packages
price

Research
Recipe guide
Ingredients
Back at home

Community
Sign up
About us
Log in

Follow us

Facebook Twitter Instagram Pinterest

Packages

Breakfast meal kit 200-240 kcal

Everyday meal kit 200-240 kcal

Chillout meal kit 200-240 kcal


Research
Research
Research

Research
Research
Research

Community
Community
Community


Follow us

F003



Arch
es
Research
Recipe guide
Ingredients
Back at home
Community
Sing up
About us
Log in

Follow us



F004

The image displays a user interface for a food delivery or meal kit service. At the top, there is a navigation bar with links for Home, Packages, Service and Product, Other, Signup, Login, Search, and a Search input field. Below the navigation is a grid of three food items:

- Drink:** Two glasses filled with a pink smoothie or juice, garnished with strawberries and flowers.
- Dry:** A tray of various chips (yellow and white) with small bowls of dips (green, red, white) placed on top.
- Preserved:** A large omelette filled with meat and vegetables, served with a side of greens and a drizzle of red sauce.

Each item has a "Get" button below it. Below the grid are three sections:

- Research:** Links for Home, packages, and price.
- Community:** Links for Sing up, About us, and Log in (the "Log in" button is highlighted with a black border).

In the center, there is a "Follow us" section with social media icons for Facebook, Twitter, Instagram, and Pinterest.


A large blue arrow points downwards from the main content area towards a smaller screenshot of the login page, which shows fields for email or phone number and password, along with a "log in" button.

Compatibility Testing


No.	Page	Test case	Expected results	Actual results	Pass/Fail	Figure
TC05	home	Web browsers (Chrome, Microsoft edge, Opera)	Website will run properly on the different browsers.	The website can run properly in the different browsers of google chrome, Microsoft edge, and Opera browsers and the functions work the same.	Pass	F005
TC06	Meal planners	Mobile device	Website will be responsive to run on mobile devices.	Website is responsive and can run on mobile devices screens.	Pass	F006

F005


Google chrome



Microsoft edge



F006



Performance Testing

No.	Page	Test case	Expected results	Actual results	Pass/ Fail	Figure
TC07	About Us page	Page load time	Page load time of the website should be under 1600ms.	Page load time of About Us page is 15128ms.	Pass	F007

Usability Testing

No.	Page	Test case	Expected results	Actual results	Pass/ Fail	Figure
-----	------	-----------	------------------	----------------	------------	--------

TC8	Home page	Navigation	The website should be easy to use and navigate.	Website is easy to use and navigate with clear menu items in navigation bar. The navigation bar is provided on each page and is consistent across the pages.	Pass	F08
-----	-----------	------------	---	--	------	-----