# Get Started: Review a Case

*Ipro for enterprise 2020.8.0*

May, 2020

www.iprotech.com
877-324-4776

# Disclaimer

Information in this document, including URLs and other references, is subject to change without notice. Unless otherwise noted, any example companies, organizations, products, domain names, email addresses, logos, people, locations, and events depicted herein are fictitious and no association with any real company, organization, product, domain name, email address, logo, person, location, or event is intended or should be inferred. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in, or introduced into a retrieval system or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written permission of Ipro Tech, LLC.

Ipro Tech, LLC may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from Ipro Tech, LLC, the furnishing of this document does not give the reader any license to these patents, trademarks, copyrights or other intellectual property. Every precaution has been taken in the preparation of this document; however, Ipro Tech does not assume responsibility for errors or omissions.

# Trademarks

Ipro®, the Ipro logo, and all our product names are registered trademarks or trademarks of Ipro Tech, LLC. Please see http://iprotech.com/trademarks for details. Adobe is a registered trademark of Adobe Systems Incorporated in the United States and/or other countries. LEADTOOLS is a registered trademark of LEAD Technologies, Inc. Microsoft, Windows, and other Microsoft product names are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Oracle is a registered trademark of Oracle Corporation. Other products and company names mentioned herein may be trademarks of their respective companies and are used for editorial purposes and to the benefit of the trademark owner with no intention of infringing upon that trademark.

Ipro eCapture uses the Oracle® Outside In Viewer and TIF6 filter. The software is based in part on the work of the Independent JPEG Group.

Oracle Outside In Viewer © 1991, 2015 Oracle.

# Copyright

© 2006-2020 Ipro Tech, LLC  All rights reserved.

Published in the United States of America

Ipro Tech, LLC
1700 North Desert Drive - Suite 101
Tempe, AZ  85281  USA

WORKFLOW: REVIEW A CASE ..... 4
***1. Build and Save Searches*** ..... *5*
Define a Visual Search ..... 5
Visual and Advanced Search Synchronization ..... 11
Create an Advanced Search ..... 11
Save a Search ..... 18
***2. Create Review Passes and Batches*** ..... *22*
Create Review Passes ..... 23
Create Batches ..... 25
Re-batch Unreviewed Documents ..... 27
***3. Review Documents*** ..... *27*
Edit Document Fields ..... 28
Tag Documents ..... 30
Apply Mass Actions ..... 35
Tag Related Documents via Mass Action ..... 35
Edit Multiple Fields via Mass Action ..... 39
Apply Redactions ..... 41
Redact Image Content ..... 41
Show Text Behind Redactions ..... 42
Resize a Redaction ..... 42
Move a Redaction ..... 42
Delete a Redaction ..... 42
***4. Check In Batches*** ..... *43*

*Note: To view the most up-to-date version of this workflow, visit the online help.*

# Workflow: Review a Case

**Applies to:** Ipro for enterprise Review

## In this Article


Review the Prerequisites

1. Build and Save Searches

2. Create Review Passes and Batches

3. Review Documents

4. Check In Batches


In the Review module, reviewers analyze the documents that belong to the case. Reviewing a case is an iterative process and the review tasks and the order that the review tasks are completed depends of the needs of your business. The procedures described in this article explain only some of the many tasks you can complete in Review, and offer a possible workflow for completing these tasks.

## Review the Prerequisites

The following table shows the prerequisites that must be in place before you start:

| TASK | NOTES |
|---|---|
| Assign Privileges | Make sure all users have the proper privileges assigned to them before reviewing a case. Privileges determine what activities users are allowed to undertake in Review. |
| Disable Pop-up Blocker | If you use a pop-up blocker in your browser, make sure to disable it for Ipro for enterprise pages. |
| Tags and Coding Forms | To tag documents and make use of coding forms, both need to already have been defined in your case. You can create new tags and coding forms in the Case Settings area of the ECA & Review module. See *Managing Tags* and *Create New Coding Forms* for more information. |

# 1. Build and Save Searches

The following sections describe a high-level workflow for creating both visual and advanced searches, as well as saving a search. For a general overview of searching in Ipro for enterprise, see Searching Overview in the online help.

### Define a Visual Search

Visual Search enables you to perform and review searches by using one of three two-dimensional charts as well as a Concept Wheel. This type of searching lets you view results in a manner that correlates between two or more data fields, or in relation to a data set as a whole.

With Visual Search, you can combine text-based and metadata-based criteria into a single search, with the options to specify a valid date range and to include document family members.

For more information, see Visual Search Overview in the online help.

1. In Ipro for enterprise Review, click a case card.




2. Click the **Enter Case** button in the bottom-right corner. The Visual Search dashboard appears.




3. Define your visual search. The steps below describe criteria you can add to modify the scope of your search. Note that adding criteria does not automatically run the search. When you are ready to run the search, click the **Search** button in the top-right corner of the screen.

| | |
|---|---|
| | *Note: The steps below are optional methods for modifying the scope of your search. You can complete one or all, depending on how focused you would like the search to be. The steps are listed in the order of one common workflow scenario. However, you can complete them in whatever order you like.* |

4. To search for a specific term or phrase, type the search expression into the main search bar. Hit **Enter** on your keyboard or select the magnifying glass beside the search bar to add the expression as a search criterion. A chip appears beneath the search bar that displays the term used in the search.

Once the search expression has been entered, you can continue defining the visual search by selecting additional criteria, or you can run the search by clicking the **Search** button in the top-right corner of the screen.

| | |
|---|---|
| | *Note: You can only input one search expression when defining a visual search. Entering a second expression into the main search bar replaces the first.* |

5. Apply a **Search Filter** to further refine your search results:
   a. Select the **Filters** icon in the top-left corner of the screen.

   b. Select one of the filter options in the **Filters** drop-down menu.




c. Once a filter has been selected, the drop-down menu changes to display additional options. From here, choose the needed operator, select any required checkboxes, or type in specific search terms depending on the filter chosen. For more information on the options available when defining a search filter, see Define a Field-Specific Search in the online help.

d. Once the filter has been defined, click **OK** to add the new filter to your search definition.

e. Continue defining the search by selecting additional criteria, or run the search by clicking the **Search** button in the top-right corner of the screen.

6. When performing a search that requires the use of a search relationship, use the **Relationships** drop-down menu:

   a. Select the **Relationships** icon in the top-left corner of the screen.

   b. Choose what relationship you would like to include in the search. You can only select one from the list. For more information about relationships, as well as a definition for each relationship in the list, see Manage Relationships in the online help.




c. Once a relationship has been selected, click **OK** to add the relationship to your search definition. The Relationships icon highlights blue to indicate that a relationship has been selected.

d. Continue defining the search by selecting additional criteria, or run the search by clicking the **Search** button in the top-right corner of the screen.

7. To sort specific fields in the search results grid in ascending or descending order, use the **Sort Options** dialog box:

a. Select the **Sort Options** icon in the top-left corner of the screen.

b. In the dialog box that opens, select the field you would like to sort from the drop-down menu.




c. Once a field is selected, set whether the field should be sorted in ascending or descending order. An arrow pointing up means ascending order, while an arrow pointing down represents descending order. Simply click the arrow to reverse its direction. The default sort order is ascending. This means that the field displays

records of numerical value from lowest to highest, or records starting with a letter in alphabetical order. Descending order displays records from highest value to lowest.

d. If necessary, select additional fields and choose their sort order by completing the procedure described above. When you sort based upon multiple fields, the order of the sorting is based on the order in which the fields are selected. For instance, if you chose to sort **Custodian** as ascending for your first field, and **BEGDOC** as descending for your second field, the search results grid displays any Custodians that begin with the letter "A" before Custodians that begin with the letter "B." However, the records associated with each custodian are displayed in order of highest BEGDOC number to lowest.

e. Once all fields have been selected for sorting, click **OK** to apply the sort order to the search definition. The Sort Options icon highlights blue to indicate that a sort order has been selected.

f. Continue defining the search by selecting additional criteria, or run the search by clicking the **Search** button in the top-right corner of the screen.

8. Select date criteria for the search by means of the **Timeline**:

a. Select the **Timeline** icon in the top-left corner of the screen.

The Timeline opens across the top of the dashboard.

b. Choose the date field you would like to use when running the Timeline search.

c. Select the range of dates you would like to limit the scope of the search to. You can input these dates manually by typing them into the **Filter Dates** fields, or select them by clicking and opening the calenders beside the fields. The first field is the start date and the second field is the end date. Additionally, you can select a date range of interest by clicking on the Timeline itself and dragging right or left as required to define the range of interest. For more information on selecting a date range, see Define a Timeline Search in the online help.

d. *Optional*: Select the **Include Empty/Invalid Dates** option to include into the document set documents that contain date problems.

e. When finished defining your Timeline search, close the Timeline by selecting the **X** icon in the top-right corner of the Timeline dialog box. The Timeline icon highlights blue to indicate that the date range has been added to the search definition.

f. Continue defining the search by selecting additional criteria, or run the search by clicking the **Search** button in the top-right corner of the screen.

9. Filter your search results further by means of the charts available on the Visual Search

dashboard. For more information on working with charts, review the Visual Search articles in the online help.

10. Once you have added all your criteria to the search definition, run the search by selecting the **Search** button in the top-right corner of the screen. Alternatively, you can save the search by selecting the **Save** option instead. For more information on saving searches, see Save a Search further down in this article.

## Visual and Advanced Search Synchronization

After you have built and saved a **Visual Search**, you can edit the search within the **Advanced Search** tab by clicking **Need to construct an Advanced Search?** in the top right of the dashboard.




To continue with an Advanced Search, see Create an Advanced Search below.

## Create an Advanced Search

In Ipro for enterprise Review, **Advanced Search** allows you to easily construct complex search expressions or specialized searches and display results in the **Results** tab. Searches can also be saved for later use or for specific tasks. For example, batches must be based on a saved search.

On the **Advanced Search** tab, under **Search Criteria**, areas can be expanded as required to define the search and/or search options. For more information on these areas, see Perform an Advanced Search in the online help. The **Advanced Search** tab with the **Field Search** area expanded and the other areas collapsed is shown as follows:




To construct and run, save, or save and run an advanced search:

1. Open the case you want to search. The dashboard appears.
2. In the dashboard, go to **Need to construct an Advanced Search?** in the upper right corner and click **Advanced Search**. The Advanced Search case view appears.
3. If a previously defined search is already displayed on the dashboard, click **Clear** at the top of the Advanced Search case view. The title for the search changes to *Untitled*.
4. Begin building the advanced search by expanding any of the needed sections on the Advanced Search page and creating your search criteria. The steps below describe criteria you can add to modify the scope of your search. Note that adding criteria does not automatically run the search. When ready to run the search, click the **Search** button in the top-right corner of the screen.

| | |
|---|---|
| | *Note: The steps below are optional methods for modifying the scope of your search. You can complete one or all, depending on how focused you would like the search to be. The steps are listed in one common workflow scenario. However, you can complete them in whatever order you like.* |

5. Select date criteria for the search by means of the **Timeline**:
   a. Expand the **Timeline** area on the Advanced Search page by clicking the icon.
   b. Choose the date field you would like to use when running the Timeline search.
   c. Select the range of dates you would like to limit the scope of the search to. You can input these dates manually by typing them into the **Filter Dates** fields, or select them by clicking and opening the calenders beside the fields. The first field is the start date and the second field is the end date. Additionally, you can select a date range of interest by clicking on the Timeline itself and dragging right or left as required to define the range of interest. For more information on selecting a date range, see Define a Timeline Search in the online help.

d. *Optional*: Select the **Include Empty/Invalid Dates** option to include into the document set documents that contain date problems.

e. When finished defining your Timeline search, close the Timeline area by selecting the icon beside Timeline.

f. Continue defining the search by selecting additional criteria, or run the search by clicking the **Search** button in the top-right corner of the screen.

6. Run a search for conceptually similar documents by means of the **Analytics** area of the Advanced Search page.

a. Expand the **Analytics** area on the **Advanced Search** page by clicking the icon.

b. Complete the **Analytics** section of the Advanced Search page as described in the following table.

| COMPONENT | DESCRIPTION |
|---|---|
| **Minimum Similarity** | Select a relevancy threshold to be used for the search. The threshold expands or narrows the evaluation for conceptually matching documents.<br>Note:<br>• A typical value is 50.<br>• A higher number represents higher precision but less recall.<br>• A lower number represents lower precision but higher recall. |
| **Analytics Index** | Select the search index that has been defined for the concept of interest. Your administrator must configure concept search indexes. Contact your administrator for details about your concept search indexes. |
| **Concept** | Enter your query into the **Concept** field. The query can be any size, but a more fully described concept will usually yield better results than just one or two terms. |

c. When finished defining your concept search, close the Analytics area by selecting

the icon beside Analytics.

d. Continue defining the search by selecting additional criteria, or run the search by clicking the **Search** button in the top-right corner of the screen.

7. To define a text search, complete the following steps. The following figure shows a typical text search.




a. If the **Text Search** section is not visible on the **Advanced Search** page, click the corresponding arrow .

b. As required, select one or more search options from the **Search Features** list, as described in the following table.

Note:

- These options apply to all entries in the **Keyword** field.
- Applying any of these options to multiple terms can slow the search.
- Select from one or more special types of search as follows.

| COMPONENT | DESCRIPTION |
|---|---|
| **Stemming** | Search for terms and all words beginning with the root form of the word entered. For example, searching for operation with this option selected will return documents containing operation, operate, and operator. (The root form of operation is considered operat.) |
| **Phonic** | Search for terms that sound similar but are spelled differently. For example, searching for smith with this option selected will return documents containing smith, smithe, and smythe. |
| **Fuzzy** | Search for terms that are not quite an exact match but are close. Useful for searching text fields in which some characters may not have been interpreted correctly by an OCR engine.<br><br>Select a number from 0 to 9 to specify the degree of fuzziness that will be accepted. Values from 1 to 3 represent moderate levels of error |

| | |
|---|---|
| | tolerance and are used most often. Higher numbers result in a higher error tolerance (more results).<br><br>Fuzzy search results may vary, depending on such factors as the length of the search term and/or position of incorrect characters. |
| **Synonyms** | Search term(s) that have the same meaning as the word that you enter, such as the words legal and authorized. Synonyms are defined by the WordNet® concept network. For details on WordNet, see http://wordnet.princeton.edu/. |
| **Related Words** | Search for the term you enter and related terms as defined by the WordNet concept network. For example, words may be related by being a subset of the search term (such as furniture and chair). WordNet considers many types of relationships, as discussed on their Web site. |

c. Enter any full-text search term or phrase in the **Keyword** field. Use the syntax explained in Search Syntax in the online help to construct any type of full-text search. You can also use any of the Boolean operators in the drop-down menu at the bottom-left of the **Keyword** field:




d. Continue defining the advanced search by selecting additional criteria. Save and/or run the search by clicking either the **Search, Save**, or **Save and Search** button in the top-right corner of the screen.

8. To define field-specific criteria for the search, complete the following steps. The figure below shows a simple field-specific search combined with a redaction search.

a. If the **Field Search** section is not visible on the **Advanced Search** page, click the corresponding arrow to expand the section.

b. Construct the first statement for your search by selecting a search type, choosing or inputting values associated with the search type, and selecting the needed operator. For more information about this step, see Define a Field-Specific Search in the online help.

c. To include another search statement in this area, select the required connector (**And**, **Or**, **Not**) on the right side of the statement, then click . Define this search statement using the same process described above. Repeat this step for any

additional search statements that need to be added.

| | |
|---|---|
| | *Note: If two or more statements should be grouped into an expression, you need to use parentheses. See Define a Field-Specific Search with Multiple Search Statements in the online help.* |

d. After the field and/or special search is defined, complete your advanced search definition as needed. When finished, save and/or run the search by clicking either the **Search, Save**, or **Save and Search** button in the top-right corner of the screen.

9. If needed, specify the sort order for the advanced search. Up to three fields can be defined for sorting. When you sort based on multiple fields, the order of the sorting is based on the order in which the fields are selected. To specify sort order:

   a. If the **Sort Options** section is not visible on the **Advanced Search** page, click the corresponding arrow .

   b. Click **+Add sort by field**.

   c. Select the first field to be sorted. This is the primary order for the search results.

   d. Select the sort order—**Ascending** (lowest to highest) or **Descending** (highest to lowest).

   e. To specify a second or third sort order, click **+Add sort by field**. Repeat the previous steps for the second and/or third field.

      In the following example, search results will be sorted first by author name and then by date created.




   f. Continue defining the advanced search by selecting additional criteria. Save and/or run the search by clicking either the **Search, Save**, or **Save and Search** button in the top-right corner of the screen.

10. To add random sampling, complete the following steps. When Random Sampling is used the search returns a random sample of documents instead of all documents meeting your search criteria. An overview of random sampling can be found in About Search Types

and Search Options in the online help.

| | |
|---|---|
| | *Note: If using random sampling, do not include any of the relationship selections in the **[SELECT]** drop-down menu.* |

a. If the **Random Sampling** section is not visible on the **Advanced Search** page, click the corresponding arrow,

b. In the **Random Sampling** section, select **Apply to Search**.

c. On the drop-down menus, select the required sampling type and associated options as described in the following table.

| SAMPLING TYPE | DESCRIPTION |
|---|---|
| **Sampling Type** | **Statistical Sampling** - based on standard statistics calculations that use a confidence level and margin of error.<br>**Fixed Size** - creates a sample containing a specific number of documents in the search results.<br>When this option is selected, enter the desired size (a value equal to or greater than 1) in the **Fixed Size** field. The value you choose should be based on the size of the search results without random sampling applied and how many of those documents represent a good sampling size. |
| **Confidence Level** | Confidence level represents the reliability of an estimate, that is, how likely it is that the sample returned will be representative of all search results.<br>The larger the confidence level is, the narrower the range of documents will be that are considered to be representative.<br>• **90**: wider range of documents considered (fewer documents typically returned).<br>• **95**: medium range of documents considered.<br>• **99**: narrower range of documents (more documents typically returned). |
| **Margin of Error** | The margin of error expresses the amount of error to be allowed in the search results sample.<br>Select a value from **1** - **5**, where **1** is the least amount of error and **5** is the highest amount of error.<br>A setting of **1** typically returns the most documents; a setting of **5** typically returns the fewest documents. |

d. Continue defining the advanced search by selecting additional criteria. Save and/or run the search by clicking either the **Search, Save**, or **Save and Search** button in the top-right corner of the screen.

11. To include documents related to the search results, you can choose a relationship type from the **[SELECT]** drop-down menu. Options include:
    - Duplicates
    - Email Thread
    - Family
    - Near Duplicates
    - Similar Documents




To learn more about each relationship type, see Manage Relationships in the online help.

| | |
|---|---|
| | *Note: This option should not be selected when random sampling is used.* |

Continue defining the advanced search by selecting additional criteria. Save and/or run the search by clicking either the **Search, Save**, or **Save and Search** button in the top-right corner of the screen.

## Save a Search

This section describes how to save both a Visual Search and an Advanced Search. To learn more about managing saved searches, see Work with Saved Searches in the online help.

## Save a Visual Search

To save a search configured on the Visual Search dashboard, follow the instructions below:

1. In Ipro for enterprise Review, click a case card.




2. Click the **Enter Case** button in the bottom-right corner. The Visual Search dashboard appears. The full-screen icons allow you to see each dashboard area in full-screen view.



3. Define your visual search. For information on how to accomplish this on the Visual Search dashboard, see Define a Visual Search above.
4. When your search definition is complete, click the **Save** button in the top-right corner of the screen. The Save Search dialog box appears.




5. Enter a name for the search in the **Search Name** field.
6. Select the folder where you want the search saved. Folders are used to organize saved searches and are created as described in Work with Search Folders in the online help. By default, saved searches are saved to **Public Folders** (available to all users with access to the case or batch). The saved searches can also be saved to **Private Folders** or **Shared Folders**.
7. When all steps have been completed, click **Save Only** to save the search to the specified folder.

## Save an Advanced Search

To save an Advanced Search, follow the instructions below:

1. In Ipro for enterprise Review, click a case card.




2. Click the **Enter Case** button in the bottom-right corner. The Visual Search dashboard appears. The full-screen icons allow you to see each dashboard area in full-screen view.
3. In the dashboard, go to **Need to construct an Advanced Search?** in the upper right corner and click **Advanced Search**. The Advanced Search case view appears.




4. Define your Advanced Search. For information on how to accomplish this, see [Create an Advanced Search] above.
5. When your search definition is complete, click either the **Save** or **Save & Search** button in the top-right corner of the screen.
   - **Save** - Saves the search to a specified folder, but does not run the search.
   - **Save & Search** - Saves the search to a specified folder and also runs the search.
6. The Save Search dialog box appears. Enter a name for the search in the **Search Name** field.




7. Select the folder where you want the search saved. Folders are used to organize saved searches and are created as described in Work with Search Folders in the online help. By default, saved searches are saved to **Public Folders** (available to all users with access to the case or batch). The saved searches can also be saved to **Private Folders** or **Shared Folders**.
8. When all steps have been completed, click **Save Only** to save the search to the specified folder. If both saving and running a search, click the **Save & Search** button.

# 2. Create Review Passes and Batches

Review passes are based on searches saved in Ipro for enterprise Review. Thus, searches must be planned and saved in Ipro for enterprise Review before you create review passes. Coding forms are also required for a review pass. For each review pass, you will define:

- The review pass name and the saved search on which it is based.
- The maximum size of each batch.
- A prefix for batch numbering.
- The search upon which the review pass will be based.
- The coding form/tag palette containing the fields, tags, rules, and permissions required for the review pass.

- Optionally, you may define:
  - A batch priority (Low - Critical).
  - A category to define how batches are grouped.
  - A field indicating family relationships.
  - A sort order for fields in the case.
- Finally, you may limit the review pass to specific user groups.

## Create Review Passes

To create a review pass:

1. Get Started:
   a. Complete planning as explained in Manage Review Process in the online help. Start Ipro for enterprise Review and log in as an administrator.
   b. In Ipro for enterprise Review, click on a case card.




   c. Click the **Enter Case** button. The **Case View** displays.
   d. In the left pane, click on the **Review Pass Management** button, .
2. Click .




3. Enter a name for the review pass and complete other required entries:
   a. Enter the maximum **Batch Size** (number of documents) that each batch can be. This entry must be ten (10) or greater.
   b. Enter a **Batch Prefix** for batch names. This name is added to sequential numbering for the batches.
   c. Select the **Saved Search** upon which the review pass will be based.
   d. Select the **Coding Form**.
4. As needed, complete optional entries described in the following steps.
5. *Optional*: From the **Layout Style**, choose Grid review (default) or Form review. Review Grid: When the review pass is opened, the review grid appears (similar to the Results tab under Case Settings > Search). Form Review: When the review pass is opened, the Document View tabs appear.
6. *Optional*: Select a **Batch Priority** to be assigned to all batches in the set.
7. *Optional*: In the **Batch by Category** field, select a method for grouping documents within batches.
8. *Optional*: Select a **Family Field** to keep related documents together.
9. See How Documents are Organized into Batches in the online help to determine whether you want to set either the Batch Priority option or the Batch by Category option.
10. *Optional*: Define a **Batching (sort) Order** based on up to three fields. When entering the Review grid, the selected fields will reflect the sort order (1, 2, 3) and the sort by (ascending or descending) as shown in the following example.




11. *Optional*: Click **Add/Remove Groups** and select the user groups who will be reviewing the documents in this review pass. If specific groups are not assigned to the review pass, then all users in all user groups assigned to the case will be able to select batches in the review pass.




12. When all entries are complete, click **Save**.
13. Go to the next procedure to continue defining the review pass.

## Create Batches

To create batches:

1. Get started:
   a. Complete planning as explained in Manage Review Process in the online help. Start Ipro for enterprise Review and log in as an administrator.
   b. In Ipro for enterprise Review, click a case card.




   c. Click the **Enter Case** button. The **Case View** displays.
   d. In the left pane, click the **Review Pass Management** button, .
2. In the **Review Pass Management** panel, click the required review pass. If a large number of review passes exists, take any of the following actions to find the required one:
   a. Scroll vertically to locate the review pass in the list.
   b. Sort the keyword list names by clicking the sort button, , and selecting from the different options. Click a selected option again to reverse the sort order.




c. In the **Search** box ,

start typing any of the following items: the keyword list name, the name of the administrator who created/modified the group, or part of the created/modified date. This is a plain text search that searches these items in order.




3. Click to update data in the **Review Pass Information** area.
4. Review the number of unbatched documents in the review pass, then click **Create Batches**.
5. After batches are created, evaluate data in the **Review Pass Information** area. Click again to ensure data is updated.
6. Repeat these steps to create other review passes.

### Re-batch Unreviewed Documents

To re-batch documents that have not been reviewed:

1. If it is required that you create a new review pass, first complete the Create Review Passes section above.
2. Click again to ensure data is updated.
3. After it is determined in the **Review Pass Information** area that there are unreviewed documents, click RE-BATCH UNREVIEWED DOCS to have these documents organized into new batches.

| | |
|---|---|
| | *Note: The **Re-Batch Unreviewed Docs** button also rebatches **On Hold Batches**.* |

# 3. Review Documents

Reviewing documents in a case is a multi-step and iterative process. The review tasks and the order that the review tasks are completed depends of the needs of your business. When working on documents in a batch, reviewers may:

- Review a document's images, extracted text, metadata, and production history
- Analyze related documents, including family documents, duplicates, near duplicates, conceptually similar documents, and documents belonging to the same email thread
- Edit document fields as needed
- Tag documents
- Apply mass actions to multiple documents at one time
- Apply annotations and redactions to documents

The activities explained in this section require a variety of permissions that are defined by the Ipro® for enterprise administrator. Ask your administrator if you are not able to perform activities needed for your review.

To review batches through Ipro for enterprise ECA & Review, proceed with the following steps:

## Edit Document Fields

You can edit the fields of an individual document by following the steps below. To update or replace field values across multiple records, see Edit Multiple Fields via Mass Action further down in this article.

1. In Ipro for enterprise Review, click a case card.

2. A list of review passes defined for the selected case displays beneath the case card. Select the desired review pass located on the right side of the funnel graph. The Review grid opens with the batch document set, pre-defined relationships, and the coding form/tag palette.

| | |
|---|---|
| | *Note: When the review pass is accessed for the first time, the Document Viewer window opens automatically with the first document in the batch.* |

3. If the Document Viewer window did not open automatically when you accessed the review pass, double-click a document in the grid to open it. Proceed with the following steps.
4. *Optional*: If needed, a different review pass may be selected from the Document Viewer window by means of the Review Pass drop-down menu. The Review Passes are in alphabetical order. See Move Between Review Passes/Batches in the online help for more information.




5. You have the option to edit field values for a selected document in the Document Viewer window.



In the coding form, located on the right side of the Document Viewer window, do any of the following:

a. Double-click in the field to be edited and make required changes. Some fields may display gray text to assist with formatting entries, such as the Coding Date field.

b. For Hyperlink fields, enter or edit the linked file's complete path. The entry should be a single file path in UNC format (for example, \\server001\files\smith01.msg). To view a linked file, click .

c. For Pick Lists, click to display the list. Click the desired item. To search for an item in the list, enter the search term. Values may be entered directly into the field that are not included in the pick list. However, these values will not be added to the pick list. The Ipro for enterprise administrator may add/delete entire pick lists or modify the values of a pick list. Ensure you examine the pick list for any changes.

6. Continue with any additional procedures. When finished, do one of the following actions using the coding form/tag palette navigation toolbar as shown here:

a. Click Undo to clear the changes.

b. Click to move to the first document in the batch.

c. Click to go to previous document and save the changes.

d. Click to go to next document and save the changes.

e. Click to move to the first document in the batch.

f. Click Save to save the changes and remain on the document.

## Tag Documents

One of the primary activities when preparing documents for discovery is applying tags. A tag is a type of "marker" that allows you to categorize and identify specific document characteristics. Typically defined by your administrator, tags allow you and your organization to find and identify similar documents—for example, those that are privileged in some way, or those needing review by a topic expert.

Tagging a document enables you to mark the review status for that document as "Reviewed." In the image below, the document has not yet been tagged, and the "Reviewed" button appears grayed-out.




To quickly filter the documents in a batch based on their review status, use the **Review Status** drop-down menu, located above the review grid. By selecting the various options in the drop-down list, you can filter by reviewed documents, unreviewed documents, or all documents.




To tag documents in the Document Viewer window, follow the instructions below. To tag multiple documents at a time, see Tag Related Documents via Mass Action further down in this article.

1. In Ipro for enterprise Review, click a case card.

2. A list of review passes defined for the selected case displays beneath the case card. Select the desired review pass located on the right side of the funnel graph. The Review grid opens with the batch document set, pre-defined relationships, and the coding form/tag palette.

| | |
|---|---|
| | *Note: When the review pass is accessed for the first time, the Document Viewer window opens automatically with the first document in the batch.* |

3. If the Document Viewer window did not open automatically when you accessed the review pass, double-click a document in the grid to open it. Proceed with the following steps.
4. *Optional*: If needed, a different review pass may be selected from the Document Viewer window by means of the Review Pass drop-down menu. The Review Passes are in alphabetical order. See Move Between Review Passes/Batches in the online help for more information.




5. Select a Document Viewer tab to assist in the review of the document. The tabs, available at the top of the Document Viewer window, include:
   - Web Viewer
   - Image
   - Production
   - Text
   - Metadata

   Each tab displays a different view of the document and provides a separate toolbar that allows you to perform various actions depending on the tab selected. For more information on the activities you can complete on the various Document Viewer tabs, see Work with Document Viewer Tabs in the online help.
6. In the tag palette located on the right side below the coding form, do any of the following:
   a. If a tag group is collapsed, expand the tag group by clicking to see the tags. Click to collapse the tag group.




b. Select all applicable tags by clicking the radio button or check box beside the tag name. Multiple tags may be selected for a group that is not exclusive. Only one tag may be selected in an exclusive group.

| | |
|---|---|
| | *Tip: If a keyboard shortcut has been assigned to a tag, you can apply that tag quickly to a document by pressing the keys associated with that shortcut.* |

c. If a tag group is marked as required, you must select at least one tag within the group. The image below shows a tag group that is both required and exclusive.

7. Set a **Review Status** for the document: Not Reviewed (default), Reviewed, or On Hold.

| | |
|---|---|
| | *Note: Before you can check in a batch, every document must be marked as Reviewed.* |

8. When finished, do one of the following actions using the coding form/tag palette navigation toolbar as shown here:

a. Click Undo to clear the changes.

b. Click to move to the first document in the batch.

c. Click to go to previous document and save the changes.

d. Click to go to next document and save the changes.

e. Click to move to the first document in the batch.

f. Click Save to save the changes and remain on the document.

## Apply Mass Actions

Mass Actions are actions performed on multiple documents at one time, such as populating coding fields, OCRing documents, printing to PDF, and/or applying tags. The sections below cover the process of applying tags to multiple documents, as well as editing field values across multiple records, via mass action. For more information on other mass actions you can perform in Ipro for enterprise Review, see Mass Actions Overview in the online help.

### Tag Related Documents via Mass Action

If you have the permissions needed to do so, use the following procedure to tag related documents in the same way all at once. Mass actions can be performed from any relationship menu except for **Document History**. See About Relationships in the online help for more information.

1. In Ipro for enterprise Review, click a case card.

2. A list of review passes defined for the selected case displays beneath the case card. Select the desired review pass located on the right side of the funnel graph. The Review grid opens with the batch document set, pre-defined relationships, and the coding form/tag palette.

| | |
|---|---|
| | *Note: When the review pass is accessed for the first time, the Document Viewer window opens automatically with the first document in the batch.* |

3. If the Document Viewer window did not open automatically when you accessed the review pass, double-click a document in the grid to open it. Proceed with the following steps.
4. Select a relationship tab, along the left pane of the Document Viewer window, to locate related documents and to perform mass actions. Using the left pane relationship tabs, you can search for:
   - Family documents
   - Duplicates
   - Near Duplicates
   - Documents belonging to the same email thread
   - Document history
   - Conceptually similar documents

   See About Relationships in the online help for more information on searching for related documents.
6. Expand the desired relationship menu and pin it in place by clicking .




7. Select the check box to the left of the field columns to display the **Mass Action** button as shown in the following figure. All items are selected.




8. Do any of the following:
   - Clear items to be excluded for mass actions.
   - Clear the check box to the left of the field columns to clear all items in the menu.
   - Select individual items for mass actions.
9. Click **Mass Action** to display the coding form/tag palette dialog as shown in the following figure.




**Note**: Coding form rules are not enforced when tags are applied in this manner.

10. Do any of the following:
    - Modify the coding form fields as needed.
    - Select the applicable tag group.
    - Add individual tags by moving the slider over to the right as shown here:

      
      

    - Remove tags by moving the slider to the left as shown here:

      
      

    **Note**: When the slider control is left in the center, the tag remains unchanged as shown here:

    
    

11. Click **Apply**. The Mass Action dialog closes and applies the fields/tags to the selected documents. The previously selected documents in the selected Relationship menu revert to the default status; they are all cleared. The coding form/tag palette reflects the changes made in the Mass Actions dialog.

    **Note**: A prompt may appear if invalid characters and/or formats are entered in the coding form or if the number of characters exceed the amount allowed for a field.

12. Repeat the previous steps for other groups of documents needing to be tagged in the same way.

## Edit Multiple Fields via Mass Action

Users with appropriate permissions can replace field content across multiple records at one time:

1. Complete the steps described in Select Documents for Mass Action in the online help.
2. Click Actions in the mass action toolbar to display the menu.




3. Select the **Edit Fields** option.
4. In the **Edit Fields Options** list, select one of the following actions:
   - **Search and Replace**: Find specific content in a selected field(s) and replace it with different content. See step 5.
   - **Copy Field**: Copy the content of one field to another field. See step 6.
   - **Overwrite Field**: Replace whatever content exists in a selected field(s) with different content. See step 7.
5. If you selected **Search and Replace**:
   a. In the list of **Available Fields**, double-click each field to be changed in the same way. Alternatively, use Shift+click or Ctrl+click to select a contiguous or non-contiguous set of fields, respectively, then click > to move these fields into the **Selected Fields** list.
   b. Enter the content to be replaced in the **Search for** field. This entry is not case sensitive.

| | |
|---|---|
| | *Tip: An entry is required in the **Search for** field. If you want to replace empty fields with content, use the **Overwrite Field** option.* |

   c. Enter the new content in the **Replace with** field. The format of your entry must match the field type (for example, if a Date field must be changed from 01/01/2014 to another date, use the same format for your replacement entry). For text entries,

the capitalization used here will be used in the selected field(s).

d. Skip to step 8.

**Example**: All or part of a field's content can be entered. For example, a Custodian's name might be entered as both "Jon Smith" and "John Smith" in your case. For consistency, you could search for "Jon" and replace it with "John" so that the company name is consistent. See the following:




6. If you selected **Copy Field**:
   a. In the **Copy From** field, select the field containing the content you want to copy.
   b. In the **Copy To** field, select the field in which the same content should be used.
   c. Skip to step 8**.**
7. If you selected **Overwrite Field**:
   a. In the list of Available Fields, double-click each field to be changed in the same way. Alternatively, use Shift+click or Ctrl+click to select a contiguous or non-contiguous set of fields, respectively, then click > to move these fields into the Selected Fields list.
   b. Enter the new content in the Overwrite Selected Field with this Text box. The format of your entry must match the field type (for example, if a Date field needs to

be changed from 01/01/2014 to another date, use the same format for your replacement entry). For text entries, the capitalization used here will be used in the selected field(s).

c. Go to step 8.

8. Click SUBMIT.
9. To perform another mass action on the same selected documents, click **Edit Fields** and repeat this procedure.

## Apply Redactions

Redactions obscure the content of image files so that only appropriate information is visible in the files you prepare for discovery. In Ipro for enterprise Review, up to 99 redaction categories—with different colors and labels for each—may be used. Redactions are viewed in Ipro for enterprise Review as solid (if user has appropriate permissions.)

### Redact Image Content

If you have sufficient permissions, redact information in an image as follows:

1. For a selected document, in the **Review** pane's **Image** tab, locate the information to be redacted.
2. Click next to the Redaction button and select the needed redaction from the Redaction Category menu, as shown in this figure.




3. If needed, click the button again to activate the redaction action.
4. Point, click, and drag across the text or image area that is to be redacted.
5. When the selection is complete, release the mouse button. An example of redacted text is shown here:




6. Repeat these steps to apply other redactions.

7. When finished, click or another button to stop the redaction activity.

## Show Text Behind Redactions

For any or all redactions in the image, the text may be exposed by clicking located to the right of the Redaction drop-down menu. When this icon is clicked, it changes to . Click again to hide the text. An example of exposed text behind a redaction is shown here:




## Resize a Redaction

If you have sufficient permissions, change the size of a redaction as follows:

1. For a selected document, in the **Review** pane's **Image** tab, locate a redaction to be resized.
2. Click the redaction to select it, then drag an edge or a corner to resize it.
3. Repeat these steps to resize additional redactions.

## Move a Redaction

If you have sufficient permissions, move a redaction as follows:

1. For a selected document, in the **Review** pane's **Image** tab, locate a redaction to be moved.
2. Place the mouse pointer in the center of the redaction and drag it to the needed location, then release the mouse button.
3. Repeat these steps to move additional redactions.

## Delete a Redaction

| | |
|---|---|
| | *Note: No warning message or Undo function exists when deleting redactions. Make sure of the selection before deleting.* |

If you have sufficient permissions, delete redactions as follows:

1. For a selected document, in the **Review** pane's **Image** tab, locate a redaction to be to be deleted.

2. On the **Image** tab toolbar, click ⤨.
3. Left-, then right-click the redaction and select **Delete**.
4. When finished, click or another button to stop the redaction activity.

# 4. Check In Batches

Checking in a batch is available through the Review Grid layout. When entering the review pass for the first time, the Document Viewer window automatically opens in the foreground and displays the first document in the batch. The review grid remains in the background. The grid displays a highlight for the corresponding document shown in the Document Viewer window.

Proceed to review the documents in the batch. When ready, select the **Check In** button above the review grid. Once the batch is checked in, the next available batch will open in the same review pass by default.

To check in a reviewed batch, complete the following steps:

1. From the Document Viewer window, review each document in the batch as described above.
2. After the last document is reviewed for the batch, close the Document Viewer window.
3. From the review grid, click Check In to display the Check In Batch dialog as shown here:




4. Select the option **Open next available batch** if you want to review the next available batch.
5. Click **Submit**. A prompt appears indicating the batch was checked in, and the Document Viewer window opens displaying the first document for the next batch provided the option, 'Open next available batch' was selected.