

Device Equity and Lifecycle Report

Ardent ISD | 2026-27

Purpose

A 1:1 ratio can hide meaningful differences in device age, condition, repair access, and spare availability. This report compares campuses using multiple indicators so replacement and support decisions do not rely on a single districtwide ratio.

Campus	Students	Assigned Student Devices	Ratio	Year 5+	Spare Pool	Key Observation
Ardent High School	3,120	3,220	1.03	1,240	2.8%	Large aging cohort; spare pool below target.
North Ridge MS	1,820	1,900	1.04	640	3.1%	Aging devices overlap with wireless concerns.
South Creek MS	1,740	1,830	1.05	410	4.7%	Balanced lifecycle; spare level adequate.
Pioneer ES	980	1,025	1.05	210	4.4%	Stable.
Cedar Grove ES	920	975	1.06	330	2.9%	Older fleet and lower spare level warrant review.
Mesa View ES	1,030	1,090	1.06	260	5.0%	Strong spare coverage.
Riverbend ES	890	940	1.06	190	4.5%	Stable.
Other programs / central spares	1,980	2,240	1.13	580	n/a	Includes alternative programs, growth reserve, and repair pool.

Leadership Findings

- Districtwide device availability is adequate.
- Ardent High School and Cedar Grove Elementary have the clearest combined lifecycle-and-spare risk.
- North Ridge's device lifecycle should be coordinated with its infrastructure improvement planning to avoid multiple disruptive changes at once.
- Replacement sequencing should include accessibility and specialized-program requirements before final quantities are set.

Recommended Actions

1. Raise campus spare-pool minimum to 4% where practical.
2. Prioritize the oldest cohorts at AHS and Cedar Grove.
3. Review repair turnaround by campus before increasing total device purchases.

4. Align summer staging capacity with the number of devices scheduled for replacement.
5. Include device age and condition in board-facing lifecycle reports rather than reporting only the 1:1 ratio.

Questions for Cabinet

- Is the district comfortable with variation in device age across campuses?
- Are replacement resources aligned to highest need, or simply distributed evenly?
- What instructional or accessibility needs require exceptions to the standard device model?

Reference Points

- [CoSN IT Management Resources](#) - K-12 technology operations and leadership resources.
- [USAC E-Rate Program](#) - Federal E-Rate program information for schools and libraries.
- [SETDA Infrastructure for the Future](#) - Guidance for future-ready broadband and infrastructure planning.
- [Future Ready Schools Frameworks](#) - Systems-oriented planning connecting infrastructure, learning, leadership, budget, and equity.

Leadership use: This document is designed to support district-level review, discussion, and decision-making. Technical validation, procurement review, legal review, or compliance review should be completed by the appropriate district specialists when applicable.