Chapter 1
Getting Started

This short book shows how a converted page keeps its structure: lists keep their items and their depth, code keeps its lines and its indentation, and a diagram drawn with characters keeps its shape when the text is laid out again on a phone.

1.1 Lists and bullets

- Lists keep each item whole, even when an item runs over more than one line of the page.
  - A nested item sits further in.
  - So does this one, whose text also runs on to a second line that hangs under its first word.
- Back at the first depth again.

1. Install Python from its website.
2. Open a terminal, then type the command shown below and press Enter.
3. Check the version it prints.

- Symbols set in a dingbat font are bullets too.
- This one is a second such item.

1.2 Code

Call `print()` to show text, and `len(s)` to count it.

```
def greet(name):
    if name:
        print("Hello, " + name)

    return name
```

```
$ git add *.c
$ git commit -m 'Initial version'
```

The program talks to a server through a cache:

```
+--------+      +--------+
| client | ---> | server |
+--------+      +--------+
     |               |
     v               v
  [ cache ]      [ store ]
```

A longer listing follows; it carries on over the page:

```
for i in range(3):
    total = total + i
```

```
    print(total)
print('done')
```

Escape sequences in strings:

Escape	Meaning	Example
\n	new line	a\nb
\t	tab	a\tb

Chapter 2
Going Further

The second chapter starts here, with its label above its title.