

Set-Up Instructions | PUBLIC
SAP S/4HANA Cloud Public Edition
2026-06-16

Setting Up *Accounts Payable* (J60)

© 2026 SAP SE or an SAP affiliate company. All rights reserved.

Content

1 Purpose. . . . 3

2 Preparation. . . . 4

2.1 Required Information. . . . 4

2.2 Prerequisites. . . . 4

SAP Cloud Connector for Integration with On-Premise Systems. . . . 4

3 Configuration. . . . 5

3.1 Communication Arrangement. . . . 5

Create Technical Communication User. . . . 5

Create Communication System. . . . 6

Create Communication Arrangement. . . . 7

3.2 Configuration Items. . . . 9

4 Appendix. . . . 11

4.1 Ticket Component. . . . 11

1 Purpose

This document describes additional configuration steps that you must perform in the productive system at the customer's site. As these configuration steps are company-specific, they cannot be delivered by SAP, and must be carried out by the company setting up the SAP solution.

> ⚠ Caution
>
> This setup instructions guide is only relevant for **China** (CN) and **South Korea** (KR). If you are not implementing the solution for either country, do not process the instructions in this guide.
>
> For **China**, this guide covers the following:
>
> - Activation of the outbound services for China-specific third-party payment integration functions
> - Workflow API integration functions described in the *Accounts Payable* (J60) test script
>
> For **South Korea**, this guide covers the following:
>
> - Registration with SmartBill to use their APIs to communicate with the National Tax Service
> - Workflow API integration functions described in the *Accounts Payable* (J60) test script

2 Preparation

2.1 Required Information

During the activities described in this guide, you must enter or provide system-specific information. To ensure a smooth and efficient integration to SAP S/4HANA Cloud Private Edition, we recommend that you have the information listed in the table below at hand before starting the integration process.

Type of Information Required	Your Data
SAML local identity provider certificate of Jam instance	→ Tip Create a ZIP file.
SAML local identity provider issuer of certificate of Jam instance	
Communication user ID starting with CC	
SAP S/4HANA Cloud Public Edition System	

2.2 Prerequisites

2.2.1 SAP Cloud Connector for Integration with On-Premise Systems

Setting Up Integration with On-Premise Systems (including SAP S/4HANA Cloud Private Edition)

For all scenarios integrating SAP S/4HANA Cloud Public Edition with SAP On-Premise scenarios, the *SAP_COM_0574 - SAP BTP Connectivity Service - On Premise Integration* communication arrangement must be activated. This is a prerequisite for all other communication arrangements.

To check if the *SAP_COM_0574 - SAP BTP Connectivity Service - On Premise Integration* communication arrangement is active in your system, go to the *Communication Arrangements* app. If it is not active, you must set it up.

To set up the communication scenario, follow the procedure under Integrating On-Premise Systems.

3 Configuration

The following sections describe all settings required for this scope item. These can be divided into the following main groups:

- Communication arrangement set-up
- Configuration using the self-service configuration user interface via the *Manage Your Solution* app or the project experience in SAP Central Business Configuration

3.1 Communication Arrangement

The following communication arrangements must be activated in SAP S/4HANA for communication with web services, depending on the integration functionalities you want to use.

> ⚠ Caution
>
> Communication arrangements SAP_COM_0554 and SAP_COM_0711 are only relevant for **China**.
> Communication arrangement SAP_COM_0468 is only relevant for **South Korea**.

Table 1: Communication Arrangements for China

Communication Arrangement ID	Communication Arrangement Name
SAP_COM_0554	Finance - Third-party Communication Client Integration
SAP_COM_0711	Finance - China Payment Approval Integration

Table 2: Communication Arrangements for South Korea

Communication Arrangement ID	Communication Arrangement Name
SAP_COM_0468	Finance - South Korea Electronic Invoicing

3.1.1 Create Technical Communication User

Prerequisite

To carry out the following activity, a business user with a business role must exist. The business role must contain the business catalog SAP_CORE_BC_COM (Communication Management), for example, the business role SAP_BR_ADMINISTRATOR (Administrator).

Procedure

1. Log on to the SAP Fiori launchpad in the SAP S/4HANA Cloud Public Edition system.
2. Open *Maintain Communication Users*.
3. To create a new user, choose *New*. You can also use an existing user.
4. Enter a description and assign a password for the user. Choose *Create*.
5. Make a note of the user data for later use.

3.1.2 Create Communication System

Purpose

In this section, you create the communication systems.

> ⚠ Caution
>
> Communication arrangements SAP_COM_0554 and SAP_COM_0711 are only relevant for **China**.
> Communication arrangement SAP_COM_0468 is only relevant for **South Korea**.

Procedure for SAP_COM_0554 - Only Relevant for China

1. Log on to the SAP Fiori launchpad in the SAP S/4HANA Cloud Public Edition system.
2. Open *Communication Systems*.
3. Choose *New*.
4. Enter a system ID and system name. Choose *Create*.
5. In the *Technical Data* section, enter the *Host Name* and *Port* for the system that you wish to integrate.
6. Open *Cloud Connector* if required.
7. In the *Users for Outbound Communication* section, add an outbound user by selecting *Authentication Method*: **`User Name and Password`** (for a user with access to the system maintained in Technical Data section).
8. Choose *Save*.

Procedure for SAP_COM_0711 - Only Relevant for China

1. Log on to the SAP Fiori launchpad in the SAP S/4HANA Cloud Public Edition system.
2. Open *Communication Systems*.
3. Choose *New*.

4. Enter a system ID and system name. Choose *Create*.
5. In the *Technical Data* section, enter the *Host Name* and *Port* for the system that you wish to integrate.
6. Open *Cloud Connector* if required.
7. In the *Users for Inbound Communication* section, add an inbound user by selecting or creating a user name and authentication method.
8. Choose *Save*.

Procedure for SAP_COM_0468 - Only Relevant for South Korea

1. Log on to the SAP Fiori launchpad in the SAP S/4HANA Cloud Public Edition system.
2. Open *Communication Systems*.
3. Choose *New*.
4. Enter a system ID and system name. Choose *Create*.
5. In the *Technical Data* section, enter the *Host Name* and *Port* for the system that you wish to integrate.
6. Open *Cloud Connector* if required.
7. In the *Users for Inbound Communication* section, add an inbound user by selecting or creating a user name and authentication method.
8. Choose *Save*.

3.1.3 Create Communication Arrangement

Purpose

In this section, you create the communication arrangements.

> ⚠ Caution
>
> Communication arrangements SAP_COM_0554 and SAP_COM_0711 are only relevant for **China**.
> Communication arrangement SAP_COM_0468 is only relevant for **South Korea**.

Procedure for SAP_COM_0554 - Only Relevant for China

1. Log on to the SAP Fiori launchpad in the SAP S/4HANA Cloud Public Edition system.
2. Open *Communication Arrangements*.
3. Choose *New* to create a new communication arrangement.
4. Select SAP_COM_0554 (Finance - Third-party's Communication Client Integration).
5. Adapt the *Arrangement Name* if required.

6. Choose *Create*.
7. In the *Common Data* section, select the *Communication System* from the input help that was created in the Create Communication System [page 6] section. The outbound communication user that was maintained in the communication system is automatically added to the *Outbound Communication* section.
8. Activate services to be used in *Outbound Services* section, and enter the path and port accordingly.
9. Choose *Save*. The communication arrangement is activated.

Procedure for SAP_COM_0711 - Only Relevant for China

1. Log on to the SAP Fiori launchpad in the SAP S/4HANA Cloud Public Edition system.
2. Open *Communication Arrangements*.
3. Choose *New* to create a new communication arrangement.
4. Select SAP_COM_0711 (Finance - China Payment Approval Integration).
5. Adapt the *Arrangement Name* if required.
6. Choose *Create*.
7. In the *Common Data* section, select the *Communication System* from the input help that was created in the Create Communication System [page 6] section. The technical user that was created in the Create Technical Communication User [page 5] section is added to the *Inbound Communication* section.
8. Choose *Save*. The communication arrangement is activated.

Procedure for SAP_COM_468 - Only Relevant for South Korea

1. Log on to the SAP Fiori launchpad in the SAP S/4HANA Cloud Public Edition system.
2. Open *Communication Arrangements*.
3. Choose *New* to create a new communication arrangement.
4. Select SAP_COM_0468 (Finance - South Korea Electronic Invoicing).
5. Adapt the *Arrangement Name* if required.
6. Choose *Create*.
7. In the *Common Data* section, select the *Communication System* from the input help that was created in the Create Communication System [page 6] section. The technical user that was created in the Create Technical Communication User [page 5] section is added to the *Inbound Communication* section.
8. Choose *Save*. The communication arrangement is activated.

3.2 Configuration Items

Purpose

In this section, you handle additional configuration items for **China**.

> ⚠ Caution
>
> This section only applies to **China**. If you are working with the **South Korea** solution, do not implement activities in this section.

Prerequisites

To carry out the following activity, a business user with a business role must exist. The business role must contain the business catalog SAP_CORE_BC_COM (Communication Management), for example, the business role SAP_BR_ADMINISTRATOR (Administrator) is required.

Additionally, the business role SAP_BR_BPC_EXPERT (Configuration Expert - Business Process Configuration) must be assigned to the user.

Procedure for SAP_COM_0554

Depending on your configuration environment for SAP S/4HANA Cloud Public Edition, choose one of the following options:

Configure Your Solution:

1. Log on to the SAP Fiori launchpad as a BPC_EXPERT.
2. Open *Manage Your Solution*.
3. If necessary, change the country or region by choosing *Set Local Version*.
4. Choose *Configure Your Solution*.
5. Search for **`Activate Services for Data Exchange`**.
6. For the *Activate Services for Data Exchange* row, choose *Configure*.
7. Continue with the procedure in the following procedure.

SAP Central Business Configuration:

1. Log on to the project experience in SAP Central Business Configuration.
2. Go to the *Business Processes Configuration* app. To locate the activity in the tree view, search for the following activity: *Activate Services for Data Exchange*.
3. Choose *Open Documentation* for the found line item to see more details about this configuration activity.

4. Choose the link to navigate directly to the SAP S/4HANA Cloud Public Edition system. Log on to the SAP Fiori launchpad as a Configuration Expert - Business Process Configuration.
5. Continue with the procedure in the following table.

Procedure

1. Make the following entries and choose *Save*:

Company Code	House Bank	Acct ID	Send Payment Files (Outbound)	Query Payment Item Status (Outbound)	Query Bank Statement (Outbound)	Query Bank Balance (Outbound)
1	CNBK1	CNAC1	Selected	Selected	Deselected	Selected
2	CNBK2	CNAC9	Selected	Selected	Deselected	Selected
3	CNBK1	CNAC1	Deselected	Deselected	Deselected	Deselected

> **Note**
>
> For more information about the outbound services of this integration scenario, see SAP Note 2937538.

Procedure for SAP_COM_0711

No SSCUI configuration is required for SAP_COM_0711. However, you must deactivate the predelivered payment workflow to avoid data inconsistency.

4 Appendix

4.1 Ticket Component

If you encounter issues during configuration, open an SAP support ticket for the following component:

Implementation Step	Component	Comment
All steps for China	FI-LOC-EPI-CN	
All steps for South Korea	XX-CSC-KR-FI	

Important Disclaimers and Legal Information

Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.
About the icons:

- Links with the icon : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
  - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
  - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.
The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.

www.sap.com/contactsap

© 2026 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see https://www.sap.com/about/legal/trademark.html for additional trademark information and notices.

