

Student Substance Use: Risk Factor Overview

7,516 complete responses (of 12,744) · test dataset · practice data (see Data Quality page)

Risk Level

Low

Moderate

High

Respondents

7,516

Addiction Reported %

20.3%


Avg Drug Risk Score

3.07

Missing answers per question

5.1%


How many warning signs do students report?



Students by risk level

Risk Level	Risk Level Count	Cumulative Risk Level %
Low	4,667	62%
Moderate	2,758	99%
High	91	100%
Total	7,516	100%

Average risk score by addiction status



Withdrawal symptoms vs. legal consequences

Legal Consequences	No	Yes	Total
No	69.32%	30.68%	100.00%
Yes	68.74%	31.26%	100.00%
Total	69.15%	30.85%	100.00%

What is associated with reported addiction?

"Top segments" shows groups where addiction is more common. Differences in this dataset are very small. See the Data Quality page.



Key influencers Top segments



What influences Addiction Class to be

Addiction Reported


 ?




Data quality check: do these factors predict addiction?

Statistics calculated on all 12,744 raw rows, including the incomplete ones the other pages leave out. Cramér's V below 0.10 means a negligible relationship

Students with and without addiction report the same warning signs




Every relationship is far below a "small" effect



Missing answers per question

5.1%

Every question is missing about 5% of answers



What this means


All 10 factors show a negligible relationship with addiction (Cramér's $V \leq 0.03$). The largest gap is risk-taking behaviour: 33.7% vs 30.0%.

The factors are almost uncorrelated with each other (max $r = 0.02$), each is missing about 5% of answers, and each is answered "Yes" about 30% of the time. Real behavioral data doesn't look like this, so the dataset is likely synthetic.

Treat the other pages as a demonstration of Power BI techniques, not as findings about students.

Statistical evidence: are the answers random?

Each student's risk score compared with a binomial model that treats the 10 answers as independent coin flips ($p = 0.31$)



Observed scores match the model almost exactly (mean 3.07 vs 3.07, variance 2.16 vs 2.14). Real behavioral answers would cluster, giving more students at 0 and 7+. This pattern indicates randomly generated data.